

EQUIPMENT	Heavy or Light	SUITABLE MAKE & MODEL	1			2			3			4			5			6			7			8			9			10			11				
			ECCO			HEAVY EQUIPMENT			HERTZ			INLAND BOBCAT			JOHNSON			NEFF RENTAL			RDO EQUIPMENT			SUNBELT			ISCO			WESTERN			UNITED RENTAL				
			Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth					
AERIAL EQUIPMENT																																					
1	19' Scissor Lift	L	Genie GS1930 JLG 1930ES	0	0	0	0	0	0	55	135	300	0	0	0	52	208	624	86	197	360	0	0	0	120	360	650	0	0	0	0	0	0	127	193	424	
2	26' Scissor Lift (narrow)	L	Genie GS2632	0	0	0	0	0	0	70	239	359	0	0	0	60	240	720	99	223	490	0	0	0	175	495	950	0	0	0	0	0	0	144	275	605	
3	26' Scissor Lift	L	JLG 2646ES	0	0	0	0	0	0	70	239	359	0	0	0	0	0	0	99	223	500	0	0	0	175	495	950	0	0	0	0	0	0	148	275	547	
4	26' Scissor Lift 4WD Dual Fuel	L	Genie GS2668RT	0	0	0	0	0	0	110	275	725	0	0	0	95	380	1,140	151	339	780	0	0	0	195	725	1,350	0	0	0	0	0	0	171	434	990	
5	32' Electric Scissor Lift	L	Genie GS3246	0	0	0	0	0	0	121	325	589	0	0	0	100	400	900	160	361	831	0	0	0	190	500	1,060	0	0	0	0	0	0	150	385	825	
6	30-35' Boomlift	L	Genie Z30/20N	0	0	0	0	0	0	125	415	950	0	0	0	0	0	0	309	695	1,633	0	0	0	275	780	2,160	0	0	0	0	0	0	245	611	1,457	
7	40' Boomlift 4WD Diesel	L	Genie S40 Genie GS S45	0	0	0	0	0	0	175	429	1,384	0	0	0	150	600	1,800	316	711	1,670	0	0	0	295	900	2,200	0	0	0	0	0	0	255	632	1,595	
8	40-45' Boomlift Articulating 4WD Diesel / Foam-filled tires	L	Genie Z45/25J	0	0	0	0	0	0	175	429	1,384	0	0	0	150	600	1,800	320	719	1,690	0	0	0	295	900	2,200	0	0	0	0	0	0	414	1,048	2,418	
9	60' Boomlift Articulating 4WD Diesel / Foam-filled tires	L	JLG 600AJ	0	0	0	0	0	0	269	593	1,999	0	0	0	0	0	0	378	851	2,000	0	0	0	460	1,450	3,950	0	0	0	0	0	0	330	917	2,337	
10	60' Boomlift (LIGHT) 4WD Diesel / Foam-filled tires	L	Genie S60 / Z60	0	0	0	0	0	0	269	593	1,999	0	0	0	0	0	0	407	915	2,150	0	0	0	460	1,450	3,950	0	0	0	0	0	0	350	891	2,129	
11	80' Boomlift (LIGHT) 4WD Diesel / Foam-filled tires	L	Genie S80 JLG 860SJ	0	0	0	0	0	0	375	1,001	3,280	0	0	0	0	0	0	757	1,702	4,000	0	0	0	750	2,500	6,750	0	0	0	0	0	0	616	1,540	3,850	
12	40-45' Boomlift (LIGHT)	L	Genie S40/Z45	0	0	0	0	0	0	175	429	1,384	0	0	0	150	500	1,200	311	700	1,645	0	0	0	295	900	2,200	0	0	0	0	0	0	236	671	1,668	
13	60-65- Boomlift (LIGHT)	L	Genie S60	0	0	0	0	0	0	269	583	1,999	0	0	0	240	800	2,000	407	915	2,150	0	0	0	460	1,450	3,950	0	0	0	0	0	0	350	891	2,129	
ARTICULATED TRUCKS																																					
14	Articulated Truck (HEAVY) (14-15 Tons)	H	JDeere JCB714 (14T)	0	0	0	0	0	0	680	1,845	5,023	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
15	Articulated Truck (HEAVY) (25 Tons)	H	JDeere 250D (25T)	0	0	0	600	2,400	7,200	950	2,563	6,663	0	0	0	800	3,200	9,600	0	0	0	970	2,735	6,755	0	0	0	825	3,300	9,900	0	0	0	0	0	0	0
16	Articulated Truck (HEAVY) (30 Tons)	H	JDeere 300D (30T) Komatsu HM300 (30T)	0	0	0	675	2,700	7,900	1,050	2,870	7,278	0	0	0	0	0	0	0	0	0	1,120	3,175	7,785	0	0	0	0	0	0	0	0	0	0	0	0	0
17	Articulated Truck (HEAVY) (35 Tons)	H	CAT 735 (35T) Komatsu HM350 (35T) Volvo A35 (35T)	625	2,500	7,500	750	3,000	8,700	0	0	0	0	0	0	0	0	0	0	0	0	1,160	3,285	8,120	0	0	0	0	0	0	750	3,000	9,000	0	0	0	0
18	Articulated Truck (HEAVY) (40-43.5 Tons)	H	CAT 740 (43.5T) Komatsu HM400 (40T)	708	2,833	8,500	800	3,200	9,400	0	0	0	0	0	0	1,400	5,600	16,800	0	0	0	1,320	3,740	9,240	0	0	0	0	0	0	0	0	0	0	0	0	0
BACKHOES																																					
19	Backhoe Loader (65-75 HP) BH: load height 11.3", dig depth 14.5' Loader: dig depth 2.8" /Transport Width: 7-7.2'	H	Case 580M (90 HP) JDeere 310G/J (73 HP)	0	0	0	190	760	2,180	171	433	1,389	0	0	0	0	0	0	244	610	1,603	210	595	1,525	0	0	0	250	1,000	3,000	0	0	0	300	700	2,100	
20	Backhoe Loader (85-95 HP) (BH: load height 11.2-12.6", dig depth 14.4'-15.2-16.7') (Loader: dig depth 4"-5.3"-5.9")(Transport Width: 7.2'-7.7(7.7)')	H	Case 580 N (90 HP) CAT420E (93 HP) CAT 430F (94 HP) JDeere 510D (95 H)	0	0	0	190	760	2,180	255	477	1,538	0	0	0	185	740	2,220	270	725	1,895	225	675	1,850	0	0	0	250	1,000	3,000	180	720	2,100	315	1,060	2,317	
21	Backhoe Loader (95-100 HP) (BH: load height 11.4", dig depth 15.3-15.9) (Loader: dig depth 3.8"-4.2")(Transport Width: 7.7-7.8')	H	Case 590SL (98 HP) JDeere 410D (96 HP)	0	0	0	200	800	2,280	200	477	1,538	0	0	0	0	0	0	0	0	300	900	2,275	0	0	0	350	1,400	4,200	0	0	0	356	1,100	2,511		
22	Backhoe Loader (100-110 HP) (BH: load height 11.4"-12.6", dig depth 15.9-16.7') (Loader: dig depth 3.8"-4")(Transport Width: 7.7-7.8')	H	Case 590SM (110 HP)	0	0	0	250	1,000	3,000	231	650	1,871	0	0	0	195	780	2,340	0	0	0	385	1,190	3,300	0	0	0	0	0	0	0	0	0	356	1,100	2,501	
23	Backhoe Loader (120-130 HP) (BH: load height 14.3"-14.6", dig depth 17.3'-17.8') (Loader: dig depth 4.1"-6")(Transport Width: 7.8'-8')	H	CAT 450E (125 HP) JDeere 710G (122 HP)	0	0	0	250	1,000	3,000	360	953	3,225	0	0	0	280	1,120	3,360	0	0	0	420	1,275	3,500	0	0	0	450	1,800	5,400	0	0	0	425	1,507	3,956	
COMPACT EQUIPMENT																																					

QTY	EQUIPMENT	Wt or Light	SUITABLE MAKE & MODEL	ECCO			HEAVY EQUIPMENT			HERTZ			INLAND BOBCAT			JOHNSON			NEFF RENTAL			RDO EQUIPMENT			SUNBELT			ISCO			WESTERN			UNITED RENTAL			
				Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth				
				24	DBL Smooth Drum Roller 30-36" (2 Ton)	H	CAT CB114 (31") Hamm HD8VV (35") Volvo IR DD14S (35")	0	0	0	145	580	1,600	0	0	0	0	0	0	100	400	1,200	181	479	1,245	0	0	0	200	610	1,375	0	0	0	150	600	1,500
25	DBLE Smooth Drum Roller 46-50" (3 Ton)	H	BOMAG BW120 (40") CAT CB24 (47" / 3 TON) Hamm HD12VV (47"/3 TON) Volvo IR DD24 (49" / 3 TON)	0	0	0	145	580	1,600	100	485	960	0	0	0	145	580	1,740	215	570	1,483	178	475	1,175	285	870	2,200	450	1,800	5,400	175	700	1,800	171	606	1,529	
26	DBLE Smooth Drum Roller 66" (8-10 Ton)	H	BOMAG BW161 (66")	0	0	0	375	1,500	4,100	150	840	2,475	0	0	0	280	1,120	3,360	0	0	0	425	1,250	3,085	0	0	0	500	2,000	6,000	0	0	0	425	1,684	4,662	
27	S. Smooth Drum Roller 50-56" (Net Power: 80-85 HP)	H	CAT 323C Volvo SD45	0	0	0	210	880	2,650	110	350	1,450	0	0	0	0	0	0	531	958	2,499	395	1,175	3,175	0	0	0	270	1,080	3,240	0	0	0	370	1,050	2,623	
28	S. Smooth Drum Roller 62" (Net Power: 99HP)	H	Ingersoll-Rand SD70D	0	0	0	0	0	0	125	780	2,314	0	0	0	0	0	0	0	0	0	425	1,285	3,375	0	0	0	0	0	0	0	0	0	440	1,166	2,910	
29	S. Smooth Drum Roller 66" (Net Power: 100HP)	H	CAT CS433/E IR SD70D Volvo SD70D	0	0	0	245	980	2,940	125	780	2,314	0	0	0	280	1,120	3,360	368	1,003	2,619	475	1,425	3,725	0	0	0	330	1,320	3,960	330	1,200	3,600	468	1,166	2,909	
30	S. Smooth Drum Roller 84" (Net Power: 125-131-156HP)	H	CAT CS56 Hamm 3410 Ingersoll-Rand SD100D	0	0	0	300	1,200	3,550	175	843	2,779	0	0	0	340	1,360	4,080	481	1,341	3,500	525	1,630	3,975	550	1,850	4,600	650	2,600	7,800	375	1,500	3,900	632	1,579	3,938	
31	Soil Compactor (Net Power: 232HP)	H	CAT 815G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
DOZERS - STANDARD TRACK ONLY																																					
32	Dozer / Crawler Tractor (70-75 HP) (Lenth w/ Blade: 13.2'; Length of Track on Ground: 7.2)	H	CAT D4G JDeere 450J	300	1,200	3,600	310	1,240	3,550	301	703	2,255	0	0	0	0	0	0	445	1,165	3,080	315	955	2,540	0	0	0	330	1,320	3,960	0	0	0	473	1,183	2,948	
33	Dozer / Crawler Tractor (80-84 HP) (Lenth w/ Blade: 13.3'; Length of Track on Ground: 7.2)	H	CAT D4K/D5K (84 HP) JDeere 550J (84 HP)	0	0	0	335	1,340	3,900	311	733	2,409	0	0	0	325	1,300	3,900	470	1,225	3,240	350	1,075	2,875	585	2,145	5,675	450	1,800	5,400	0	0	0	479	1,199	2,992	
34	Dozer / Crawler Tractor (99 HP) (Lenth w/ Blade: 14'; Length of Track on Ground: 7.7')	H	JDeere 650J	0	0	0	365	1,460	4,380	321	863	2,589	0	0	0	340	1,360	4,080	530	1,385	3,670	395	1,200	3,275	615	2,145	5,710	0	0	0	0	0	0	517	1,287	3,212	
35	Dozer / Crawler Tractor (115 HP) (L w/ Blade: 15.7';L of Track on Ground: 7.8'-8.5')	H	CAT D5N (115 HP) JDeere 700J (115 HP)	0	0	0	400	1,600	4,750	421	1,353	3,650	0	0	0	500	2,000	6,000	0	0	0	495	1,475	3,875	0	0	0	450	1,800	5,400	400	1,600	4,500	0	0	0	
36	Dozer / Crawler Tractor (125 HP) (L w/ Blade: 16.3';L of Track on Ground: 8.7')	H	CAT D6K (125 HP)	0	0	0	420	1,680	5,040	0	0	0	0	0	0	390	1,560	4,680	0	0	0	520	1,560	4,475	0	0	0	400	1,600	4,800	0	0	0	0	0	0	
37	Dozer / Crawler Tractor (145-150 HP) (L w/ Blade: 16.3';L of Track on Ground: 8.5-8.7")	H	CAT D6N (150 HP) JDeere 750J (145 HP)	0	0	0	475	1,400	5,700	564	1,640	5,330	0	0	0	400	1,600	4,800	0	0	0	645	1,925	5,375	0	0	0	500	2,000	6,000	500	2,000	5,500	0	0	0	
38	Dozer / Crawler Tractor (185-190 HP) (L w/ Blade:18.8';L of Track on Ground: 10.6')	H	CAT D6R (185 HP) CAT D6R XL (189 HP) Channel	550	2,200	4,500	600	2,400	6,000	682	1,999	6,868	0	0	0	590	2,360	7,080	0	0	0	755	2,265	5,925	0	0	0	750	3,000	9,000	0	0	0	0	0	0	
39	Dozer / Crawler Tractor (195-200 HP) (L w/ Blade: 18.8';L of Track on Ground: 9.4'-10.8')	H	CAT D6T (200 HP) JDeere 850J (200 HP)	550	2,200	6,600	510	2,040	6,120	0	0	0	0	0	0	590	2,360	7,080	0	0	0	925	2,750	6,755	0	0	0	1,125	4,500	13,500	0	0	0	0	0	0	
40	Dozer / Crawler Tractor (300-325 HP) (L w/ Blade: 20";L of Track on Ground: 10.5")	H	CAT D8R/T (310 HP)	950	3,800	11,400	1,000	4,000	11,900	0	0	0	0	0	0	1,000	4,000	12,000	0	0	0	0	0	0	0	0	0	1,125	4,500	13,500	0	0	0	0	0	0	
41	Dozer / Crawler Tractor (400 HP) (L w/ Blade: 23.6";L of Track on Ground: 11.4')	H	CAT D9R (400 HP)	1,200	4,800	14,400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
EXCAVATORS																																					
42	12.8 Reach Excavator , COMPACT 43.9 Cu In or .0006 Tons / 75" Dig Depth	H	Bobcat 323 (13.3 HP) JDeere 17ZTS (12.3 HP)	0	0	0	135	540	1,600	117	323	799	0	0	0	120	480	1,440	0	0	0	166	450	1,275	220	675	1,995	200	800	2,400	0	0	0	231	572	1,430	

ID	EQUIPMENT	Qty or Light	SUITABLE MAKE & MODEL	ECCO			HEAVY EQUIPMENT			HERTZ			INLAND BOBCAT			JOHNSON			NEFF RENTAL			RDO EQUIPMENT			SUNBELT			ISCO			WESTERN			UNITED RENTAL		
				Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth
				43	14.9 Reach Excavator, COMPACT Operating Weight 1-3 Ton / 8'3" D/Depth / 18-23 HP / Bucket Capacity 2.8 CF	H	Bobcat 425 CAT 300.9 (18 HP) IHI 25VX-3 (18 HP) IHI 28N-3 (22 HP)	0	0	0	135	540	1,600	0	0	0	0	0	0	125	500	1,500	219	568	1,478	175	500	1,500	265	875	2,100	0	0	0	0	0
44	15.5' Reach Excavator, COMPACT Operating Weight 3 - 3.5 Ton / 8'6"-10' D/Depth 26-33 HP / Bucket Capacity 3.8 - 3.9 CF	H	Bobcat 325 (27 HP) Bobcat E32 (33 HP) CAT 303.5 (31.6 HP) IHI 35NX-2 (26.5 HP) IHI N-3 (26.7 HP) JDereere 27D (26.4 HP)	0	0	0	145	550	1,600	135	343	899	0	0	0	150	600	1,800	226	588	1,529	195	525	1,575	290	950	2,300	0	0	0	175	700	1,800	231	572	1,430
45	16'-17' Reach Excavator, COMPACT Operating Weight 3.5-3.8 Ton / 10" D/Depth 30-40 HP / Bucket Capacity 11 CF	H	Bobcat 331G (40 HP) CAT 304E (40 HP) Hyundai R35-9 (36 HP) JDereere 35D/G (30 HP)	0	0	0	175	800	1,600	141	373	999	0	0	0	160	640	1,920	226	588	1,529	217	585	1,755	290	950	2,300	0	0	0	200	800	2,400	264	660	1,639
46	9.5' Reach Excavator, HYDRAULIC Operating Weight 5-6.5 Ton / 11'-13' D/Depth 54.7 HP / Bucket Capacity 6.35 CF	H	Bobcat E42 or E45 IHI (55N-3)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	295	767	1,995	340	1025	2575	295	975	2,350	0	0	0	250	1,000	3,000	308	759	1,897
47	20'-24' Reach Excavator, HYDRAULIC Operating Weight 8-9.3 Ton / 13.4'-14' D/Depth 52-57 HP /	H	Bobcat E80 (57 HP) Hyundai R80-9 (58 HP) JDereere 80C (52 HP)	0	0	0	215	860	2,580	211	623	2,199	0	0	0	0	0	0	404	1,050	2,731	365	1,275	2,675	370	1,025	2,755	0	0	0	0	0	0	412	1,034	2,579
48	26' Reach Excavator, HYDRAULIC Operating Weight 15.2-16.2 Ton / 17'-18' D/Depth 88-94 HP / Bucket Capacity 21.5-22 CF	H	CAT 314 (94 HP) JDereere 120C (89 HP) JDereere 135 (88 HP)	0	0	0	300	1,200	3,400	381	996	3,119	0	0	0	320	1,280	3,840	512	1,330	3,499	485	1,475	3,695	0	0	0	400	1,600	4,800	350	1,400	4,200	600	1,491	3,718
49	27' Reach Excavator, HYDRAULIC Operating Weight 14 Ton / 18' D/Depth / 61-89 HP / Bucket Capacity 18.01 CF	H	CAT 308E (65 HP) Doosan DX140LCR (61 HP) Hyundai R140-9 (119 HP)	0	0	0	300	1,200	3,400	0	0	0	0	0	0	240	960	2,880	512	1,330	3,499	485	1,475	3,695	0	0	0	0	0	0	0	0	0	0	0	0
50	28' Reach Excavator, HYDRAULIC Operating Weight 17.8 Ton / 19.2' D/Depth / 28' Reach 109 HP / Bucket Capacity 23 CF	H	CAT 315DL (115 HP) Hyundai R160-9 (110 HP) JDereere 160CLC (109 HP)	0	0	0	345	1,380	3,740	411	1,083	3,689	0	0	0	350	1,400	4,200	0	0	0	495	1,595	3,950	615	1,840	5,410	450	1,800	5,400	375	1,500	4,500	0	0	0
51	32' Reach Excavator, HYDRAULIC Operating Weight 21.5-23.9 Ton / 21'-22' D/Depth 32' Max Reach / 28-150 HP/Bucket Capacity 17-34 CF	H	Hyundai R210-9 (145 HP) JDereere 200CLC (141HP) Komatsu PC200L8 (128HP) Kobelco SK210-6/9 (150 HP)	0	0	0	325	1,300	3,740	491	1,463	4,275	0	0	0	0	0	0	658	1,711	4,500	515	1,625	4,235	620	2,485	6,145	0	0	0	475	1,900	5,500	759	1,886	4,713
52	32' Reach Excavator, HYDRAULIC Operating Weight 24-30 Ton / 13.6-22.4 D/Depth 32' Reach / 138-177 HP / Bucket Capacity 45-49.44 CF	H	CAT 320C/D (140 HP) CAT 321D/CLR (148 HP) Hyundai R210LC (150 HP) Jdeere 225DLC (150 HP) - United JDereere 240DLC (177HP) Komatsu PC200LC-8	0	0	0	325	1,300	3,800	631	1,803	5,219	0	0	0	470	1,880	5,640	1,141	2,966	7,800	525	1,725	4,475	810	3,250	7,295	500	2,000	6,000	475	1,900	5,500	873	2,574	6,233
53	34'-36' Reach Excavator, HYDRAULIC Operating Weight 31-35 Ton / 23'-25" D/Depth 34-36' Reach/188-200 HP / Bucket Capacity 34-36 CF	H	CAT 325 DL (190 HP) JDereere 270DLC (188 HP) Komatsu PC270LC8 (200HP)	488	1,950	5,850	435	1,740	5,220	691	1,913	5,979	0	0	0	590	2,360	7,080	1,189	3,091	8,130	825	2,475	6,175	0	0	0	700	2,800	8,400	550	2,200	6,600	0	0	0
54	38' Reach Excavator, HYDRAULIC Operating Weight 37-40 Ton / 24-27' D/Depth 38' Reach / 270-286 HP/Bucket Capacity 44-50 CF	H	CAT 330CL/D (270 HP) CAT 336EL (300 HP) Hyundai R360LC (280 HP) Komatsu PC350LC8(246HP)	585	2,340	7,020	500	2,000	6,000	0	0	0	0	0	0	700	2,800	8,400	1,165	3,029	7,965	900	2,575	6,775	0	0	0	850	3,400	10,200	600	2,400	7,200	0	0	0

EQ	EQUIPMENT	H or Light	SUITABLE MAKE & MODEL	ECCO			HEAVY EQUIPMENT			HERTZ			INLAND BOBCAT			JOHNSON			NEFF RENTAL			RDO EQUIPMENT			SUNBELT			ISCO			WESTERN			UNITED RENTAL					
				Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth						
55	40' Reach Excavator, HYDRAULIC Operating Weight 92' Ton / 23.4' D/Depth & 40' Reach 530 HP / Bucket Capacity 190 CF	H	CAT 385CL (530 HP) Hitachi ZX800 (454 HP) John Deere 850C (532 HP)	0	0	0	1,650	6,600	19,100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
56	42.4' Reach Excavator, HYDRAULIC Operating Weight 54' Ton / 29' D/Depth & 42.4' Reach 380 HP / Bucket Capacity 123 CF	H	CAT 345DL (380 HP) CAT 349EL (396 HP) Hitachi ZX450 (454 HP) Hyundai R450LC (320 HP)	683	2,730	8,190	700	2,800	8,400	0	0	0	0	0	0	790	3,160	9,480	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
57	44' Reach Excavator, HYDRAULIC Operating Weight 54' Ton / 31' D/Depth & 44' Reach 286 HP / Bucket Capacity 53 CF	H	JDDeere 350L (286 HP)	0	0	0	750	3,000	9,000	781	2,183	7,189	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
58	46' Reach Excavator, HYDRAULIC Operating Weight 77' Ton / 31' D/Depth & 46.1' Reach 411 HP / Bucket Capacity 162 CF	H	CAT 365CL (411 HP) Hitachi ZX650 (463 HP) John Deere 650D (463 HP)	1,024	4,095	12,285	1,150	4,600	13,800	0	0	0	0	0	0	1,650	6,600	19,800	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
EXCAVATORS - LONG REACH																																							
59	50' Reach Excavator, LONG REACH Operating Weight 24-30 Ton / 13.6-22.4 D/Depth 138-177 HP / Bucket Capacity 45-49.44 CF	H	CAT 320C/D Doosan DX225LC SLR	0	0	0	550	2,200	6,600	0	0	0	0	0	0	0	900	3,600	10,800	1,141	2,966	7,800	995	2,985	7,875	0	0	0	0	0	0	0	0	0	0	0	0	0	
60	60' Reach Excavator, LONG REACH Operating Weight 37-40 Ton / 24-27' D/Depth 270-286 HP / Bucket Capacity 44-50 CF	H	CAT 330D Hitachi 240ZLX (RDO) Komatsu PC270LC-8	900	3,600	10,800	650	2,600	7,790	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MOTOR GRADERS																																							
61	Motor Grader, 6 Cylinders (Max 165 HP) Overall Length 28.1' / Operating Weight: 22.9 Tons Moldboard 12'W x 2'H	H	CAT 12H (165 HP)	0	0	0	445	1,180	5,390	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
62	Motor Grader, 6 Cylinders (Max 185 HP) Overall Length 28.6'-28.9' / Operating Weight: 23.4T Moldboard 12'W x 2'H	H	CAT 140H (185 HP) JDDeere 672 (185 HP)	525	2,100	6,300	475	1,900	5,600	0	0	0	0	0	0	430	1,720	5,160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
63	Motor Grader, 6 Cylinders (223-265 HP) Overall Length 29.2' / Operating Weight: 24.8 Tons Moldboard 12'W x 2'H	H	CAT 140M2 AWD (223 HP) JDDeere 770 GP (245 HP) JDDeere 772G (265 HP)	525	2,100	6,300	475	1,900	5,600	0	0	0	0	0	0	450	1,800	5,400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SKIDSTEER / MULTI TERRAIN LOADER																																							
64	Skidsteer / MTL (22.5 HP) Length with Bucket: 8.4' / wo Bucket 6.3' Clearance at Max Lift and Dump 6.2' Operating Load Rating 700 lb	L	Bobcat S70 (22.5 HP) Bobcat 463 (22.5 HP)	0	0	0	100	400	1,380	115	280	610	160	600	1,800	100	400	1,200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
65	Skidsteer / MTL (25 HP) Length with Bucket: 8.9' / wo Bucket 7.3' Clearance at Max Lift and Dump 6.8' Operating Load Rating 950 lb	L	Bobcat 553 (25 HP)	0	0	0	145	520	1,740	110	275	625	170	640	1,920	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
66	Skidsteer / MTL (46 HP) Length with Bucket: 10.3-10.9' / wo Bucket 8'-8.5' Clearance at Max Lift and Dump 7.6' Operating Load Rating 1750-1900 lb	H	Bobcat S130 (46 HP) Bobcat S150 (46 HP) Bobcat S175 (46 HP)	0	0	0	145	580	1,740	141	313	750	185	700	2,100	0	0	0	239	693	2,080	209	595	1,475	205	655	1,530	300	1,200	3,600	0	0	0	0	0	0	0	0	
67	Skidsteer / MTL (55-75 HP) Length with Bucket: 10.6'-10.9' / wo Bucket 8.3'-8.5'-9.5' Clearance at Max Lift and Dump 7.1'-7.6'-7.9' Operating Load Rating 1500-1850 lb-2200	H	Bobcat S185 (56 HP) Bobcat S220 (75 HP) Bobcat S630 (74 HP) IB CAT 226/B3 (55 HP) John Deere 318D	0	0	0	150	600	1,790	151	333	779	220	880	2,640	125	500	1,500	195	525	1,355	219	623	1,610	275	995	2,100	300	1,200	3,600	0	0	0	0	0	0	0	0	

ID	EQUIPMENT	Qty or Light	SUITABLE MAKE & MODEL	ECCO			HEAVY EQUIPMENT			HERTZ			INLAND BOBCAT			JOHNSON			NEFF RENTAL			RDO EQUIPMENT			SUNBELT			ISCO			WESTERN			UNITED RENTAL		
				Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth			
68	Skidsteer / MTL (61 HP) Length with Bucket: 10.9' / wo Bucket 8.5" Clearance at Max Lift and Dump 7.2'-7.6' Operating Load Rating 1,800 -1,900 lb	H	Bobcat T180 - MTL (61 HP) Bobcat T190 - MTL (61 HP)	0	0	0	175	700	1,790	0	0	0	300	1,200	3,600	0	0	0	242	665	1,750	225	680	1,695	350	1,300	2,600	350	1,400	4,200	0	0	0	216	643	1,600
69	Skidsteer / MTL (74 HP) Length with Bucket: 11.3' / wo Bucket 8.9" Clearance at Max Lift and Dump 7.4' Operating Load Rating 2949 lb	H	CAT 259B/3 (74 HP)	0	0	0	175	700	1,790	0	0	0	0	0	0	220	880	2,640	0	0	0	235	850	1,890	0	0	0	0	0	0	0	0	0	245	835	2,090
70	Skidsteer / MTL (75-85 HP) Length with Bucket: 11.9'-12.1' / wo Bucket 9.5'-10.3" Clearance at Max Lift and Dump 8-8.3' Operating Load Rating 2350-2500 lb	H	Bobcat S250 (75 HP) Bobcat S650 Bobcat S750 (85HP) IB CAT 256C (85 HP)	0	0	0	175	700	1,890	171	373	825	250	1,000	3,000	200	800	2,400	265	710	2,125	235	675	2,100	265	900	2,000	0	0	0	0	0	0	330	825	2,063
71	Skidsteer / MTL (81-84 HP) Length with Bucket: 11.9'-12.1' / wo Bucket 9.5'-9.7" Clearance at Max Lift and Dump 7.8'-8.1' Operating Load Rating 3000-3850 lb	H	Bobcat T300 (81 HP) CAT 287 (81 HP) CAT 289 TRK (84 HP)	0	0	0	200	800	2,495	0	0	0	325	1,300	3,900	300	1,200	3,600	0	0	0	280	850	2,380	0	0	0	400	1,600	4,800	0	0	0	330	825	2,063
*	*ATTACHMENTS for Line 71 1) Mulching Head 2) Mower 3) Root Rake		1) BCFC (Forestry Cutter) 2) TBD 3) TBD																																	
72	Skidsteer / MTL (94 HP) Length with Bucket: 12.6' / wo Bucket 10.2' Clearance at Max Lift and Dump 8.2' Operating Load Rating 4150-4561 lb	H	Bobcat T770 (92 HP) / 3400 CAT 297 (94 HP) / 4561 CAT 299 (94 HP) / 4150 J Deere 333E (97HP) / 3300	0	0	0	225	900	2,700	0	0	0	350	1,400	4,200	320	1,280	3,840	0	0	0	320	965	2,495	0	0	0	450	1,800	5,400	300	1,200	3,600	0	0	0
*	*ATTACHMENTS for Line 72 1) Mulching Head 2) Mower 3) Root Rake		1) JD MH60 2) TBD 3) TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA	1) YES 2) TBD 3) TBD	1) YES 2) TBD 3) TBD	1) 3600 2) TBD 3) TBD	1) NA 2) YES 3) YES	1) NA 2) YES 3) YES	1) NA 2) YES 3) YES	NA	NA	NA	1) 375 2) TBD 3) TBD	1) 1500 2) TBD 3) TBD	1) 4500 2) TBD 3) TBD	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
LOADERS, WHEEL																																				
73	Loader, BACKHOE (58 HP) Operating Weight 5.16 Tons Loader Breakout Force 6,800 lb / Lift Capacity 4,700 lb Backhoe dig depth: 13.8' / Dig Force 9,600 lb	H	John Deere 210LE or SE	0	0	0	170	700	1,900	160	350	1,300	0	0	0	0	0	0	0	0	0	217	585	1,675	0	0	0	0	0	0	0	0	0	0	0	0
74	Loader, COMPACT (85 HP) Operating Weight 5.16 Tons Loader Breakout Force 5,659 lb / Lift Capacity 3,325LB Backhoe Dig Depth: / Dig Force	H	Bobcat T750	0	0	0	0	0	0	0	0	0	350	1,400	4,200	0	0	0	300	825	2,170	300	900	2,700	0	0	0	450	1,800	5,400	0	0	0	0	0	0
75	Loader, CRAWLER (158 HP)	H	CAT 963C (3 CYD)	0	0	0	525	2,100	6,300	0	0	0	0	0	0	520	2,080	6,240	0	0	0	1,061	2,750	7,230	0	0	0	700	2,800	8,400	0	0	0	0	0	0
76	Loader, WHEEL/TRACTOR (73-88 HP) Operating Weight 5.2-5.4 Tons Loader Breakout Force 7,900 - 9,271 - 9,953 lb Lift Capacity 5,280 - 5,612- 6,503 lb	H	JDeere 210K (88 HP) JDeere 210LE (73 HP) Case 570MXT(79 HP)	0	0	0	170	700	1,900	160	350	1,300	0	0	0	0	0	0	203	550	1,458	217	585	1,675	285	1,150	2,400	190	760	2,280	200	800	2,400	248	622	1,697
77	Loader, WHEEL (125-146 HP) Operating Weight 12.84-14 Tons / Loader Breakout Force 10k-23k-25k lb/Lift Capacity 2,2-2.5 / Reach at Max Lift and Dump 2.4'-3'-3.4'	H	CAT 928G (125 HP) CAT 928HZ (161 HP) CAT 950K (130 HP) Case 621E (146 HP) Hyundai HL740-9 (143 HP)	0	0	0	275	1,100	3,300	375	1,050	2,975	0	0	0	260	1,040	3,120	505	1,388	3,650	375	1,105	2,730	0	0	0	360	1,440	4,320	300	1,200	3,600	572	1,424	3,700
78	Loader, WHEEL - HIGH LIFT CPTCY (143-149 HP) Operating Weight 14 Tons Loader Breakout Force 20939 lb/Lift Capacity 3 yd3 Reach at Max Lift and Dump 3.3'	H	JDeere 544J (149 HP)	0	0	0	300	1,200	3,590	379	1,075	3,300	0	0	0	280	1,120	3,360	522	1,434	3,772	475	1,425	3,500	655	2,100	5,250	0	0	0	0	0	0	616	1,591	3,998

ID	EQUIPMENT	Qty or Light	SUITABLE MAKE & MODEL	ECCO			HEAVY EQUIPMENT			HERTZ			INLAND BOBCAT			JOHNSON			NEFF RENTAL			RDO EQUIPMENT			SUNBELT			ISCO			WESTERN			UNITED RENTAL			
				Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth				
79	Loader, WHEEL (170-180 HP) Operating Weight 15-16.5 Tons Loader Breakout Force 27k-29k lb/Lift Capacity 3.5 yd3 Reach at Max Lift and Dump 3.2'-3.5'-3.8'	H	CAT 938G (179 HP) CAT 938H (180 HP) Case 721D/F (170 HP) Hyundai HL757-9 (170 HP)	0	0	0	325	1,290	3,790	399	1,200	3,650	0	0	0	310	1,240	3,720	595	1,630	4,275	595	1,785	4,450	0	0	0	500	2,000	6,000	350	1,400	4,000	0	0	0	
80	Loader, WHEEL (197-215 HP) Operating Weight 19.7-20 Tons Loader Breakout Force 37,125lb/Lift Capacity 4-4.3 yd3 Reach at Max Lift and Dump 4'	H	CAT 950H (197 HP) Hyundai HL760-9 (212 HP)	525	2,100	6,300	370	1,500	4,150	525	1,292	4,305	0	0	0	410	1,640	4,920	745	2,050	5,395	625	1,975	4,725	0	0	0	600	2,400	7,200	475	1,900	5,500	0	0	0	
81	Loader, WHEEL (232 HP) Operating Weight 22 Tons Loader Breakout Force 33903 lb/Lift Capacity 4.25yd3 Reach at Max Lift and Dump 3.1'	H	JDeere 644K (232 HP)	525	2,100	6,300	495	1,980	5,940	540	1,315	4,475	0	0	0	0	0	0	0	0	0	675	2,015	4,975	0	0	0	0	0	0	0	0	0	786	1,964	4,911	
82	Loader, WHEEL (262-277 HP) Operating Weight 25-26 Tons Loader Breakout Force 42-45k lb/Lift Capacity 5.3-5.5 yd3 Reach at Max Lift and Dump 4.0'-4.3'	H	CAT 966K/H (262-267 HP) Hyundai HL770-9 (277 HP) JDeere 744J (266 HP)	575	2,300	6,900	495	1,980	5,940	631	1,693	7,350	0	0	0	550	2,200	6,600	0	0	0	895	2,677	6,675	0	0	0	725	2,900	8,700	550	2,200	6,600	963	2,403	6,011	
83	Loader, WHEEL (287 HP) Operating Weight 27 Tons Loader Breakout Force 51,750 lb / Lift Capacity 6 yd3 Reach at Max Lift and Dump 4.3'	H	CAT 972H (287 HP)	0	0	0	600	2,400	6,800	0	0	0	0	0	0	0	0	0	0	0	0	985	2,975	7,350	0	0	0	0	0	0	0	0	0	0	0	0	0
84	Loader, WHEEL (318-344 HP) Operating Weight 33 Tons Loader Breakout Force 61,425lb/Lift Capacity 5.5-7 yd3 Reach at Max Lift and Dump 5.1'	H	CAT 980H (318 HP)(5.5CYD) Hyundai HL780-9 (344 HP) (7 CYD)	675	2,700	8,100	700	2,790	8,380	0	0	0	0	0	0	800	3,200	9,600	0	0	0	1,300	3,900	9,625	0	0	0	1,000	4,000	12,000	0	0	0	0	0	0	
TRUCKS																																					
85	Dump Truck 5-6 Yard	H	Ford F650 International 4200/4300	0	0	0	175	700	2,090	171	573	1,350	0	0	0	160	640	1,920	220	602	1,583	0	0	0	305	910	2,600	500	2,000	6,000	0	0	0	290	725	1,815	
86	Water Truck 2000 Gallon	H	Ford F650 Freightliner M2 (2,500 gal) International 4300	0	0	0	175	1,520	4,560	221	793	1,519	0	0	0	170	680	2,040	304	831	2,185	0	0	0	385	1,300	3,500	250	1,000	3,000	0	0	0	340	880	1,900	
87	Water Truck 3700 Gallon	H	International 4400, 7400 Freightliner	0	0	0	380	1,520	4,560	379	1,373	2,649	0	0	0	360	1,440	4,320	0	0	0	0	0	0	0	0	0	450	1,800	5,400	0	0	0	528	1,320	3,857	
88	Water Truck 4000 Gallon	H	International 4400, 7400 Freightliner	0	0	0	380	1,520	4,560	379	1,373	2,649	0	0	0	300	1,200	3,600	557	1,521	4,000	0	0	0	0	0	0	625	2,500	7,500	0	0	0	528	1,320	3,857	
MISCELLANEOUS EQUIPMENT																																					
89	Compressor 185CFM Diesel	L	Atlas Copco XAS185 Sullivan D185PJD Doosan IR C185WKUB-T41	0	0	0	75	300	650	55	125	389	0	0	0	65	260	780	89	242	604	0	0	0	145	580	1,050	0	0	0	0	0	0	99	242	605	
90	Compressor 375 CFM Diesel	L	Sullair 375HHADPQ Sullair D375PDXJD	0	0	0	0	0	0	91	193	675	0	0	0	200	600	1,800	168	454	1,184	0	0	0	175	680	1,380	0	0	0	0	0	0	231	572	1,430	
91	Hammer Chipping Hammer Air 15-20 LB	L	Atlas Copco TEX319 APT 653/M653 Sullair MRD9	0	0	0	25	95	195	33	75	185	0	0	0	25	100	300	46	126	330	0	0	0	46	125	255	0	0	0	0	0	0	44	99	248	
92	Rivet Buster Jumbo Air 900 BPM	L	APT133 IR 90001A	0	0	0	25	95	195	37	82	215	0	0	0	0	0	0	48	131	341	0	0	0	53	145	330	0	0	0	0	0	55	138	335		
93	Backfill Tamper, Air 670 BPM	L	APT 131 Crowder 131	0	0	0	25	95	195	0	0	0	0	0	0	0	0	0	54	150	391	0	0	0	70	195	540	0	0	0	0	0	50	111	263		

EQ	EQUIPMENT	L or Light	SUITABLE MAKE & MODEL	ECCO			HEAVY EQUIPMENT			HERTZ			INLAND BOBCAT			JOHNSON			NEFF RENTAL			RDO EQUIPMENT			SUNBELT			ISCO			WESTERN			UNITED RENTAL		
				Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth			
94	Hammer 30LB Air	L	APT M117 Sullair MDT22	0	0	0	25	95	195	20	35	75	0	0	0	30	120	360	44	121	317	0	0	0	50	185	365	0	0	0	0	0	0	44	105	259
95	Hammer 60LB Air	L	Atlas Copco TEXP60S APT M60 Sullair MPB60A	0	0	0	25	95	195	20	35	75	0	0	0	40	160	480	52	143	373	0	0	0	56	205	420	0	0	0	0	0	0	50	116	286
96	Hammer 90LB Air	L	Atlas Copco TEXP90S APT M190	0	0	0	25	95	195	26	45	110	0	0	0	40	160	480	44	120	314	0	0	0	60	220	430	0	0	0	0	0	0	50	121	302
97	Compactor Plate 2500-5000 LB	L	Multiquip MVC88VGHW Wacker WP1550W	0	0	0	60	200	500	40	90	150	0	0	0	50	200	600	73	180	484	0	0	0	76	215	535	0	0	0	0	0	0	77	198	484
98	Compactor Rammer Gas 2900-3200 LB	L	Multiquip MTX70	0	0	0	65	200	500	50	101	179	0	0	0	65	260	780	68	180	452	0	0	0	91	270	735	0	0	0	0	0	0	88	209	484
99	Roller Trench 24-33" Remote Control	L	Multiquip RX1510C133 Wacker RT82-SC2	0	0	0	200	800	2,090	85	345	974	0	0	0	180	720	2,160	218	578	1,503	0	0	0	275	970	2,560	0	0	0	0	0	0	262	920	1,954
ADDITIONAL FEES																																				
A	Delivery / Set Up	L	LIGHT Flat Within 15 Miles	250.00			50.00			48.00			95.00			75.00			38.00			150.00			100.00			750.00			45.00			125.00		
			LIGHT Each Mile Over 15 Miles	5.00			1.50			0.00			3.00			1.00			2.00			0.00			3.75			0.00			1.25			3.00		
		H	HEAVY Flat Within 15 Miles	500.00			75.00			48.00			95.00			130.00			75.00			250.00			100.00			750.00						125.00		
			HEAVY Each Mile Over 15 Miles	10.00			3.00			0.00			3.00			2.00			2.00			0.00			3.75			0.00			1.25			3.00		
		**	COMMENTS	NONE					\$48 / 200 miles \$2.95 each additional mile				NONE			NONE			NONE			NONE			\$100 / each way \$3.75/mile after 25 miles			NONE			NONE			NONE		
B	Environmental a) ** implies Env. Cost was included in Base Cost b) 100% = 1% of Base Cost 150% = 1.5% of Base Cost			\$ -			\$ -			\$ -			1%			1%			1.5%			1%			1.5%		\$ -			0.00%			0.54%			
C	Local Preference a) 1% implies Vendor is in Riverside County b) 5% implies Vendor is outside Riverside County			0			0			0			0			0			5%			0			0		5%			5%			0			
			COUNTY	RIVERSIDE			RIVERSIDE			RIVERSIDE			RIVERSIDE			RIVERSIDE			SAN BERNARDINO			RIVERSIDE			RIVERSIDE			LOS ANGELES			SAN BERNARDINO			RIVERSIDE		
*	AGE OF EQUIPMENT			Equipment meets age requirement; 2003 or earlier			Equipment meets age requirement; 2003 or earlier			Equipment meets age requirement; 2003 or earlier			Equipment meets age requirement; 2003 or earlier			Equipment meets age requirement; 2003 or earlier			Equipment meets age requirement; 2003 or earlier			Equipment meets age requirement; 2003 or earlier			Equipment meets age requirement; 2003 or earlier			Equipment meets age requirement; 2003 or earlier			Equipment meets age requirement; 2003 or earlier			Equipment meets age requirement; 2003 or earlier		
*	QUALIFICATIONS & QUOTE ACCEPTED			YES			YES			YES			YES			YES			YES			YES			YES			YES			YES			YES		

EQUIPMENT	Heavy or Light	SUITABLE MAKE & MODEL	1			2			3			4			5			6			7			8			9			10			11			
			ECCO			HEAVY EQUIPMENT			HERTZ			INLAND BOBCAT			JOHNSON			NEFF RENTAL			RDO EQUIPMENT			SUNBELT			ISCO			WESTERN			UNITED RENTAL			
			Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth	Day	Wk	Mth				
AERIAL EQUIPMENT																																				
1		Genie GS1930 JLG 1930ES	0	0	0	0	0	0	151	231	396	0	0	0	243	400	820	255	374	547	0	0	0	472	715	1,010	0	0	0	0	0	0	498	564	796	
2		Genie GS2632	0	0	0	0	0	0	166	335	455	0	0	0	251	432	917	269	401	686	0	0	0	528	852	1,314	0	0	0	0	0	0	515	646	978	
3		JLG 2646ES	0	0	0	0	0	0	166	335	455	0	0	0	0	0	0	269	401	697	0	0	0	528	852	1,314	0	0	0	0	0	0	519	646	920	
4		Genie GS2668RT	0	0	0	0	0	0	206	371	821	0	0	0	286	574	1,341	325	525	995	0	0	0	548	1,086	1,720	0	0	0	0	0	0	542	806	1,365	
5		Genie GS3246	0	0	0	0	0	0	217	421	685	0	0	0	291	594	1,099	334	549	1,049	0	0	0	543	888	1,426	0	0	0	0	0	0	521	757	1,199	
6		Genie Z30/20N	0	0	0	0	0	0	221	511	1,046	0	0	0	0	0	0	493	904	1,904	0	0	0	629	1,142	2,542	0	0	0	0	0	0	616	984	1,835	
7		Genie S40 Genie GS S45	0	0	0	0	0	0	271	525	1,480	0	0	0	342	796	2,008	501	922	1,944	0	0	0	649	1,264	2,583	0	0	0	0	0	0	626	1,005	1,974	
8		Genie Z45/25J	0	0	0	0	0	0	271	525	1,480	0	0	0	342	796	2,008	505	930	1,965	0	0	0	649	1,264	2,583	0	0	0	0	0	0	786	1,424	2,801	
9		JLG 600AJ	0	0	0	0	0	0	365	689	2,095	0	0	0	0	0	0	567	1,071	2,295	0	0	0	817	1,822	4,359	0	0	0	0	0	0	702	1,292	2,720	
10		Genie S60 / Z60	0	0	0	0	0	0	365	689	2,095	0	0	0	0	0	0	598	1,139	2,455	0	0	0	817	1,822	4,359	0	0	0	0	0	0	722	1,266	2,510	
11		Genie S80 JLG 860SJ	0	0	0	0	0	0	471	1,097	3,376	0	0	0	0	0	0	971	1,978	4,427	0	0	0	1,111	2,888	7,201	0	0	0	0	0	0	989	1,918	4,241	
12		Genie S40/Z45	0	0	0	0	0	0	271	525	1,480	0	0	0	342	695	1,402	495	910	1,917	0	0	0	649	1,264	2,583	0	0	0	0	0	0	607	1,045	2,047	
13		Genie S60	0	0	0	0	0	0	365	679	2,095	0	0	0	432	998	2,210	598	1,139	2,455	0	0	0	817	1,822	4,359	0	0	0	0	0	0	722	1,266	2,510	
ARTICULATED TRUCKS																																				
14		JDeere JCB714 (14T)	0	0	0	0	0	0	776	1,941	5,119	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
15		JDeere 250D (25T)	0	0	0	870	2,670	7,470	1,046	2,659	6,759	0	0	0	1,148	3,572	10,036	0	0	0	1,480	3,262	7,323	0	0	0	2,441	5,040	11,970	0	0	0	0	0	0	
16		JDeere 300D (30T) Komatsu HM300 (30T)	0	0	0	945	2,970	8,170	1,146	2,966	7,374	0	0	0	0	0	0	0	0	0	1,631	3,707	8,363	0	0	0	0	0	0	0	0	0	0	0	0	0
17		CAT 735 (35T) Komatsu HM350 (35T) Volvo A35 (35T)	2,025	3,900	8,900	1,020	3,270	8,970	0	0	0	0	0	0	0	0	0	0	0	0	1,672	3,818	8,701	0	0	0	0	0	0	935	3,297	9,597	0	0	0	
18		CAT 740 (43.5T) Komatsu HM400 (40T)	2,108	4,233	9,900	1,070	3,470	9,670	0	0	0	0	0	0	1,754	5,996	17,308	0	0	0	1,833	4,277	9,832	0	0	0	0	0	0	0	0	0	0	0	0	
BACKHOES																																				
19		Case 580M (90 HP) BH: load height 11.3', dig depth 14.5' Loader: dig depth 2.8' /Transport Width: 7.7.2' JDeere 310G/J (73 HP)	0	0	0	460	1,030	2,450	267	529	1,485	0	0	0	0	0	0	502	892	1,950	712	1,101	2,040	0	0	0	1,838	2,625	4,725	0	0	0	672	1,074	2,481	
20		Case 580 N (90 HP) CAT420E (93 HP) CAT 430F (94 HP) JDeere 510D (95 H)	0	0	0	460	1,030	2,450	351	573	1,634	0	0	0	527	1,087	2,582	529	1,014	2,261	727	1,182	2,369	0	0	0	1,838	2,625	4,725	336	903	2,352	687	1,436	2,700	
21		Case 590SL (98 HP) (BH: load height 11.4', dig depth 15.3-15.9) (Loader: dig depth 3.8'-4.2')/Transport Width: 7.7-7.8' JDeere 410D (96 HP)	0	0	0	470	1,070	2,550	296	573	1,634	0	0	0	0	0	0	0	0	0	803	1,409	2,798	0	0	0	1,943	3,045	5,985	0	0	0	728	1,476	2,895	
22		Case 590SM (110 HP) (BH: load height 11.4'-12.6', dig depth 15.9-16.7') (Loader: dig depth 3.8'-4")/Transport Width: 7.7-7.8'	0	0	0	520	1,270	3,270	327	746	1,967	0	0	0	537	1,128	2,703	0	0	0	889	1,702	3,833	0	0	0	0	0	0	0	0	0	728	1,476	2,885	
23		CAT 450E (125 HP) (BH: load height 14.3'-14.6', dig depth 17.3'-17.8') (Loader: dig depth 4.1'-6")/Transport Width: 7.8'-8') JDeere 710G (122 HP)	0	0	0	520	1,270	3,270	456	1,049	3,321	0	0	0	623	1,471	3,734	0	0	0	924	1,788	4,035	0	0	0	2,048	3,465	7,245	0	0	0	797	1,885	4,347	
COMPACT EQUIPMENT																																				
24		CAT CB114 (31") Hamm HD8VV (35") Volvo IR DD14S (35")	0	0	0	415	850	1,870	0	0	0	0	0	0	441	744	1,552	434	752	1,568	0	0	0	553	969	1,746	0	0	0	305	777	1,722	569	885	1,653	

25	DBLE Smooth Drum Roller 46-50" (3 Ton)	H	BOMAG BW120 (40") CAT CB24 (47" / 3 TON) Hamm HD12VV (47"/3 TON) Volvo IR DD24 (49" / 3 TON)	0	0	0	415	850	1,870	196	581	1,056	0	0	0	486	926	2,097	471	849	1,822	680	980	1,687	639	1,233	2,583	2,048	3,465	7,245	331	882	2,037	542	979	1,907		
26	DBLE Smooth Drum Roller 66" (8-10 Ton)	H	BOMAG BW161 (66")	0	0	0	645	1,770	4,370	246	936	2,571	0	0	0	623	1,471	3,734	0	0	0	929	1,763	3,616	0	0	0	2,100	3,675	7,875	0	0	0	797	2,063	5,057		
27	S. Smooth Drum Roller 50-56" (Net Power: 80-85 HP)	H	CAT 323C Volvo SD45	0	0	0	480	1,150	2,920	206	446	1,546	0	0	0	0	0	0	807	1,262	2,905	899	1,687	3,707	0	0	0	1,859	2,709	4,977	0	0	0	742	1,426	3,007		
28	S. Smooth Drum Roller 62" (Net Power: 99HP)	H	Ingersoll-Rand SD70D	0	0	0	0	0	0	221	876	2,410	0	0	0	0	0	0	0	0	0	929	1,798	3,909	0	0	0	0	0	0	0	0	0	812	1,542	3,296		
29	S. Smooth Drum Roller 66" (Net Power: 100HP)	H	CAT CS433/E IR SD70D Volvo SD70D	0	0	0	515	1,250	3,210	221	876	2,410	0	0	0	623	1,471	3,734	368	1,003	2,619	980	1,939	4,262	0	0	0	1,922	2,961	5,733	494	1,407	3,927	841	1,542	3,295		
30	S. Smooth Drum Roller 84" (Net Power: 125-131-156HP)	H	CAT CS56 Hamm 3410 Ingersoll-Rand SD100D	0	0	0	570	1,470	3,820	271	939	2,875	0	0	0	683	1,714	4,461	481	1,341	3,500	1,030	2,146	4,515	908	2,228	5,019	2,258	4,305	9,765	541	1,722	4,242	1,005	1,958	4,329		
31	Soil Compactor (Net Power: 232HP)	H	CAT 815G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,625	5,775	14,175	0	0	0	0	0	0			
DOZERS - STANDARD TRACK ONLY																																						
32	Dozer / Crawler Tractor (70-75 HP) (Lenth w/ Blade: 13.2'; Length of Track on Ground: 7.2')	H	CAT D4G JDeere 450J	1,700	2,600	5,000	580	1,510	3,820	397	799	2,351	0	0	0	0	0	0	716	1,483	3,524	818	1,465	3,065	0	0	0	1,922	2,961	5,733	0	0	0	846	1,559	3,334		
33	Dozer / Crawler Tractor (80-84 HP) (Lenth w/ Blade: 13.3'; Length of Track on Ground: 7.2')	H	CAT D4K/D5K (84 HP) JDeere 550J (84 HP)	0	0	0	605	1,610	4,170	407	829	2,505	0	0	0	668	1,653	4,279	742	1,547	3,695	854	1,586	3,404	944	2,527	6,110	2,048	3,465	7,245	0	0	0	852	1,575	3,378		
34	Dozer / Crawler Tractor (99 HP) (Lenth w/ Blade: 14'; Length of Track on Ground: 7.7')	H	JDeere 650J	0	0	0	635	1,730	4,650	417	959	2,685	0	0	0	683	1,714	4,461	806	1,718	4,153	899	1,712	3,808	974	2,527	6,146	0	0	0	0	0	0	890	1,664	3,599		
35	Dozer / Crawler Tractor (115 HP) (L w/ Blade: 15.7";L of Track on Ground: 7.8'-8.5')	H	CAT D5N (115 HP) JDeere 700J (115 HP)	0	0	0	670	1,870	5,020	517	1,449	3,746	0	0	0	845	2,360	6,400	0	0	0	1,000	1,990	4,414	0	0	0	2,048	3,465	7,245	567	1,827	4,872	0	0	0		
36	Dozer / Crawler Tractor (125 HP) (L w/ Blade: 16.3";L of Track on Ground: 8.7')	H	CAT D6K (125 HP)	0	0	0	690	1,950	5,310	0	0	0	0	0	0	734	1,916	5,067	0	0	0	1,025	2,076	5,020	0	0	0	1,995	3,255	6,615	0	0	0	0	0	0		
37	Dozer / Crawler Tractor (145-150 HP) (L w/ Blade: 16.3";L of Track on Ground: 8.5-8.7")	H	CAT D6N (150 HP) JDeere 750J (145 HP)	0	0	0	745	1,670	5,970	660	1,736	5,426	0	0	0	744	1,956	5,188	0	0	0	1,151	2,444	5,929	0	0	0	2,100	3,675	7,875	672	2,247	5,922	0	0	0		
38	Dozer / Crawler Tractor (185-190 HP) (L w/ Blade:18.8";L of Track on Ground: 10.6')	H	CAT D6R (185 HP) CAT D6R XL (189 HP) Channel	1,950	3,600	5,900	870	2,670	6,270	778	2,095	6,964	0	0	0	936	2,724	7,491	0	0	0	1,263	2,788	6,484	0	0	0	2,363	4,725	11,025	0	0	0	0	0	0		
39	Dozer / Crawler Tractor (195-200 HP) (L w/ Blade: 18.8";L of Track on Ground: 9.4'-10.8')	H	CAT D6T (200 HP) JDeere 850J (200 HP)	1,950	3,600	8,000	510	2,040	6,120	0	0	0	0	0	0	936	2,724	7,491	0	0	0	1,434	3,278	7,323	0	0	0	2,756	6,300	15,750	0	0	0	0	0	0		
40	Dozer / Crawler Tractor (300-325 HP) (L w/ Blade: 20";L of Track on Ground: 10.5")	H	CAT D8R/T (310 HP)	2,350	5,200	12,800	1,000	4,000	11,900	0	0	0	0	0	0	1,350	4,380	12,460	0	0	0	0	0	0	0	0	0	2,756	6,300	15,750	0	0	0	0	0	0		
41	Dozer / Crawler Tractor (400 HP) (L w/ Blade: 23.6";L of Track on Ground: 11.4')	H	CAT D9R (400 HP)	2,600	6,200	15,800	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
EXCAVATORS																																						
42	12.8 Reach Excavator , COMPACT 43.9 Cu In or .0006 Tons / 7.5" Dig Depth	H	Bobcat 323 (13.3 HP) JDeere 1ZT5S (12.3 HP)	0	0	0	405	810	1,870	213	419	895	0	0	0	461	825	1,794	0	0	0	668	955	1,788	573	1,035	2,375	1,785	2,415	4,095	0	0	0	602	945	1,808		
43	14.9 Reach Excavator, COMPACT Operating Weight 1-3 Ton / 8'3" D/Depth / 18-23 HP / Bucket Capacity 2.8 CF	H	Bobcat 425 CAT 300.9 (18 HP) IHI 25VX-3 (18 HP) IHI 28N-3 (22 HP)	0	0	0	405	810	1,870	0	0	0	0	0	0	466	845	1,855	475	847	1,817	677	1,005	2,015	619	1,238	2,482	0	0	0	0	0	0	602	945	1,808		
44	15.5' Reach Excavator, COMPACT Operating Weight 3 - 3.5 Ton / 8'6"-10' D/Depth 26-33 HP / Bucket Capacity 3.8 - 3.9 CF	H	Bobcat 325 (27 HP) Bobcat E32 (33 HP) CAT 303.5 (31.6 HP) IHI 35NX-2 (26.5 HP) IHI N-3 (26.7 HP) JDeere 27D (26.4 HP)	0	0	0	415	820	1,870	231	439	995	0	0	0	492	946	2,158	482	868	1,871	697	1,030	2,091	644	1,314	2,685	0	0	0	331	882	2,037	602	945	1,808		
45	16'-17' Reach Excavator, COMPACT Operating Weight 3.5-3.8 Ton / 10" D/Depth 30-40 HP / Bucket Capacity 11 CF	H	Bobcat 331G (40 HP) CAT 304E (40 HP) Hyundai R35-9 (36 HP) JDeere 35D/G (30 HP)	0	0	0	445	1,070	1,870	237	469	1,095	0	0	0	502	986	2,279	482	868	1,871	719	1,091	2,273	644	1,314	2,685	0	0	0	357	987	2,667	635	1,034	2,018		

46	9.5' Reach Excavator, HYDRAULIC Operating Weight 5-6.5 Ton / 11'-13' D/Depth 54.7 HP / Bucket Capacity 6.35 CF	H	Bobcat E42 or E45 IHI (55N-3)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	556	1,059	2,368	843	1,535	3,101	649	1,340	2,735	0	0	0	410	1,197	3,297	680	1,133	2,277		
47	20'-24' Reach Excavator, HYDRAULIC Operating Weight 8-9.3 Ton / 13.4'-14' D/Depth 52-57 HP /	H	Bobcat E80 (57 HP) Hyundai R80-9 (58 HP) JDereere 80C (52 HP)	0	0	0	485	1,130	2,850	307	719	2,295	0	0	0	0	0	0	672	1,361	3,152	869	1,788	3,202	726	1,390	3,146	0	0	0	0	0	0	784	1,410	2,963		
48	26' Reach Excavator, HYDRAULIC Operating Weight 15.2-16.2 Ton / 17'-18' D/Depth 88-94 HP / Bucket Capacity 21.5-22 CF	H	CAT 314 (94 HP) JDereere 120C (89 HP) JDereere 135 (88 HP)	0	0	0	570	1,470	3,670	477	1,092	3,215	0	0	0	663	1,633	4,218	787	1,659	3,971	990	1,990	4,232	0	0	0	1,995	1,600	4,800	515	1,617	4,557	973	1,869	4,108		
49	27' Reach Excavator, HYDRAULIC Operating Weight 14 Ton / 18' D/Depth / 61-89 HP / Bucket Capacity 18.01 CF	H	CAT 308E (65 HP) Doosan DX140LCR (61 HP) Hyundai R140-9 (119 HP)	0	0	0	570	1,470	3,670	0	0	0	0	0	582	1,310	3,249	787	1,659	3,971	990	1,990	4,232	0	0	0	0	0	0	0	0	0	0	0	0	0		
50	28' Reach Excavator, HYDRAULIC Operating Weight 17.8 Ton / 19.2' D/Depth / 28' Reach 109 HP / Bucket Capacity 23 CF	H	CAT 315DL (115 HP) Hyundai R160-9 (110 HP) JDereere 160CLC (109 HP)	0	0	0	615	1,650	4,010	507	1,179	3,785	0	0	0	694	1,754	4,582	0	0	0	1,000	2,111	4,490	974	2,218	5,841	2,048	3,465	7,245	541	1,722	4,872	0	0	0		
51	32' Reach Excavator, HYDRAULIC Operating Weight 21.5-23.9 Ton / 21'-22' D/Depth 32' Max Reach / 28-150 HP/Bucket Capacity 17-34 CF	H	Hyundai R210-9 (145 HP) JDereere 200CLC (141HP) Komatsu PC200L8 (128HP) Kobelco SK210-6/9 (150 HP)	0	0	0	595	1,570	4,010	587	1,559	4,371	0	0	0	0	0	0	943	2,065	5,037	1,020	2,141	4,777	979	2,872	6,587	0	0	0	646	2,142	5,922	1,133	2,266	5,108		
52	32' Reach Excavator, HYDRAULIC Operating Weight 24-30 Ton / 13.6-22.4 D/Depth 32' Reach / 138-177 HP / Bucket Capacity 45-49.44 CF	H	CAT 320C/D (140 HP) CAT 321D/CLR (148 HP) Hyundai R210LC (150 HP) JDereere 225DLC (150 HP) - United JDereere 240DLC (177HP) Komatsu PC200LC-8	0	0	0	595	1,570	4,070	727	1,899	5,315	0	0	0	815	2,239	6,036	1,141	2,966	8,554	1,030	2,242	5,020	1,172	3,649	7,754	2,100	3,675	7,875	646	2,142	5,922	1,248	2,958	6,637		
53	34'-36' Reach Excavator, HYDRAULIC Operating Weight 31-35 Ton / 23'-25' D/Depth 34-36' Reach/188-200 HP / Bucket Capacity 34-36 CF	H	CAT 325 DL (190 HP) JDereere 270DLC (188 HP) Komatsu PC270LC8 (200HP)	1,888	3,350	7,250	705	2,010	5,490	787	2,009	6,075	0	0	0	936	2,724	7,491	1,189	3,091	8,906	1,333	3,000	6,737	0	0	0	2,310	4,515	10,395	725	2,457	7,077	0	0	0		
54	38' Reach Excavator, HYDRAULIC Operating Weight 37-40 Ton / 24-27' D/Depth 38' Reach / 270-286 HP/Bucket Capacity 44-50 CF	H	CAT 330C/D (270 HP) CAT 336EL (300 HP) Hyundai R360LC (280 HP)	1,985	3,740	8,420	770	2,270	6,270	0	0	0	0	0	0	1,047	3,168	8,824	1,165	3,029	8,730	1,409	3,101	7,343	0	0	0	2,468	5,145	12,285	777	2,667	7,707	0	0	0		
55	40' Reach Excavator, HYDRAULIC Operating Weight 92' Ton / 23.4' D/Depth & 40' Reach 530 HP / Bucket Capacity 190 CF	H	CAT 385CL (530 HP) Hitachi ZX800 (454 HP) John Deere 850C (532 HP)	0	0	0	1,920	6,870	19,370	0	0	0	0	0	0	0	0	0	0	0	0	2,050	6,696	17,584	0	0	0	0	0	0	0	0	0	0	0	0	0	
56	42.4' Reach Excavator, HYDRAULIC Operating Weight 54' Ton / 29' D/Depth & 42.4' Reach 380 HP / Bucket Capacity 123 CF	H	CAT 345DL (380 HP) CAT 349EL (396 HP) Hitachi ZX450 (454 HP) Hyundai R450LC (320 HP)	2,083	4,130	9,590	970	3,070	8,670	0	0	0	0	0	0	1,138	3,532	9,915	0	0	0	1,687	4,020	9,312	0	0	0	2,625	5,775	14,175	935	3,297	9,597	0	0	0		
57	44' Reach Excavator, HYDRAULIC Operating Weight 54' Ton / 31' D/Depth & 44' Reach 286 HP / Bucket Capacity 53 CF	H	JDereere 350L (286 HP)	0	0	0	1,020	3,270	9,270	877	2,279	7,285	0	0	0	0	0	0	0	0	0	1,409	3,101	7,343	0	0	0	0	0	0	0	0	0	0	0	0	0	
58	46' Reach Excavator, HYDRAULIC Operating Weight 77' Ton / 31' D/Depth & 46.1' Reach 411 HP / Bucket Capacity 162 CF	H	CAT 365CL (411 HP) Hitachi ZX650 (463 HP) John Deere 650D (463 HP)	2,424	5,495	13,685	1,420	4,870	14,070	0	0	0	0	0	0	2,007	7,006	20,338	0	0	0	1,611	4,944	12,191	0	0	0	0	0	0	0	0	0	0	0	0	0	
EXECAVATORS - LONG REACH																																						
59	50' Reach Excavator, LONG REACH Operating Weight 24-30 Ton / 13.6-22.4 D/Depth 138-177 HP / Bucket Capacity 45-49.44 CF	H	CAT 320C/D Doosan DX225LC SLR	0	0	0	820	2,470	6,870	0	0	0	0	0	1,249	3,976	11,248	1,141	3,403	8,554	1,505	3,515	8,454	0	0	0	2,100	3,675	7,875	0	0	0	0	0	0	0		
60	60' Reach Excavator, LONG REACH Operating Weight 37-40 Ton / 24-27' D/Depth 270-286 HP / Bucket Capacity 44-50 CF	H	CAT 330D Hitachi 240ZLX (RDO) Komatsu PC270LC-8	2,300	5,000	12,200	920	2,870	8,060	0	0	0	0	0	0	0	0	0	1,189	3,536	8,906	1,616	3,858	8,772	0	0	0	2,625	5,775	14,175	0	0	0	0	0	0		
MOTOR GRADERS																																						
61	Motor Grader , 6 Cylinders (Max 165 HP) Overall Length 28.1' / Operating Weight: 22.9 Tons Moldboard 12'W x 2'H	H	CAT 12H (165 HP)	0	0	0	715	1,450	5,660	0	0	0	0	0	0	0	0	0	1,014	2,366	5,997	1,101	2,303	4,959	0	0	0	0	0	0	0	0	0	0	0	0		

75	Loader, CRAWLER (158 HP) Operating Weight 21 Tons Loader Breakout Force 43,133 lb / Lift Capacity 3 yd3 Reach at Max Lift and Dump 3.8'	H	CAT 963C (3 CYD)	0	0	0	795	2,370	6,570	0	0	0	0	0	0	0	865	2,441	6,642	0	0	0	1572	3278	7802	0	0	0	2,310	4,515	10,395	0	0	0	0	0	0		
76	Loader, WHEEL/TRACTOR (73-88 HP) Operating Weight 5.2-5.4 Tons Loader Breakout Force 7,900 - 9,271 - 9,953 lb Lift Capacity 5,280 - 5,612- 6,503 lb	H	JDeere 210K (88 HP) JDeere 210LE (73 HP) Case 570MXT(79 HP)	0	0	0	170	700	1,900	256	446	1,396	0	0	0	0	0	458	828	1,795	719	1091	2192	639	1,517	2,786	1,775	2,373	3,969	357	987	2,667	619	995	2,076	0	0	0	
77	Loader, WHEEL (125-146 HP) Operating Weight 12.84-14 Tons / Loader Breakout Force 10k-23k-25k lb/Lift Capacity 2.2-2.5 / Reach at Max Lift and Dump 2.4'-3'-3.4'	H	CAT 928G (125 HP) CAT 928HZ (161 HP) CAT 950K (130 HP) Case 621E (146 HP) Hyundai HL740-9 (143 HP)	0	0	0	545	1,370	3,570	471	1,146	3,071	0	0	0	603	1,390	3,491	780	1,721	4,131	879	1616	3257	0	0	0	1,953	3,087	6,111	462	1,407	3,927	945	1,802	4,090	0	0	0
78	Loader, WHEEL - HIGH LIFT CPTCY (143-149 HP) Operating Weight 14 Tons Loader Breakout Force 20939 lb/Lift Capacity 3 yd3 Reach at Max Lift and Dump 3.3'	H	JDeere 544J (149 HP)	0	0	0	570	1,470	3,860	475	1,171	3,396	0	0	0	623	1,471	3,734	798	1,770	4,262	980	1939	4035	1,015	2,482	5,679	0	0	0	0	0	0	989	1,970	4,390	0	0	0
79	Loader, WHEEL (170-180 HP) Operating Weight 15-16.5 Tons Loader Breakout Force 27k-29k lb/Lift Capacity 3.5 yd3 Reach at Max Lift and Dump 3.2'-3.5'-3.8'	H	CAT 938G (179 HP) CAT 938H (180 HP) Case 721D/F (170 HP) Hyundai HL757-9 (170 HP)	0	0	0	595	1,560	4,060	495	1,296	3,746	0	0	0	653	1,592	4,097	876	1,979	4,798	1101	2303	4995	0	0	0	2,100	3,675	7,875	515	1,617	4,347	0	0	0	0	0	
80	Loader, WHEEL (197-215 HP) Operating Weight 19.7-20 Tons Loader Breakout Force 37,125lb/Lift Capacity 4-4.3 yd3 Reach at Max Lift and Dump 4'	H	CAT 950H (197 HP) Hyundai HL760-9 (212 HP)	1,925	3,500	7,700	640	1,770	4,420	621	1,388	4,401	0	0	0	754	1,996	5,309	1,035	2,426	5,991	1131	2495	5272	0	0	0	2,205	4,095	9,135	646	2,142	5,922	0	0	0	0	0	
81	Loader, WHEEL (232 HP) Operating Weight 22 Tons Loader Breakout Force 33903 lb/Lift Capacity 4.25yd3 Reach at Max Lift and Dump 3.1'	H	JDeere 644K (232 HP)	1,925	3,500	7,700	765	2,250	6,210	636	1,411	4,571	0	0	0	0	0	0	0	0	0	1182	2535	5525	0	0	0	0	0	0	0	0	0	1,160	2,345	5,308	0	0	0
82	Loader, WHEEL (262-277 HP) Operating Weight 25-26 Tons Loader Breakout Force 42-45k lb/Lift Capacity 5.3-5.5 yd3 Reach at Max Lift and Dump 4.0'-4.3'	H	CAT 966K/H (262-267 HP) Hyundai HL770-9 (277 HP) JDeere 744J (266 HP)	1,975	3,700	8,300	765	2,250	6,210	727	1,789	7,446	0	0	0	896	2,562	7,006	0	0	0	1404	3204	7242	0	0	0	2,336	4,620	10,710	725	2,457	7,077	1,338	2,786	6,413	0	0	0
83	Loader, WHEEL (287 HP) Operating Weight 27 Tons Loader Breakout Force 51,750 lb / Lift Capacity 6 yd3 Reach at Max Lift and Dump 4.3'	H	CAT 972H (287 HP)	0	0	0	870	2,670	7,070	0	0	0	0	0	0	0	0	0	0	0	1495	3505	7924	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
84	Loader, WHEEL (318-344 HP) Operating Weight 33 Tons Loader Breakout Force 61,425lb/Lift Capacity 5.5-7 yd3 Reach at Max Lift and Dump 5.1'	H	CAT 980H (318 HP)(5.5CYD) Hyundai HL780-9 (344 HP) (7 CYD)	2,075	4,100	9,500	970	3,060	8,650	0	0	0	0	0	0	1,148	3,572	10,036	0	0	0	1813	4439	10221	0	0	0	2,625	5,775	14,175	0	0	0	0	0	0	0	0	0
TRUCKS																																							
85	Dump Truck 5-6 Yard	H	Ford F650 International 4200/4300	0	0	0	445	970	2,360	267	669	1,446	0	0	0	502	986	2,279	476	883	1,929	0	0	0	660	1,274	2,989	2,100	3,675	7,875	0	0	0	662	1,099	2,195	0	0	0
86	Water Truck 2000 Gallon	H	Ford F650 Freightliner M2 (2,500 gal) International 4300	0	0	0	445	1,790	4,830	317	889	1,615	0	0	0	512	1,027	2,400	565	1,127	2,570	0	0	0	741	1,670	3,903	1,838	2,625	4,725	0	0	0	712	1,255	2,280	0	0	0
87	Water Truck 3700 Gallon	H	International 4400, 7400 Freightliner	0	0	0	650	1,790	4,830	475	1,469	2,745	0	0	0	704	1,794	4,703	0	0	0	0	0	0	0	0	0	2,048	3,465	7,245	0	0	0	901	1,697	4,248	0	0	0
88	Water Truck 4000 Gallon	H	International 4400, 7400 Freightliner	0	0	0	650	1,790	4,830	475	1,469	2,745	0	0	0	643	1,552	3,976	557	1,521	4,505	0	0	0	0	0	0	2,231	4,200	9,450	0	0	0	901	1,697	4,248	0	0	0
MISCELLANEOUS EQUIPMENT																																							
89	Compressor 185CFM Diesel	L	Atlas Copco XAS185 Sullivan D185PJD Doosan IR C185WKUB-T41	0	0	0	235	460	810	151	221	485	0	0	0	256	453	978	259	422	808	0	0	0	497	939	1,416	0	0	0	0	0	0	470	613	978	0	0	0
90	Compressor 375 CFM Diesel	L	Sullair 375HHADPQ Sullivan D375PDXJD	0	0	0	0	0	0	187	289	771	0	0	0	392	796	2,008	343	648	1,426	0	0	0	528	1,040	1,751	0	0	0	0	0	0	602	945	1,808	0	0	0

91	Hammer Chipping Hammer Air 15-20 LB	L	Atlas Copco TEX319 APT 653/M653 Sullair MRD9	0	0	0	185	255	355	129	171	281	0	0	0	215	291	493	213	298	515	0	0	0	397	477	609	0	0	0	0	0	0	414	470	619
92	Rivet Buster Jumbo Air 900 BPM	L	APT133 IR 90001A	0	0	0	185	255	355	133	178	311	0	0	0	0	0	0	215	303	527	0	0	0	404	497	685	0	0	0	0	0	0	425	509	707
93	Backfill Tamper, Air 670 BPM	L	APT 131 Crowder 131	0	0	0	185	255	355	0	0	0	0	0	0	0	0	0	221	324	581	0	0	0	421	548	898	0	0	0	0	0	0	420	482	634
94	Hammer 30LB Air	L	APT M117 Sullair MDT22	0	0	0	185	255	355	116	131	171	0	0	0	220	311	554	211	293	502	0	0	0	401	538	720	0	0	0	0	0	0	414	476	630
95	Hammer 60LB Air	L	Atlas Copco TEXP60S APT M60 Sullair MPB80A	0	0	0	185	255	355	116	131	171	0	0	0	230	352	675	219	316	561	0	0	0	407	558	776	0	0	0	0	0	0	420	487	658
96	Hammer 90LB Air	L	Atlas Copco TEXP90S APT M190	0	0	0	185	255	355	122	141	206	0	0	0	230	352	675	211	292	498	0	0	0	411	573	786	0	0	0	0	0	0	420	492	674
97	Compactor Plate 2500-5000 LB	L	Multiquip MVC88VGHW Wacker WP1550W	0	0	0	220	360	660	136	186	246	0	0	0	241	392	796	242	356	680	0	0	0	427	568	893	0	0	0	0	0	0	447	569	857
98	Compactor Rammer Gas 2900-3200 LB	L	Multiquip MTX70	0	0	0	225	360	660	146	197	275	0	0	0	256	453	978	236	356	646	0	0	0	442	624	1,096	0	0	0	0	0	0	458	580	857
99	Roller Trench 24-33" Remote Control	L	Multiquip RX1510C133 Wacker RT82-SC2	0	0	0	360	960	2,250	181	441	1,070	0	0	0	372	917	2,372	396	780	1,766	0	0	0	629	1,335	2,948	0	0	0	0	0	0	633	1,295	2,335
ADDITIONAL FEES																																				
A	Delivery / Set Up	L	LIGHT Flat Within 15 Miles	500.00			50.00	48.00		95.00					75.00			38.00		150.00			100.00			750.00			45.00		125.00					
		L	LIGHT Each Mile Over 15 Miles	5.00			1.50	0.00		3.00					1.00			2.00		0.00		3.75			0.00			1.25		3.00						
		H	HEAVY Flat Within 15 Miles	500.00			75.00	48.00		95.00					130.00			75.00		250.00		100.00			750.00			45.00		125.00						
		H	HEAVY Each Mile Over 15 Miles	10.00			3.00	0.00		3.00					2.00			2.00		251.00		3.75			0.00			1.25		3.00						
		**	COMMENTS	NONE					\$48 / 200 miles \$2.95 each additional mile		NONE				NONE		NONE			NONE		NONE			\$100 / each way \$3.75/mile after 25 miles			NONE		NONE		NONE				
B	Environmental a) " " implies Env. Cost was included in Base Cost b) 100% = 1% of Base Cost 150% = 1.5% of Base Cost		\$ -			\$ -			100%				100%		150%			100%		150%			\$ -			\$ -			540%							
C	Local Preference a) 1% implies Vendor is in Riverside County b) 5% implies Vendor is outside Riverside County		1%			1%		1%	1%				1%		1%			5%		1%			1%		5%		5%		1%							
COUNTRY			RIVERSIDE			RIVERSIDE			RIVERSIDE				RIVERSIDE		RIVERSIDE			SAN BERNARDINO		RIVERSIDE			RIVERSIDE			LOS ANGELES		SAN BERNARDINO		RIVERSIDE						
*	AGE OF EQUIPMENT		Equipment meets age requirement, 2003 or earlier			Equipment meets age requirement, 2003 or earlier			Equipment meets age requirement, 2003 or earlier			Equipment meets age requirement, 2003 or earlier			Equipment meets age requirement, 2003 or earlier			Equipment meets age requirement, 2003 or earlier		Equipment meets age requirement, 2003 or earlier			Equipment meets age requirement, 2003 or earlier			Equipment meets age requirements, 2003 or earlier			Equipment meets age requirement, 2003 or earlier			Equipment meets age requirement, 2003 or earlier				
*	QUALIFICATIONS & QUOTE ACCEPTED		YES			YES			YES			YES			YES			YES		YES			YES			YES		YES			YES					

EQUIPMENT	Heavy or Light	SUITABLE MAKE & MODEL	AWARD		
			Day	Wk	Mth
AERIAL EQUIPMENT					
1 19' Scissor Lift (LIGHT)	L	Genie GS1930 JLG 1930ES	1-HERTZ 2-JOHNSON	1-HERTZ 2-NEFF	1-HERTZ 2-NEFF
2 26' Scissor Lift (narrow) (LIGHT)	L	Genie GS2632	1-HERTZ 2-JOHNSON	1-HERTZ 2-NEFF	1-HERTZ 2-NEFF
3 26' Scissor Lift (LIGHT)	L	JLG 2646ES	1-HERTZ 2-NEFF	1-HERTZ 2-NEFF	1-HERTZ 2-NEFF
4 26' Scissor Lift 4WD Dual Fuel (LIGHT)	L	Genie GS2668RT	1-HERTZ 2-JOHNSON	1-HERTZ 2-NEFF	1-HERTZ 2-NEFF
5 32' Electric Scissor Lift (LIGHT)	L	Genie GS3246	1-HERTZ 2-JOHNSON	1-HERTZ 2-NEFF	1-HERTZ 2-NEFF
6 30-35' Boomlift	L	Genie Z30/20N	1-HERTZ 2-NEFF	1-HERTZ 2-NEFF	1-HERTZ 2-UNITED
7 40' Boomlift 4WD Diesel (LIGHT)	L	Genie S40 Genie GS S45	1-HERTZ 2-JOHNSON	1-HERTZ 2-JOHNSON	1-HERTZ 2-NEFF
8 40-45' Boomlift Articulating (LIGHT) 4WD Diesel / Foam-filled tires	L	Genie Z45/25J	1-HERTZ 2-JOHNSON	1-HERTZ 2-JOHNSON	1-HERTZ 2-NEFF
9 60' Boomlift Articulating (LIGHT) 4WD Diesel / Foam-filled tires	L	JLG 600AJ	1-HERTZ 2-NEFF	1-HERTZ 2-NEFF	1-HERTZ 2-NEFF
10 60' Boomlift (LIGHT) 4WD Diesel / Foam-filled tires	L	Genie S60 / Z60	1-HERTZ 2-NEFF	1-HERTZ 2-NEFF	1-HERTZ 2-NEFF
11 80' Boomlift (LIGHT) 4WD Diesel / Foam-filled tires	L	Genie S80 JLG 860SJ	1-HERTZ 2-NEFF	1-HERTZ 2-UNITED	1-HERTZ 2-NEFF
12 40-45' Boomlift (LIGHT)	L	Genie S40/Z45	1-HERTZ 2-JOHNSON	1-HERTZ 2-JOHNSON	1-JOHNSON 2-HERTZ
13 60-65- Boomlift (LIGHT)	L	Genie S60	1-HERTZ 2-JOHNSON	1-HERTZ 2-JOHNSON	1-HERTZ 2-JOHNSON
ARTICULATED TRUCKS					
14 Articulated Truck (HEAVY) (14-15 Tons)	H	JDeere JCB714 (14T)	1-HERTZ 2-N/A	1-HERTZ 2-N/A	1-HERTZ 2-N/A
15 Articulated Truck (HEAVY) (25 Tons)	H	JDeere 250D (25T)	1-HEAVY 2-HERTZ	1-HERTZ 2-HEAVY	1-HERTZ 2- HEAVY
16 Articulated Truck (HEAVY) (30 Tons)	H	JDeere 300D (30T) Komatsu HM300 (30T)	1-HEAVY 2-HERTZ	1-HERTZ 2- HEAVY	1-HERTZ 2- HEAVY
17 Articulated Truck (HEAVY) (35 Tons)	H	CAT 735 (35T) Komatsu HM350 (35T) Volvo A35 (35T)	1- WESTREN 2- HEAVY	1- HEAVY 2-WESTREN	1-RDO 2-ECCO
18 Articulated Truck (HEAVY) (40-43.5 Tons)	H	CAT 740 (43.5T) Komatsu HM400 (40T)	1-HEAVY 2-JOHNSON	1-HEAVY 2-ECCO	1-HEAVY 2-RDO
BACKHOES					
19 Backhoe Loader (65-75 HP) BH: load height 11.3",dig depth 14.5' Loader: dig depth 2.8" /Transport Width: 7-7.2'	H	Case 580M (90 HP) JDeere 310G/J (73 HP)	1- HERTZ 2-HEAVY	1- HERTZ 2- NEFF	1- HERTZ 2-NEFF
20 Backhoe Loader (85-95 HP) (BH: load height 11.2-12.6', dig depth 14.4'-15.2-16.7') (Loader: dig depth 4"-5.3"-5.9")(Transport Width: 7.2'-7.7/7.7')	H	Case 580 N (90 HP) CAT420E (93 HP) CAT 430F (94 HP) JDeere 510D (95 H)	1- WESTREN 2- HERTZ	1- HERTZ 2- NEFF	1- HERTZ 2-NEFF
21 Backhoe Loader (95-100 HP) (BH: load height 11.4",dig depth 15.3-15.9) (Loader: dig depth 3.8"-4.2")(Transport Width: 7.7-7.8')	H	Case 590SL (98 HP) JDeere 410D (96 HP)	1- HERTZ 2-HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2-HEAVY
22 Backhoe Loader (100-110 HP) (BH: load height 11.4'-12.6',dig depth 15.9-16.7') (Loader: dig depth 3.8"-4")(Transport Width: 7.7-7.8')	H	Case 590SM (110 HP)	1-HERTZ 2- HEAVY	1- HERTZ 2- JOHNSON	1- HERTZ 2- JOHNSON
23 Backhoe Loader (120-130 HP) (BH: load height 14.3'-14.6',dig depth 17.3'-17.8') (Loader: dig depth 4.1"-6")(Transport Width: 7.8'-8')	H	CAT 450E (125 HP) JDeere 710G (122 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HEAVY 2- HERTZ
COMPACT EQUIPMENT					
24 DBL Smooth Drum Roller 30-36" (2 Ton)	H	CAT CB114 (31") Hamm HD8VV (35") Volvo IR DD14S (35")	1- WESTERN 2- HEAVY	1- JOHNSON 2-NEFF	1- JOHNSON 2- NEFF

25	DBLE Smooth Drum Roller 46-50" (3 Ton)	H	BOMAG BW120 (40") CAT CB24 (47" / 3 TON) Hamm HD12VV (47"/3 TON) Volvo IR DD24 (49" / 3 TON)	1- HERTZ 2-WESTREN	1- HERTZ 2-HEAVY	1- HERTZ 2- RDO
26	DBLE Smooth Drum Roller 66" (8-10 Ton)	H	BOMAG BW161 (66")	1- HERTZ 2-JOHNSON	1- HERTZ 2- JOHNSON	1- HERTZ 2- RDO
27	S. Smooth Drum Roller 50-56" (Net Power: 80-85 HP)	H	CAT 323C Volvo SD45	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- NEFF
28	S. Smooth Drum Roller 62" (Net Power: 99HP)	H	Ingersoll-Rand SD70D	1- HERTZ 2- UNITED	1- HERTZ 2- UNITED	1- HERTZ 2- UNITED
29	S. Smooth Drum Roller 66" (Net Power: 100HP)	H	CAT CS433E IR SD70D Volvo SD70D	1- HERTZ 2- NEFF	1- HERTZ 2- NEFF	1- HERTZ 2- NEFF
30	S. Smooth Drum Roller 84" (Net Power: 125-131-156HP)	H	CAT CS56 Hamm 3410 Ingersoll-Rand SD100D	1- HERTZ 2- NEFF	1- HERTZ 2- NEFF	1- HERTZ 2- NEFF
31	Soil Compactor (Net Power: 232HP)	H	CAT 815G	1- ISCO 2- N/A	1- ISCO 2- N/A	1- ISCO 2- N/A
DOZERS - STANDARD TRACK ONLY						
32	Dozer / Crawler Tractor (70-75 HP) (Lenth w/ Blade: 13.2'; Length of Track on Ground: 7.2')	H	CAT D4G JDeere 450J	1- HERTZ 2- HEAVY	1- HERTZ 2- RDO	1- HERTZ 2- RDO
33	Dozer / Crawler Tractor (80-84 HP) (Lenth w/ Blade: 13.3'; Length of Track on Ground: 7.2')	H	CAT D4K/D5K (84 HP) JDeere 550J (84 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2- NEFF	1- HERTZ 2- UNITED
34	Dozer / Crawler Tractor (99 HP) (Lenth w/ Blade: 14'; Length of Track on Ground: 7.7')	H	JDeere 650J	1- HERTZ 2- HEAVY	1- HERTZ 2- UNITED	1- HERTZ 2- UNITED
35	Dozer / Crawler Tractor (115 HP) (L w/ Blade: 15.7";L of Track on Ground: 7.8'-8.5')	H	CAT D5N (115 HP) JDeere 700J (115 HP)	1- HERTZ 2- WESTREN	1- HERTZ 2- WESTREN	1- HERTZ 2- RDO
36	Dozer / Crawler Tractor (125 HP) (L w/ Blade: 16.3";L of Track on Ground: 8.7')	H	CAT D6K (125 HP)	1- HEAVY 2- JOHNSON	1- JOHNSON 2- HEAVY	1- RDO 2- JOHNSON
37	Dozer / Crawler Tractor (145-150 HP) (L w/ Blade: 16.3";L of Track on Ground: 8.5-8.7")	H	CAT D6N (150 HP) JDeere 750J (145 HP)	1- HERTZ 2- WESTERN	1- HEAVY 2- HERTZ	1- JOHNSON 2- HERTZ
38	Dozer / Crawler Tractor (185-190 HP) (L w/ Blade:18.8";L of Track on Ground: 10.6')	H	CAT D6R (185 HP) CAT D6R XL (189 HP) Channel	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HEAVY 2- RDO
39	Dozer / Crawler Tractor (195-200 HP) (L w/ Blade: 18.8";L of Track on Ground: 9.4'-10.8')	H	CAT D6T (200 HP) JDeere 850J (200 HP)	1- HEAVY 2- JOHNSON	1- HEAVY 2- JOHNSON	1- HEAVY 2- RDO
40	Dozer / Crawler Tractor (300-325 HP) (L w/ Blade: 20";L of Track on Ground: 10.5")	H	CAT D8R/T (310 HP)	1- HEAVY 2- JOHNSON	1- HEAVY 2- JOHNSON	1- HEAVY 2- JOHNSON
41	Dozer / Crawler Tractor (400 HP) (L w/ Blade: 23.6";L of Track on Ground: 11.4')	H	CAT D9R (400 HP)	1- ECCO 2- N/A	1- ECCO 2- N/A	1- ECCO 2- N/A
EXCAVATORS						
42	12.8 Reach Excavator , COMPACT 43.9 Cu In or .0006 Tons / 7'5" Dig Depth	H	Bobcat 323 (13.3 HP) JDeere 17ZTS (12.3 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- RDO
43	14.9 Reach Excavator, COMPACT Operating Weight 1-3 Ton / 8'3' D/Depth / 18-23 HP / Bucket Capacity 2.8 CF	H	Bobcat 425 CAT 300.9 (18 HP) IHI 25VX-3 (18 HP) IHI 28N-3 (22 HP)	1- HEAVY 2- JOHNSON	1- HEAVY 2- JOHNSON	1- UNITED 2- NEFF
44	15.5' Reach Excavator, COMPACT Operating Weight 3 - 3.5 Ton / 8'6"-10' D/Depth 26-33 HP / Bucket Capacity 3.8 - 3.9 CF	H	Bobcat 325 (27 HP) Bobcat E32 (33 HP) CAT 303.5 (31.6 HP) IHI 35NX-2 (26.5 HP) IHI N-3 (26.7 HP) JDeere 27D (26.4 HP)	1- HERTZ 2- WESTREN	1- HERTZ 2- HEAVY	1- HERTZ 2- UNITED
45	16'-17' Reach Excavator, COMPACT Operating Weight 3.5-3.8 Ton / 10' D/Depth 30-40 HP / Bucket Capacity 11 CF	H	Bobcat 331G (40 HP) CAT 304E (40 HP) Hyundai R35-9 (36 HP) JDeere 35D/G (30 HP)	1- HERTZ 2- WESTREN	1- HERTZ 2- NEFF	1- HERTZ 2- HEAVY
46	9.5' Reach Excavator, HYDRAULIC Operating Weight 5-6.5 Ton / 11'-13' D/Depth 54.7 HP / Bucket Capacity 6.35 CF	H	Bobcat E42 or E45 IHI (55N-3)	1- WESTREN 2- NEFF	1- NEFF 2- UNITED	1- UNITED 2- NEFF
47	20'-24' Reach Excavator, HYDRAULIC Operating Weight 8-9.3 Ton / 13.4'-14' D/Depth 52-57 HP /	H	Bobcat E80 (57 HP) Hyundai R80-9 (58 HP) JDeere 80C (52 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY

48	26' Reach Excavator, HYDRAULIC Operating Weight 15.2-16.2 Ton / 17'-18' D/Depth 88-94 HP / Bucket Capacity 21.5-22 CF	H	CAT 314 (94 HP) JDeere 120C (89 HP) JDeere 135 (88 HP)	1- HERTZ 2- WESTREN	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY
49	27' Reach Excavator, HYDRAULIC Operating Weight 14 Ton / 18' D/Depth / 61-89 HP / Bucket Capacity 18.01 CF	H	CAT 308E (65 HP) Doosan DX140LCR (61 HP) Hyundai R140-9 (119 HP)	1- HEAVY 2- JOHNSON	1- JOHNSON 2- HEAVY	1- JOHNSON 2- HEAVY
50	28' Reach Excavator, HYDRAULIC Operating Weight 17.8 Ton / 19.2' D/Depth / 28' Reach 109 HP / Bucket Capacity 23 CF	H	CAT 315DL (115 HP) Hyundai R160-9 (110 HP) JDeere 160CLC (109 HP)	1- HERTZ 2- WESTREN	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY
51	32' Reach Excavator, HYDRAULIC Operating Weight 21.5-23.9 Ton / 21'-22' D/Depth 32' Max Reach / 28-150 HP/Bucket Capacity 17-34 CF	H	Hyundai R210-9 (145 HP) JDeere 200CLC (141HP) Komatsu PC200L8 (128HP) Kobelco SK210-6/9 (150 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HEAVY 2-HERTZ
52	32' Reach Excavator, HYDRAULIC Operating Weight 24-30 Ton / 13.6-22.4 D/Depth 32' Reach / 138-177 HP / Bucket Capacity 45-49.44 CF	H	CAT 320C/D (140 HP) CAT 321D/CLR (148 HP) Hyundai R210LC (150 HP) Jdeere 225DLC (150 HP) JDeere 240DLC (177HP) Komatsu PC200LC-8	1- HEAVY 2- WESTREN	1- HEAVY 2- HERTZ	1- HEAVY 2- RDO
53	34'-36' Reach Excavator, HYDRAULIC Operating Weight 31-35 Ton / 23'-25' D/Depth 34-36' Reach/188-200 HP / Bucket Capacity 34-36 CF	H	CAT 325 DL (190 HP) JDeere 270DLC (188 HP) Komatsu PC270LC8 (200HP)	1- HEAVY 2- WESTREN	1- HERTZ 2- HEAVY	1- HEAVY 2- HERTZ
54	38' Reach Excavator, HYDRAULIC Operating Weight 37-40 Ton / 24-27' D/Depth 38' Reach / 270-286 HP/Bucket Capacity 44-50 CF	H	CAT 330CL/D (270 HP) CAT 336EL (300 HP) Hyundai R360LC (280 HP) Komatsu PC350LC8(246HP)	1- HEAVY 2- WESTREN	1- HEAVY 2- WESTREN	1- HEAVY 2- RDO
55	40' Reach Excavator, HYDRAULIC Operating Weight 92' Ton / 23.4' D/Depth & 40' Reach 530 HP / Bucket Capacity 190 CF	H	CAT 385CL (530 HP) Hitachi ZX800 (454 HP) John Deere 850C (532 HP)	1- HEAVY 2- RDO	1- RDO 2- HEAVY	1- RDO 2- HEAVY
56	42.4' Reach Excavator, HYDRAULIC Operating Weight 54' Ton / 29' D/Depth & 42.4' Reach 380 HP / Bucket Capacity 123 CF	H	CAT 345DL (380 HP) CAT 349EL (396 HP) Hitachi ZX450 (454 HP) Hyundai R450LC (320 HP)	1- HEAVY 2- WESTREN	1- HEAVY 2- WESTREN	1- HEAVY 2- RDO
57	44' Reach Excavator, HYDRAULIC Operating Weight 54' Ton / 31' D/Depth & 44' Reach 286 HP / Bucket Capacity 53 CF	H	JDeere 350L (286 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2- RDO	1- HERTZ 2- RDO
58	46' Reach Excavator, HYDRAULIC Operating Weight 77' Ton / 31' D/Depth & 46.1' Reach 411 HP / Bucket Capacity 162 CF	H	CAT 365CL (411 HP) Hitachi ZX650 (463 HP) John Deere 650D (463 HP)	1- HEAVY 2- RDO	1- HEAVY 2- RDO	1- RDO 2- ECCO
EXECAVATORS - LONG REACH						
59	50' Reach Excavator, LONG REACH Operating Weight 24-30 Ton / 13.6-22.4 D/Depth 138-177 HP / Bucket Capacity 45-49.44 CF	H	CAT 320C/D Doosan DX225LC SLR	1- HEAVY 2- NEFF	1- HEAVY 2- NEFF	1- HEAVY 2- ISCO
60	60' Reach Excavator, LONG REACH Operating Weight 37-40 Ton / 24-27' D/Depth 270-286 HP / Bucket Capacity 44-50 CF	H	CAT 330D Hitachi 240ZLX (RDO) Komatsu PC270LC-8	1- HEAVY 2- NEFF	1- HEAVY 2- NEFF	1- HEAVY 2- RDO
MOTOR GRADERS						
61	Motor Grader , 6 Cylinders (Max 165 HP) Overall Length 28.1' / Operating Weight: 22.9 Tons Moldboard 12'W x 2'H	H	CAT 12H (165 HP)	1- HEAVY 2-NEFF	1- HEAVY 2- RDO	1- RDO 2-HEAVY
62	Motor Grader , 6 Cylinders (Max 185 HP) Overall Length 28.6'-28.9' / Operating Weight: 23.4T Moldboard 12'W x 2'H	H	CAT 140H (185 HP) JDeere 672 (185 HP)	1- HEAVY 2-JOHNSON	1- JOHNSON 2- HEAVY	1- RDO 2-JOHNSON
63	Motor Grader , 6 Cylinders (223-265 HP) Overall Length 29.2' / Operating Weight: 24.8 Tons Moldboard 12'W x 2'H	H	CAT 140M2 AWD (223 HP) JDeere 770 GP (245 HP) JDeere 772G (265 HP)	1- HEAVY 2-JOHNSON	1- JOHNSON 2- HEAVY	1- JOHNSON 2-HEAVY
SKIDSTEER / MULTI TERRAIN LOADER						
64	Skidsteer / MTL (22.5 HP) Length with Bucket: 8.4' / wo Bucket 6.3' Clearance at Max Lift and Dump 6.2' Operating Load Rating 700 lb	L	Bobcat S70 (22.5 HP) Bobcat 463 (22.5 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2-HEAVY	1- HERTZ 2- UNITED

65	Skidsteer / MTL (25 HP) Length with Bucket: 8.9' / wo Bucket 7.3' Clearance at Max Lift and Dump 6.8' Operating Load Rating 950 lb	L	Bobcat 553 (25 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2-HEAVY	1- HERTZ 2- UNITED
66	Skidsteer / MTL (46 HP) Length with Bucket: 10.3-10.9' / wo Bucket 8'-8.5' Clearance at Max Lift and Dump 7.6' Operating Load Rating 1750-1900 lb	H	Bobcat S130 (46 HP) Bobcat S150 (46 HP) Bobcat S175 (46 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2-HEAVY	1- HERTZ 2- UNITED
67	Skidsteer / MTL (55-75 HP) Length with Bucket: 10.6'-10.9' / wo Bucket 8.3'-8.5'-9.5' Clearance at Max Lift and Dump 7.1'-7.6'-7.9' Operating Load Rating 1500-1850 lb-2200	H	Bobcat S185 (56 HP) Bobcat S220 (75 HP) Bobcat S630 (74 HP) IB CAT 226/B3 (55 HP) John Deere 318D	1- HERTZ 2- HEAVY	1- HERTZ 2-NEFF	1- HERTZ 2- UNITED
68	Skidsteer / MTL (61 HP) Length with Bucket: 10.9' / wo Bucket 8.5" Clearance at Max Lift and Dump 7.2'-7.6' Operating Load Rating 1,800 -1,900 lb	H	Bobcat T180 - MTL (61 HP) Bobcat T190 - MTL (61 HP)	1- HEAVY 2- NEFF	1- NEFF 2- HEAVY	1- UNITED 2- HEAVY
69	Skidsteer / MTL (74 HP) Length with Bucket: 11.3" / wo Bucket 8.9" Clearance at Max Lift and Dump 7.4' Operating Load Rating 2949 lb	H	CAT 259B/3 (74 HP)	1- HEAVY 2- JOHNSON	1- HEAVY 2- UNITED	1- HEAVY 2- RDO
70	Skidsteer / MTL (75-85 HP) Length with Bucket: 11.9'-12.1" / wo Bucket 9.5'-10.3" Clearance at Max Lift and Dump 8-8.3' Operating Load Rating 2350-2500 lb	H	Bobcat S250 (75 HP) Bobcat S650 Bobcat S750 (85HP) IB CAT 256C (85 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2-HEAVY	1- HERTZ 2- HEAVY
71	Skidsteer / MTL (81-84 HP) Length with Bucket: 11.9'-12.1' / wo Bucket 9.5'-9.7' Clearance at Max Lift and Dump 7.8'-8.1' Operating Load Rating 3000-3850 lb	H	Bobcat T300 (81 HP) CAT 287 (81 HP) CAT 289 TRK (84 HP)	1- HERTZ 2- INLAND BOBCAT	1- HERTZ 2-UNITED	1- UNITED 2- HEAVY
72	Skidsteer / MTL (94 HP) Length with Bucket: 12.6' / wo Bucket 10.2' Clearance at Max Lift and Dump 8.2' Operating Load Rating 4150-4561 lb	H	Bobcat T770 (92 HP) / 3400 CAT 297 (94 HP) / 4561 CAT 299 (94 HP) / 4150 J Deere 333E (97HP) / 3300	1- WESTERN 2- HEAVY	1- HEAVY 2-WESTERN	1- HEAVY 2- RDO
LOADERS, WHEEL						
73	Loader, BACKHOE (58 HP) Operating Weight 5.16 Tons Loader Breakout Force 6,800 lb / Lift Capacity 4,700 lb Backhoe dig depth: 13.8' / Dig Force 9,600 lb	H	John Deere 210LE or SE	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY
74	Loader, COMPACT (85 HP) Operating Weight 5.16 Tons Loader Breakout Force 5,659 lb / Lift Capacity 3,325LB Backhoe Dig Depth: / Dig Force	H	Bobcat T750	1- NEFF 2- INLAND BOBCAT	1- NEFF 2- RDO	1- NEFF 2- RDO
75	Loader, CRAWLER (158 HP) Operating Weight 21 Tons Loader Breakout Force 43,133 lb / Lift Capacity 3 yd3 Reach at Max Lift and Dump 3.8'	H	CAT 963C (3 CYD)	1- HEAVY 2- JOHNSON	1- HEAVY 2- JOHNSON	1- HEAVY 2- JOHNSON
76	Loader, WHEEL/TRACTOR (73-88 HP) Operating Weight 5.2-5.4 Tons Loader Breakout Force 7,900 - 9,271 - 9,953 lb Lift Capacity 5,280 - 5,612- 6,503 lb	H	JDeere 210K (88 HP) JDeere 210LE (73 HP) Case 570MXT(79 HP)	1- HEAVY 2- HERTZ	1- HERTZ 2-HEAVY	1- HERTZ 2-NEFF
77	Loader, WHEEL (125-146 HP) Operating Weight 12.84-14 Tons / Loader Breakout Force 10k-23k-25k lb/Lift Capacity 2.2-2.5 / Reach at Max Lift and Dump 2.4'-3'-3.4'	H	CAT 928G (125 HP) CAT 928HZ (161 HP) CAT 950K (130 HP) Case 621E (146 HP) Hyundai HL740-9 (143 HP)	1- WESTERN 2- HURTZ	1- HERTZ 2- HEAVY	1- HERTZ 2- RDO
78	Loader, WHEEL - HIGH LIFT CPTCY (143-149 HP) Operating Weight 14 Tons Loader Breakout Force 20939 lb/Lift Capacity 3 yd3 Reach at Max Lift and Dump 3.3'	H	JDeere 544J (149 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- JOHNSON
79	Loader, WHEEL (170-180 HP) Operating Weight 15-16.5 Tons Loader Breakout Force 27k-29k lb/Lift Capacity 3.5 yd3 Reach at Max Lift and Dump 3.2'-3.5'-3.8'	H	CAT 938G (179 HP) CAT 938H (180 HP) Case 721D/F (170 HP) Hyundai HL757-9 (170 HP)	1- HERTZ 2- WESTERN	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY

80	Loader, WHEEL (197-215 HP) Operating Weight 19.7-20 Tons Loader Breakout Force 37,125lb/Lift Capacity 4-4.3 yd3 Reach at Max Lift and Dump 4'	H	CAT 950H (197 HP) Hyundai HL760-9 (212 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY
81	Loader, WHEEL (232 HP) Operating Weight 22 Tons Loader Breakout Force 33903 lb/Lift Capacity 4.25yd3 Reach at Max Lift and Dump 3.1'	H	JDeere 644K (232 HP)	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY
82	Loader, WHEEL (262-277 HP) Operating Weight 25-26 Tons Loader Breakout Force 42-45k lb/Lift Capacity 5.3-5.5 yd3 Reach at Max Lift and Dump 4.0'-4.3'	H	CAT 966K/H (262-267 HP) Hyundai HL770-9 (277 HP) JDeere 744J (266 HP)	1- WESTERN 2- HERTZ	1- HERTZ 2- HEAVY	1- HEAVY 2- UNITED
83	Loader, WHEEL (287 HP) Operating Weight 27 Tons Loader Breakout Force 51,750 lb / Lift Capacity 6 yd3 Reach at Max Lift and Dump 4.3'	H	CAT 972H (287 HP)	1- HEAVY 2- RDO	1- HEAVY 2- RDO	1- HEAVY 2- RDO
84	Loader, WHEEL (318-344 HP) Operating Weight 33 Tons Loader Breakout Force 61,425lb/Lift Capacity 5.5-7 yd3 Reach at Max Lift and Dump 5.1'	H	CAT 980H (318 HP)(5.5CYD) Hyundai HL780-9 (344 HP) (7 CYD)	1- HEAVY 2- ECCO	1- HEAVY 2- JOHNSON	1- HEAVY 2- JOHNSON
TRUCKS						
85	Dump Truck 5-6 Yard	H	Ford F650 International 4200/4300	1- HERTZ 2- HEAVY	1- HERTZ 2- NEFF	1- HERTZ 2- NEFF
86	Water Truck 2000 Gallon	H	Ford F650 Freightliner M2 (2,500 gal) International 4300	1- HERTZ 2- HEAVY	1- HERTZ 2- JOHNSON	1- HERTZ 2- UNITED
87	Water Truck 3700 Gallon	H		1- HERTZ 2- HEAVY	1- HERTZ 2- UNITED	1- HERTZ 2- UNITED
88	Water Truck 4000 Gallon	H	International 4400, 7400 Freightliner	1- HERTZ 2- NEFF	1- HERTZ 2- NEFF	1- HERTZ 2- JOHNSON
MISCELLANEOUS EQUIPMENT						
89	Compressor 185CFM Diesel	L	Atlas Copco XAS185 Sullivan D185PJD Doosan IR C185WKUB-T41	1- HERTZ 2- HEAVY	1- HERTZ 2- NEFF	1- HERTZ 2- NEFF
90	Compressor 375 CFM Diesel	L	Sullair 375HHADPQ Sullair D375PDXJD	1- HERTZ 2- NEFF	1- HERTZ 2- NEFF	1- HERTZ 2- NEFF
91	Hammer Chipping Hammer Air 15-20 LB	L	Atlas Copco TEX319 APT 653/M653 Sullair MRD9	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY
92	Rivet Buster Jumbo Air 900 BPM	L	APT133 IR 90001A	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY
93	Backfill Tamper, Air 670 BPM	L	APT 131 Crowder 131	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY
94	Hammer 30LB Air	L	APT M117 Sullair MDT22	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY
95	Hammer 60LB Air	L	Atlas Copco TEXP60S APT M60 Sullair MPB60A	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY
96	Hammer 90LB Air	L	Atlas Copco TEXP90S APT M190	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY	1- HERTZ 2- HEAVY
97	Compactor Plate 2500-5000 LB	L	Multiquip MVC88VGHW Wacker WP1550W	1- HERTZ 2- HEAVY	1- HERTZ 2- NEFF	1- HERTZ 2- HEAVY
98	Compactor Rammer Gas 2900-3200 LB	L	Multiquip MTX70	1- HERTZ 2- HEAVY	1- HERTZ 2- NEFF	1- HERTZ 2- NEFF
99	Roller Trench 24-33" Remote Control	L	Multiquip RX1510C133 Wacker RT82-SC2	1- HERTZ 2- HEAVY	1- HERTZ 2- NEFF	1- HERTZ 2- NEFF