

**REQUEST FOR QUOTE # FCARC-091**  
**ONE (1) EACH: 2014/15 TRACK TYPE, LONG-REACH**  
**HYDRAULIC EXCAVATOR**  
**With AUXILIARY HYDRAULICS - (60,000 LB. CLASS MACHINE)**



By: Gregg Grim, Buyer II  
Riverside County Flood Control  
And Water Conservation District  
1995 Market Street  
Riverside, CA. 92501  
Telephone: (951) 955-8291  
Email: ggrim@rcflood.org

Rick Hai, Procurement Contract Specialist  
County of Riverside  
Purchasing and Fleet Services  
2980 Washington Street  
Riverside, Ca. 92504  
Telephone: (951)-955-9750  
Email: rhai@co.riverside.ca.us

NIGP Code(s): 760-90

**Vendor Name:**

**INSTRUCTIONS TO BIDDERS**

1. **Vendor Registration** – Vendor Registration is a two-step process vendor registration; first step is to register your company on the County’s website to receive purchase orders and payments, and the second step is a 3rd party website, Public Purchase, for bidding opportunities
2. **First Step- County of Riverside Purchasing website** - Unless stated elsewhere in this document, vendors may participate in the bidding process; however, the County does encourage all bidders to register online at <http://www.purchasing.co.riverside.ca.us/Vendorsregistrationmaintenance.aspx>. If awarded a contract, bidder must be registered with the County of Riverside within five days of announced award. This will avoid delays in the purchasing and payment process.
3. **Second Step-Public Purchase** - Public Purchase is a 3rd party web based e-Procurement service provider utilized by the County of Riverside and Riverside County Flood Control & Water Conservation District (District) for RFQ’s and RFP’s. It will take only minutes to register and it is free. For future bidding opportunities please also register online at: <https://www.publicpurchase.com/gems/register/vendor/register>.
4. For all RFQ’s Riverside County’s Purchasing website will post a notification on its website, and will provide a direct link to PublicPurchase.com.
5. **Format** - Use the electronic format provided by PublicPurchase.com. If submitting more than one bid, separate the bid documents.
6. **Pricing/Delivery/Terms/Tax** - All pricing shall be quoted F.O.B. destination, (e.g., cash terms less than 20 days should be considered net) excluding applicable tax, which is a separate line item. The District reserves the right to designate method of freight. The District pays California Sales Tax and is exempt from Federal excise tax. In the event of an extension error, the unit price shall prevail.
7. **Other Terms and Conditions** - The terms and conditions as indicated in this document and/or attached are hereby included with full force and like effect as if set forth herein. Copies of the applicable Terms and Conditions may be obtained by visiting the Purchasing website at [www.Purchasing.co.riverside.ca.us](http://www.Purchasing.co.riverside.ca.us), or by contacting Riverside County Purchasing at 951-955-4937 and requesting a copy be faxed, or mailed to you.
8. **Period of Firm Pricing** - Unless stated otherwise elsewhere in this document, prices shall be firm for 90 days after the closing date, and prior to an award being made.
9. **Specification/Changes** - Wherever brand names are used, the words "or equal" shall be considered to appear and be a part of the specification. If you are quoting another make or model, cross out our nomenclature and insert yours. If no make or model is stipulated, insert yours. Attach applicable specifications and/or brochures. Variations in manufacturers, design, etc., may be acceptable, bidders are encouraged to offer them as alternatives; however, the District reserves the right to reject those alternatives as nonresponsive.
10. **Recycled Material** - Wherever possible, the District is looking for items made from, or containing in part, recycled material. Bidders are encouraged to bid items containing recycled material as an alternative for the items specified; however, the District reserves the right to reject those alternatives as nonresponsive.
11. **Method of Award** - The District reserves the right to reject any or all offers, to waive any discrepancy or technicality and to split or make the award in any manner determined by the District to be most advantageous to the District. The District recognizes that prices are only one of several criteria to be used in judging an offer and the District is not legally bound to accept the lowest offer.
12. **Return of Bid/Closing Date/Return to** - The bid response shall be submitted electronically to PublicPurchase.com by 1:30 p.m. on the closing date listed above. Bid responses not received by District by the closing date and time indicated above will not be accepted. The District will not be responsible for and will **not** accept late bids due to slow internet connection, or incomplete transmissions.
13. **Local Preference** - The County of Riverside has adopted a local preference program for those bidders located within the County of Riverside. A five percent (5%) price preference may be applied to the total bid price during evaluation of the bid responses. If the overall low responsible and responsive bidder is a non-local vendor, the low local vendor who is within five percent (5%) of that overall low bidder may, where applicable, be offered the opportunity to meet the overall low bidder’s price and will receive the award. To qualify as a local business, the business must have fixed offices within the geographical boundaries of Riverside County and must credit all sales taxes paid resulting from this RFQ to that Riverside County location and file the Local Preference Affidavit with their bid submittal. To qualify for local preference Bidder must include a copy of a Riverside Business Tax Certificate that supports the local preference status and complete Form 116-260 Local Business Qualification Affidavit. Application of this local preference may be waived if funding sources disallow it.  
or
14. **Disabled Veteran Business Enterprise Preference** - The County of Riverside has implemented a Disabled Veteran Owned Business preference policy. A three percent (3%) preference shall be applied to the total bid price of all quotes/bids/proposals received by the County from **certified** disabled veterans owned businesses. If the bid is submitted by a non-Disabled Veteran owned business, but lists subcontractors that are identified and qualified as Disabled Owned Business, the total bid price will be adjusted by 3% of the value of that subcontractor’s portion of the bid.

**IF CHECKED, THE FOLLOWING DOCUMENTS HEREBY MADE PART OF THIS RFQ**

√ APPENDIX "A"                      √ EXHIBITS                      √ #116-260 Local Business Qualification Affidavit

**IF CHECKED, THE FOLLOWING GENERAL CONDITIONS ARE INCLUDED WITH FULL FORCE AND LIKE EFFECT AS IF SET FORTH HEREIN**

√ #116-200      General Conditions Product/Personal/Professional Services                      √ #116-210      General Conditions Materials and/or Services

√ #116-230      General Conditions - Equipment

To access any of these General Conditions go to [www.purchasing.co.riverside.ca.us](http://www.purchasing.co.riverside.ca.us), located in Vendor link. If an addendum is issued for this procurement, it will be the vendor’s responsibility to retrieve all applicable addendum(s) from the Public Purchase website.

**APPENDIX A**

**1.0 INFORMATION**

- 1.1 "Electronic submission hereof is certification that the Bidder has read and understands the terms and conditions hereof, and that the Bidder's principal is fully bound and committed." All County (District) terms and conditions are found at [www.purchasing.co.riverside.ca.us](http://www.purchasing.co.riverside.ca.us). Bidders must acknowledge the applicable terms and conditions that are checked at the bottom of page 2 of this document.
- 1.2 MANUFACTURER REBATE \$\_\_\_\_\_ Cash discount shall be applied to grand total.
- 1.3 Delivery: \_\_\_\_\_ calendar days after receipt of order.
- 1.4 Please Check: \_\_\_\_\_ Disabled Veteran \_\_\_\_\_ Local Business – if checked, the above signer certifies that the above business is located within the geographical boundaries of Riverside County and that all sales taxes generated based on this RFQ will be credited to that location in Riverside County. If claiming Local Preference, Bidders please submit form 116-260.
- 1.5 If Bidder experiences technical issue with the online bidding process, Bidder must contact the Buyer II and/or Procurement Contract Specialist at a minimum of one hour prior to the bid close time of 1:30PM; for further bid submission instructions.

**2.0 PURPOSE/BACKGROUND**

The Riverside County Flood Control and Water Conservation District (District) is soliciting quotations for equipment as detailed in Attachment "A", Specifications of this RFQ.

**3.0 TIMELINE DATES:**

1. RELEASE OF REQUEST FOR QUOTATION	September 22, 2014
2. DEADLINE FOR SUBMISSION OF QUESTIONS Bidders must submit their questions online at PublicPurchase.com. All questions submitted are within the correct RFQ located on PublicPurchase.com.	Must be submitted by: Date: October 8, 2014 Time: 1:30 PM Pacific Time
3. DEADLINE FOR QUOTATION SUBMITTAL Bid results are posted on PublicPurchase.com	October 23, 2014 On or before 1:30 PM Pacific Time
4. TENTATIVE DATE FOR AWARDDING CONTRACT	5-90 days, contingent upon lowest bidder meeting all of the bid specifications.

**4.0 METHOD OF AWARD**

The Riverside County Flood Control District reserves the right to reject any or all offers, to waive any discrepancy or technicality and to split or make the award in any manner determined by the District to be most advantageous to the District. The District recognizes that prices are only one of several criteria to be used in judging an offer and the District is not legally bound to accept the lowest offer.

Quotations will be evaluated based on relevant factors, including but not limited to the following:

- a. Lowest overall purchase price (per vehicle requested)
- b. Adherence to specifications as detailed in this RFQ
- c. Manufacturer rebate
- d. Warranties
- e. All associated delivery costs
- f. Delivery date
- g. Product acceptability
- h. Service/Customer Support

## **5.0 EVALUATION PROCESS**

All quotations will be given thorough review. All contacts during the review selection phase will be only through the Riverside County Flood Control District. Attempts by the Bidder to contact any other County representative may result in disqualification of the Bidder. The District recognizes that prices are only one of several criteria to be used in judging an offer, and the District is not legally bound to accept the lowest offer.

## **6.0 INTERPRETATION OF RFQ**

The Contractor (Bidder) must make careful examination and understand all of the requirements, specifications, and conditions stated in the RFQ. If any Contractor (Bidder) planning to submit a quote finds discrepancies in or omissions from the RFQ, or is in doubt as to the meaning, a written request for interpretation or correction must be given to the County. Any changes to the RFQ will be made only by written addendum and may be posted on the Riverside County Flood Control Purchasing website at [www.rcflood.org](http://www.rcflood.org) and PublicPurchase.com. The District is not responsible for any other explanations or interpretations. If any provision in this agreement is held by a court of competent jurisdiction to be invalid, void, or unenforceable, the remaining provisions will nevertheless continue in full force without being impaired or invalidated in any way. All notices regarding this procurement may be posted on the District's purchasing website at [www.rcflood.org](http://www.rcflood.org) and [PublicPurchase.com](http://PublicPurchase.com).

## **7.0 CANCELLATION OF PROCUREMENT PROCESS**

The District may cancel the procurement process at any time. All quotations become the property of the District. All information submitted in the quotation becomes "public record" as defined by the State of California upon completion of the procurement process. If any proprietary information is contained in or attached to the quote, it must be clearly identified by the Bidder; otherwise, the Bidder agrees that all documents provided may be released to the public after bid award. The District reserves the right to withdraw the Request for Quote (RFQ), to reject a specific quote for noncompliance within the RFQ provisions, or not award a bid at any time because of unforeseen circumstances or if it is determined to be in the best interest of the District.

## **8.0 COMPENSATION**

The District shall pay the awarded bidder for equipment and services performed, after the equipment are installed and tested to the satisfaction of the District. Expenses incurred and compensation shall be paid in accordance with an invoice submitted to District by awarded bidder. The District shall pay the acceptable invoice within thirty-(30) working days from the date of receipt of the invoice, or the goods/services are received, whichever is later.

## **9.0 BACK ORDERS**

The District will not accept any substitutions or backorders, unless expressed and approved by the District.

## **10.0 WARRANTY**

Bidder shall provide a warranty that includes all parts and labor. Awarded Bidder shall handle all repairs/services of equipment(s) under warranty, manufacture warranty or Awarded Bidder's Company warranty. Awarded Bidder shall assume all responsibilities pertaining to shipping and handling of equipment that has to be sent back to the manufacture for repairs/services. In the event the equipment is beyond repair, a replacement of a brand new equipment of the same model or equivalent shall be provided by Awarded Bidder. REMANUFACTURED equipment is not accepted.

## **11.0 DELIVERY**

Delivery appointments **MUST** be made with the Riverside County Flood Control District 24 hours prior to scheduled delivery date. The contact person will be provided upon award of bid. The County will not be responsible for cost incurred due to shipments attempted during non-receiving hours or unscheduled deliveries. All delivery of products must be F.O.B. Destination. Delivery address:

Riverside County Flood Control District  
1995 Market St., Riverside, CA 92501  
Attn: Receiving  
Ph: 951.955.1303  
Monday - Thursday between 8:00 AM to 4:00PM Pacific Time

## **12.0 USE BY OTHER POLITICAL ENTITIES**

The awarded vendor agrees to extend the same pricing, terms, and conditions to every Riverside County political entity, special district, and related non-profit entity. It is understood that other entities shall make purchases in their own name, make direct payment, and be liable directly to the awarded vendor; and District shall in no way be responsible to the vendor for other entities' purchases.

### 13.0 CONFIDENTIALITY AND PROPRIETARY DATA

Subsequent to the District's evaluation, bids/proposals which were required to be submitted in response to the solicitation process become the exclusive property of the District. All such documents become a matter of public record and shall be regarded as public records. Exceptions will be those elements in the California Government Code section 6250 et. seq. (Public Records Act) and which are marked "trade secret," "confidential," or "proprietary." The District shall not in any way be liable or responsible for the disclosure of any such records, including, without limitation, those so marked, if disclosure is required by law, or by an order issued by a court of competent jurisdiction. In the event the District is required to defend an action on a Public Records Act request for any of the aforementioned documents, information, books, records, and/or contents of a proposal marked "trade secret", "confidential", or "proprietary" the Vendor agrees to defend and indemnify the District from all costs and expenses, including reasonable attorney's fees, in action or liability arising under the Public Records Act. Where applicable, Federal regulations may take precedence over this language.

### 14.0 BIDDING GENERAL REQUIREMENTS

- a. The bid response shall be submitted electronically to PublicPurchase.com by 1:30 p.m. on the closing date listed above. Bid responses not received by the District by the closing date and time indicated above will not be accepted. The District will not be responsible for and will **not** accept late bids due to slow internet connection, or incomplete transmissions.
- b. All quotations must be submitted in accordance with the standards and specifications contained within this Request for Quote (RFQ).
- c. The District reserves the right to waive, at its discretion, any irregularity, which the District deems reasonably correctable or otherwise not warranting rejection of the quotation.
- d. The District shall not pay any costs incurred or associated in the preparation of this or any quotation or for participation in the procurement process.
- e. Quotes must be specific unto themselves. For example, "*See Enclosed Manual*" will not be considered an acceptable quotation. Receipt of all addenda, if any, must be acknowledged in the quotation.
- f. **Late quotations will not be accepted.** Postmarks **will not** be accepted in lieu of this requirement. Quotations submitted to any other District office will be rejected.

#### 14.1 **Bid Sheet Instructions:**

- a. A single bid sheet (Attachment "A") has been provided. Please make additional copies as needed. One bid sheet should be completed for each item, or alternate bid.
- b. Bidders shall complete each section of the "Bidders Comments/Exceptions" in the attached specifications (Attachment "A") indicating specific size and model of all components when not exactly as specified.
- c. Please check "Meets Specifications" if the item is exactly as set forth in the Middle Column.
- d. Attachment A must be signed and the company name, representative, date, terms, and delivery schedule must be included.
- e. Each vehicle shall be a new and currently advertised model of the manufacturer's latest design (2014/15); equipped with all standard component items identified in the manufacturer's description and specification publications, whether or not specifically requested and except where optional components are specified herein.
- f. Where applicable, each unit shall be equipped with all legal devices required for highway operation and meet all D.O.T., State of California, CALOSHA, and federal standards and requirements.
- g. It is the intent of these specifications to describe vehicles as detailed in Attachment "A", Specifications of this RFQ in sufficient detail to secure bids on comparable equipment. All parts not specifically mentioned which are necessary to provide a complete vehicle shall be included in the bid and shall conform in strength, quality of workmanship to what is usually provided the trade in general. The specifications herein shall not be construed in any way to sanction the degrading or elimination of accepted standards of engineering and craftsmanship in configuration and construction.

**ATTACHMENT "A"**

**SPECIFICATIONS**

**ONE (1) EACH: 2014/15 TRACK TYPE, LONG-REACH HYDRAULIC EXCAVATOR  
WITH AUXILIARY HYDRAULICS - (60,000 LB. CLASS MACHINE)**

**NOTICE: TECHNICAL SPECIFICATIONS** – The minimum requirements acceptable are listed below. Bidder shall complete right-hand column indicating specific size and/or make and model of all components, when not exactly as specified or check Meets Specifications, if equipment is exactly as set forth in the left-hand column. **FAILURE TO COMPLETE RIGHT-HAND COLUMN WILL INVALIDATE BID. ALL COMPONENTS NOT "OEM" IN ORIGIN MUST BE IDENTIFIED ON THIS BID.**

Cumulative miles/hours shall not exceed 500-miles/8-hours at time of delivery. ALL EQUIPMENT MUST BE DELIVERED WITH FUEL TANK(S) FULL. The equipment must meet all California emission standards and have all legal safety devices installed.

The following specifications are for **One (1) Each: 2014/15 Track Type, Long-Reach Hydraulic Excavator With Auxiliary Hydraulics - (60,000 lb. Class Machine)**

All specifications are **minimum specifications** unless stated in the description.

All Equipment bids must meet all 2014/15 California emission standards and have all legal safety devices installed.

DESCRIPTION	Meets Specifications Yes/No	Bidders Comments
<p><b>GENERAL SPECIFICATIONS:</b> Excavator shall be a track type machine with a long-reach boom and stick to bucket combination. Machine shall be equipped with Auxiliary hydraulics. Excavator must have a minimum of at least 200 hp at 1800 rpm. All accessories not specifically mentioned herein, but necessary to furnish a complete unit ready for immediate use shall be included. The approximate operating weight of machine shall be 61,130 lb. (Equipped with a factory manufactured Long Boom/Stick combination, auxiliary hydraulics and 60-inch ditching bucket).</p>		
<p><b>ENGINE:</b> Machine shall have a 7.8 litre, 476 cubic inch diesel engine, equipped with turbo charger and air charge cooler, plus a minimum of 202 net horsepower and shall be able to produce a maximum torque of 746 ft.-lbs. Engine shall be equipped with electronic direct fuel injection or equal. <b>The Engine shall meet all EPA standards, have a minimum Tier 4-I or higher emission requirement and meet all <u>Off-Road</u> California Emission Standards and regulations.</b></p>		

<p><b>BOOM, ARM &amp; MAINFRAMES:</b>                  All articulating arms shall be equipped with "Welded Bulkheads" within the boom and arm assemblies to resist torsion stresses and should be of high tensile strength steel. Maximum arm reach at ground level shall be approximately <u>59 ft.-9 in.</u> Digging depth should be approximately <u>47 ft.-1 in.</u> Maximum cutting height should be approximately <u>48 ft.-10 in.</u> All boom and stick (arm) joint bushings are to be grooved and oil-impregnated. <u>All boom, arm and mainframes are to be manufactured and built by the excavator manufacturer.</u>  <b>(No Exceptions)</b></p>		
<p>All articulating joints shall use either reinforced resin composition thrust plates, hardened steel thrust plates or equivalent material. Machine shall be equipped with a centralized lubrication bank to help make greasing easier. Side-frames of the upper operator's station shall have a reinforced, one-piece, channel frame for maximum cab and component protection. <b><u>Tail Swing</u></b> radius of upper structure shall not exceed more than <u>4ft-10in.</u> when rotated 90 degrees and working over the side of the machine.  <b>(Minimum Requirement)</b></p>		
<p><b>TRAVEL MOTORS &amp; FINALS:</b>                  The machine shall use travel motors that drive thru integral planetary final drives. The machine shall be equipped with automatic speed selection that lets the machine automatically change up and down from high and low speeds in a smooth and controlled manner. Low speed propel should be approximately 2.2 mph and high speed propel should be approximately 3.4 mph.</p>		
<p><b>UNDERCARRIAGE:</b>                  The undercarriage shall use a long-track design that is built for optimum stability. The machine shall have standard track shoes with triple grousers that are approximately thirty-two (32) inches wide with additional "<u>Rubber grouser pads</u>" bolted over the track shoes. <b>Ground pressure contact area is not to exceed approximately 6.1 psi.</b> The long-track undercarriage shall have nine (9) track rollers and two (2) carrier rollers per side. Tracks shall consist of fifty-one (51) triple grouser shoes per side. Track chain is to be sealed and lubricated for maintenance-free operation. The machine shall also be equipped with heavy-duty full track guards. Track adjustment shall be hydraulic with front and center track guides.</p>		

<p><b>HYDRAULIC SYSTEM:</b>                  Hydraulics and controls shall be fully enclosed and have a protected system. The total capacity of the hydraulic system shall be approximately one-hundred six (106) gallons. The machine shall have two (2) <u>main-pumps</u> that are load-sensing, variable-displacement, axial-piston pumps and will adjust the hydraulic flow to match implement demand. The pumps shall be arranged in a side by side configuration. Total combined main-pump flow shall be no less than 128GPM. The machine shall also be equipped with high-pressure, high-flow auxiliary hydraulics to run a rotary mower attachment that includes factory installed auxiliary solid steel hydraulic lines located on the top section of the boom and arm. The hydraulic piping shall be equipped with quick disconnects (model HCP-19). All necessary hydraulic piping, mounting hardware, hoses, valves, controls and hydraulic fittings will be furnished and installed by excavator manufacturer. Also included are auxiliary pilot and electric controls; hydraulic filter-restriction, indicator kit, single-pedal, propel control, and hand pilot control pattern changer for switching joystick configuration from SAE/ISO to Back-Hoe Loader style controls.</p>		
<p><b>HYDRAULIC TANK:</b>                  The hydraulic tank shall hold approximately fifty-two (52) gallons of hydraulic oil and be equipped with a sight level gauge for operator convenience. Tank shall be a sealed and protected system with an optional remote manual pressure-relief valve that can be vented during service or maintenance works on the hydraulic system. (Pressure-relief valve option only required if available through the manufacturer)</p>		
<p><b>OPERATOR STATION:</b>                  The operator station shall have controls that are within easy reach of the operator and are ergonomically positioned for operator comfort. Machine shall have a suspended four-way adjustable seat with vertically adjustable armrests. The seat and consoles shall slide forward and backward independently, so they can be adjusted to comfortably fit any operator. The lever controls shall be low effort joystick controls that are designed to match the operator's natural wrist and arm position.  <b>(No Exceptions)</b></p>		



<p><b>CAB:</b>                  The cab design shall incorporate large glass windows and entry door panel, to provide good visibility to front and sides of machine. The door and window seal design will allow for a fully pressurized, low dust cab. The interior design will have an acoustic style headliner and sound suppression foam panels to reduce sound levels that conform to OSHA and MSHA requirements for operator sound exposure. Windshield wiper controls are to be located in the side panel of the operator's control console. Cab shall have an AM/FM radio installed along with a certified DOT fire extinguisher (Model B500T or equal). The operator's seat shall be a "four-way suspension" seat that is ergonomically designed to support the operator in various operating conditions. The seat shall be equipped with a fully adjustable lumbar support for lower back comfort and a three (3) inch seat belt.  <b>(No Exceptions)</b></p>		
<p><b>GAUGES &amp; INDICATORS:</b>                  The machine shall be equipped with a multi-function, LCD color monitor with diagnostic capability. Also included; easy to read electronic gauges, consisting of fuel level, hydraulic oil temperature, engine coolant temperature and engine oil temperature gauge. Machine shall be equipped with an electronic monitoring system with an alarm feature. Also included is an auto idle indicator, engine air cleaner restriction indicator light, engine check light, engine coolant temperature indicator light with audible alarm, engine oil pressure indicator light with audible alarm, low alternator charge indicator light, low fuel indicator light, fault code alert indicator, hydraulic oil filter restriction indicator light, fuel rate display, wiper mode indicator, work lights on indicator and work mode indicator. All gauges and readouts must be easily visible by the operator in direct sunlight.</p>		
<p><b>AIR CONDITIONING:</b>                  The machine shall be equipped with a "factory installed" air conditioning system. The air conditioning system shall be incorporated into the rear cab structure behind and below the operator seat for clear visibility. AC system shall be a high-capacity blend-air, bi-level climate control system with optimally positioned louvers.  <b>(No Exceptions)</b></p>		
<p><b>BATTERY &amp; ELECTRICAL:</b>                  The electrical system shall be a twenty-four (24) volt system with heavy duty batteries and equipped with a 110-amp alternator. The system shall use a 10-amp/12-volt power converter to service a 12-volt power outlet and a radio ready service lead. Also to be included is a master electrical disconnect switch.</p>		

<p><b>WORK LIGHTS:</b>                  Machine shall be equipped with "Halogen" work lights; two (2) lights mounted on the cab and one (1) light mounted on the upper structure.</p>		
<p><b>FUEL TANK:</b>                  The fuel tank shall have a minimum capacity of approximately one hundred twenty-four (124) gallons.</p>		
<p><b>RADIATOR &amp; AUX. COOLING:</b>                  The radiator cooling system shall be the heaviest available with extended life, anti-freeze protection to -35° F. The entire cooling system should hold approximately 10.8 gallons of extended life coolant and should be equipped with a remote sampling port for periodic service and trouble-shooting. Machine must be equipped with a hydraulically-driven cooling fan that cools on demand. The machine shall also be equipped a "<u>reverse cooling-fan option</u>". The machine shall have either swing-out oil coolers or the ability for the operator to easily access and clean the radiator and oil cooler cores.  <b>(No Exceptions)</b></p>		
<p><b>COUNTER WEIGHT:</b>                  Excavator shall be equipped with an optional factory installed counter-weight, weighing approximately 13,670 lb. The optional counter-weight must be used with the extended reach of the boom, stick and ditching bucket combination as a counter-balance. An <u>existing rotary mower deck</u> (Model 48FXRT Little Co.) which is owned by the District shall be retrofitted to the new machine by the manufacturer of the equipment. Any additional weight for the mower head shall be calculated by the excavator manufacturer and a required recommendation of additional counter-balance weight shall be installed by the excavator manufacturer, if required. All specifications pertaining to the mower deck shall be obtained through the Riverside County Flood Control District Maintenance Section upon the completion of the bid process.  <b>(No Exceptions)</b></p>		
<p><b>BUCKETS:</b>                  Excavator shall be equipped with two (2) buckets; <u>one</u> general purpose, forty-eight (48) inch digging bucket designed for soft to medium materials with low wear characteristics. The bucket shall have anti-abrasive side cutters, a hardened lip plate and self-sharpening bucket teeth; the <u>second</u> bucket shall be a ditching bucket that is approximately 60 inches wide and have a minimum capacity of one (1) cubic yard. The ditching bucket shall have a wide face, round profile and drain holes located in the sides of the bucket. The bucket shall have a bolt-on, replaceable cutting edge that is readily available through the excavator or bucket manufacturer.  <b>(No Exceptions)</b></p>		

<p><b>MISC. SAFETY GUARDS:</b> Machine shall be equipped with a front window protection screen and a ½ inch thick poly-carbonate, safety front window (if available). The front window using the poly-carbonate glass is for operator safety while using the mower head attachment. All windows shall be equipped with "<u>Window Vandalism Shields</u>", for storing machine off site and while transporting the machine.</p>		
<p><b>PAINT &amp; COLOR:</b> Manufacturer's standard color</p>		
<p><b>INTERIOR COLOR &amp; TRIM:</b> Manufacturer's standard color and trim</p>		
<p><b>ADDITIONAL KEYS:</b> Dealer shall provide five (5) sets of keys with the equipment</p>		
<p><b>OPERATOR TRAINING:</b> The successful bidder shall provide one (1) full day, (8 hours) of training on the operation, maintenance and safety of the track excavator after delivery to the bidding agency's facility. The training class size shall be limited to eight (8) persons and shall include both a formal presentation and "hands-on" exercises in the field, to familiarize the operators on proper operating and maintenance procedures.</p>		
<p><b>REGISTRATION:</b> All proper documentation and paper work to be supplied by dealer and manufacturer</p>		
<p><b>WARRANTY:</b> Excavator manufacturer's warranty shall include a one-year or 1,000-hour warranty covering all parts and labor on complete machine. An additional (four-year or 5,000-hour) warranty shall be included, covering power-train and hydraulic system only. <b>(Minimum Requirement)</b></p>		
<p><b>MANUAL, MICROFICHE or other data format:</b> Operators Manual – two (2) required Parts Manual – two (2) required Service Manual – one (1) required</p>		
<p><b>DELIVERY:</b> Excavator to be delivered to: Riverside County Flood Control District 1995 Market Street Riverside, CA 92501 You must give twenty-four (24) hours prior notice before delivery by contacting Rich Seager at 951.955.1305.</p>		

**DEALER SERVICE:**

The equipment furnished under this bid proposal shall be completely serviced locally by the vendor prior to delivery. It shall be ready for operation when delivered. Any further servicing by the vendor will not be required, except in connection with repairs or adjustments covered by the manufacturer or dealer's warranty.

**EXECUTION HEREON IS CERTIFICATION THAT THE UNDERSIGNED HAS READ AND UNDERSTOOD THE INSTRUCTIONS, GENERAL CONDITIONS AND SPECIFICATIONS INCLUDED IN THIS REQUEST FOR QUOTATION AND THAT THE UNDERSIGNED'S PRINCIPAL IS FULLY BOUND AND COMMITTED.**

**Item#1 One (1) Each: 2014/15 Track Type, Long-Reach Hydraulic Excavator  
With Auxiliary Hydraulics - (60,000 lb. Class Machine)**

Company:

Address:

City:

State:

Zip:

I hereby swear under penalty that the information provided is true and correct.

Print name:

Signed by:

Date:

**COST SHEET**

DESCRIPTION	QTY	UNIT	PRICE	TOTAL
<b>One (1) Each: 2014/15 Track Type, Long-Reach Hydraulic Excavator with Auxiliary Hydraulics - (60,000 lb. Class Machine)</b>	1	EA	\$	\$
DELIVERY CHARGE		DOL	\$	\$
CA STATE TAX	8%	DOL	\$	\$
<b>Subtotal</b>				\$
CALIFORNIA TIRE FEE		DOL	\$	\$
<b>Subtotal</b>				
PROMPT PAYMENT DISCOUNT				
<b>Grand Total</b>				\$

**Item#1 One (1) Each: 2014/15 Track Type, Long-Reach Hydraulic Excavator with Auxiliary Hydraulics - (60,000 lb. Class Machine)**

Company:

---

Address:

City:

State:

Zip:

---

I hereby swear under penalty that the information provided is true and correct.

Print name:

Signed by:

Date:

---

**Local Business Qualification Affidavit**

The County of Riverside Local Business Preference may be applied to this Request for Proposal/Quotation. If you qualify for this preference, please submit this form along with your response to this RFQ.

**Definition of Local Business**

A local business shall mean a business or firm with fixed offices located within the geographical boundaries of Riverside County, and authorized to perform business within the County. In doing so, credit all sales tax from sales generated within Riverside County to the County, and who provide product or perform contracted work using employees, of whom the majority are physically located in said local offices.

Local businesses" shall have a Riverside County business street address. Post office box numbers, residential addresses, or un-staffed sales offices shall not suffice to establish status as a "local business." To qualify as a "local business" the location must be open and staffed during normal business hours and the business must establish proof that it has been located and doing business in Riverside County for at least (6) six months preceding its certification to the County as a local business.

Additional supporting documentation that may be requested by the County to verify qualification includes:

1. **A copy of their current BOE 531-A and/or BOE 530-C form** (State, Local & District Sales, and Use Tax Return Form). This is what businesses submit to the State Board of Equalization when paying the sales tax to the State of California indicating the amount of the payment to be credited to each jurisdiction (i.e. Counties, Cities).
2. **A current business license** if required for the political jurisdiction the business is located.
3. **Proof of the current business address.** The local business needs to be operating from a functional office that is staffed with the company's employees, during normal business hours.

Business Name: \_\_\_\_\_

Physical Address: \_\_\_\_\_

Phone: \_\_\_\_\_ FAX: \_\_\_\_\_ E-Mail: \_\_\_\_\_

Length of time at this location: \_\_\_\_\_ Number of Company Employees at this address: \_\_\_\_\_

If less than 6 month, list previous  
Riverside County location: \_\_\_\_\_

Business License # (where applicable): \_\_\_\_\_ Jurisdiction \_\_\_\_\_

Hours of Operation: \_\_\_\_\_

Primary function of this location (i.e., sales, distribution, production, corporate, etc):  
\_\_\_\_\_  
\_\_\_\_\_

Signature of Company Official

Date

Print Name, Title

**Submittal of false data will result in disqualification of local preference and/or doing business with the  
Riverside County.**