

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 232 Level in Feet
Raw Data

Date	Flag	Value	Wet
08/23/1990		0.00000	0
01/03/1991		0.00000	1
02/27/1991		0.00000	1
11/27/1991		0.00000	0
01/03/1992		0.00000	1
02/11/1992		0.00000	1
03/27/1992		0.00000	1
06/23/1992		0.00000	0
12/07/1992		0.00000	1
12/16/1992		0.00000	0
12/30/1992		0.00000	1
01/13/1993		0.00000	1
02/08/1993		0.00000	1
02/19/1993		0.00000	1
03/23/1993		0.10000	0
03/29/1993		0.00000	1
06/07/1993		0.00000	1
06/24/1993		0.00000	0
09/15/1993		0.10000	0
12/22/1993		0.16000	0
01/25/1994		0.00000	1
02/18/1994		0.00000	1
03/21/1994		0.00000	1
03/31/1994		0.08000	0
06/15/1994		0.25000	0
09/06/1994		0.00000	0
11/10/1994		0.00000	1
12/12/1994		0.00000	0
01/04/1995		0.00000	1
01/11/1995		0.00000	1
04/24/1995		0.00000	0
08/14/1995		0.00000	0
12/05/1995		0.00000	0
01/22/1996		0.00000	1
01/31/1996		0.00000	1
02/20/1996		0.00000	1
02/22/1996		0.00000	1
05/01/1996		0.00000	0
08/14/1996		0.25000	0
11/21/1996		0.00000	1
01/08/1997		0.00000	0
02/11/1997		0.00000	0
08/12/1997		0.00000	0
12/17/1997		0.00000	0
12/17/1997		0.00000	0
01/29/1998		0.00000	1
02/03/1998		2.37000	1
03/25/1998		1.25000	1
05/19/1998		0.33000	0
08/20/1998		0.10000	0
01/25/1999		0.40000	1
04/07/1999		0.40000	1
02/12/2000		0.50000	1
02/23/2000		0.50000	1
04/18/2000		0.55000	1
01/22/2001		0.40000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 232 Level in Feet

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	0.000			0.000	0.000			0.000	
1991/92	5	0	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1992/93	10	0	7	0.000	0.000	0.000	0.000	0.010	0.000	0.010	0.100	0.52223
1993/94	7	0	3	0.000	0.000	0.000	0.080	0.084	0.130	0.196	0.250	0.94478
1994/95	6	0	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1995/96	7	0	4	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1996/97	4	0	1	0.000			0.000	0.063			0.250	
1997/98	7	0	3	0.000	0.000	0.000	0.000	0.564	0.790	1.698	2.370	0.83514
1998/99	3	0	2	0.100			0.400	0.300			0.400	
1999/0	3	0	3	0.500			0.500	0.517			0.550	
2000/1	1	0	0	0.400			0.400	0.400			0.400	
Overall	56	0	31	0.000	0.000	0.000	0.000	0.138	0.100	0.400	2.370	0.55326

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 262 Discharge in Cubic feet/second
Raw Data

Date	Flag	Value	Wet
08/23/1990		0.02000	0
01/03/1991		0.00000	1
02/27/1991		0.00000	1
11/27/1991		0.00000	0
01/03/1992		0.00000	1
02/11/1992		0.00000	1
03/27/1992		0.00000	1
06/23/1992		0.00000	0
12/07/1992		0.00000	1
12/16/1992		0.00000	0
12/30/1992		0.00000	1
01/13/1993		0.00000	1
02/08/1993		0.00000	1
02/19/1993		0.00000	1
03/23/1993		2.00000	0
03/29/1993		0.00000	1
06/07/1993		0.00000	1
06/24/1993		10.00000	0
09/15/1993		0.60000	0
12/22/1993		0.50000	0
01/25/1994		20.00000	1
02/18/1994		0.00000	1
03/21/1994		0.00000	1
03/31/1994		0.12000	0
06/15/1994		0.50000	0
09/06/1994		2.00000	0
11/10/1994		0.00000	1
12/12/1994		10.00000	0
01/04/1995		10.00000	1
01/11/1995		0.00000	1
04/24/1995		12.00000	0
08/14/1995		4.00000	0
12/05/1995		3.00000	0
01/22/1996		0.00000	1
01/31/1996		30.00000	1
02/20/1996		0.00000	1
02/22/1996		5.00000	1
05/01/1996		2.00000	0
08/14/1996		1.50000	0
11/21/1996		100.00000	1
01/08/1997		0.50000	0
02/11/1997		1.00000	0
08/12/1997		5.00000	0
12/17/1997		0.06000	0
12/17/1997		0.06000	0
01/29/1998		50.00000	1
02/03/1998		255.00000	1
03/25/1998		69.00000	1
05/19/1998		1.00000	0
08/20/1998		0.30000	0
12/10/1998		1.00000	0
01/25/1999		5.00000	1
04/07/1999		6.00000	1
05/12/1999		5.00000	0
08/30/1999		10.00000	0
12/09/1999		20.00000	0
02/12/2000		30.00000	1
02/23/2000		10.00000	1
04/05/2000		2.00000	0
04/18/2000		12.00000	1
08/17/2000		1.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 262 Discharge in Cubic feet/second
Raw Data

Date	Flag	Value	Wet
01/22/2001		4.00000	0
05/09/2001		2.00000	0
05/09/2001		2.00000	0
08/20/2001		0.30000	0
01/15/2002		0.20000	0
04/25/2002		0.10000	0
10/30/2003		8.70000	0
01/27/2004		1.70000	0
03/23/2004		3.25000	0
07/15/2004		0.95000	0
10/20/2004		90.00000	1
12/28/2004		75.00000	1
01/26/2005		27.60000	1
03/30/2005		3.70000	0
06/13/2005		6.20000	0
08/24/2005	>	0.01000	0
02/09/2006		11.10000	0
02/27/2006		50.00000	1
03/28/2006		54.00000	1
04/04/2006	>	50.00000	1
05/30/2006		2.75000	0
08/23/2006		5.60000	0
12/07/2006		2.52000	0
02/11/2007		4.00000	1
04/20/2007		10.00000	1
05/15/2007		6.30000	0
09/26/2007		3.50000	0
01/05/2008		21.00000	1
01/27/2008	>	10.00000	1
03/20/2008		0.60000	0
06/24/2008		0.67000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 262 Discharge in Cubic feet/second

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	0.000			0.000	0.007			0.020	
1991/92	5	0	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1992/93	10	0	7	0.000	0.000	0.000	0.000	1.200	0.000	2.800	10.000	0.60481
1993/94	7	0	3	0.000	0.000	0.060	0.500	3.103	0.550	8.360	20.000	0.63727
1994/95	6	0	3	0.000	0.000	0.000	6.000	5.667	10.000	11.000	12.000	0.93982
1995/96	7	0	4	0.000	0.000	1.000	3.000	6.286	4.500	15.000	30.000	0.74061
1996/97	4	0	1	0.500			1.250	25.750			100.000	
1997/98	7	0	3	0.060	0.060	0.530	5.000	54.303	59.500	143.400	255.000	0.79123
1998/99	5	0	2	0.300	0.580	1.000	5.000	3.460	5.000	5.600	6.000	0.93321
1999/0	6	0	3	2.000	6.000	10.000	11.000	14.000	20.000	25.000	30.000	0.94626
2000/1	4	0	0	1.000			2.000	2.250			4.000	
2001/2	3	0	0	0.100			0.200	0.200			0.300	
2002/3	0	0	0									
2003/4	3	0	0	1.700			3.250	4.550			8.700	
2004/5	6	0	3	0.950	2.325	3.700	16.900	33.908	75.000	82.500	90.000	0.93053
2005/6	6	0	3	0.010	1.380	2.750	30.550	27.977	50.000	52.000	54.000	0.93042
2006/7	5	0	2	2.520	3.112	4.000	5.600	5.684	6.300	8.520	10.000	0.96696
2007/8	5	0	2	0.600	0.628	0.670	3.500	7.154	10.000	16.600	21.000	0.91806
Overall	92	0	41	0.000	0.000	0.040	2.000	12.553	10.000	30.000	255.000	0.54633

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1005 Acenaphthene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004		0.06000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1005 Acenaphthene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	0	1	0.060			0.060	0.060			0.060	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	3	4	0.000			0.000	0.015			0.060	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1010 Acenaphthylene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1010 Acenaphthylene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1011 Acrolein in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	2.00000	1
02/27/2006	<	2.00000	1
04/20/2007	<	2.00000	1
12/07/2007	<	2.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1011 Acrolein in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1012 Acrylonitrile in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	2.00000	1
02/27/2006	<	2.00000	1
04/20/2007	<	2.00000	1
12/07/2007	<	2.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1012 Acrylonitrile in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1013 Aldrin in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.00500	1
02/27/2006	<	0.00500	1
04/20/2007	<	0.00500	1
12/07/2007	<	0.00500	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1013 Aldrin in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1017 Ambient Air Temperature C in Deg C
Raw Data

Date	Flag	Value	Wet
02/23/2000		54.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1017 Ambient Air Temperature C in Deg C

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1999/0	1	0	1	54.000			54.000	54.000			54.000	
Overall	1	0	1	54.000			54.000	54.000			54.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1018 Ambient Air Temperature F in Deg F
Raw Data

Date	Flag	Value	Wet
08/20/1998		80.00000	0
12/10/1998		63.00000	0
01/25/1999		60.00000	1
04/07/1999		42.00000	1
08/30/1999		65.00000	0
12/09/1999		60.00000	0
02/23/2000		1.00000	1
04/05/2000		74.00000	0
04/18/2000		61.00000	1
08/17/2000		86.00000	0
01/22/2001		70.00000	0
05/09/2001		84.00000	0
05/09/2001		84.00000	0
08/20/2001		86.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1018 Ambient Air Temperature F in Deg F

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1998/99	4	0	2	42.000			61.500	61.250			80.000	
1999/0	5	0	2	1.000	24.600	60.000	61.000	52.200	65.000	70.400	74.000	0.81906
2000/1	4	0	0	70.000			84.000	81.000			86.000	
2001/2	1	0	0	86.000			86.000	86.000			86.000	
Overall	14	0	4	1.000	47.400	60.000	67.500	65.429	84.000	85.400	86.000	0.85756

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1035 Alkalinity, total (CaCO3) in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		210.00000	0
01/03/1991		45.00000	1
02/27/1991		38.00000	1
11/27/1991		218.00000	0
01/03/1992		50.00000	1
02/11/1992		25.00000	1
03/27/1992		75.00000	1
06/23/1992		240.00000	0
12/07/1992		33.00000	1
12/16/1992		303.00000	0
12/30/1992		43.00000	1
01/13/1993		75.00000	1
02/08/1993		48.00000	1
02/19/1993		65.00000	1
03/23/1993		278.00000	0
03/29/1993		88.00000	1
06/07/1993		125.00000	1
06/24/1993		170.00000	0
09/15/1993		220.00000	0
12/22/1993		250.00000	0
01/25/1994		275.00000	1
02/18/1994		33.00000	1
03/21/1994		48.00000	1
03/31/1994		173.00000	0
06/15/1994		183.00000	0
09/06/1994		220.00000	0
11/10/1994		120.00000	1
12/12/1994		200.00000	0
01/04/1995		78.00000	1
01/11/1995		28.00000	1
04/24/1995		223.00000	0
08/14/1995		218.00000	0
12/05/1995		185.00000	0
01/22/1996		150.00000	1
01/31/1996		33.00000	1
02/20/1996		30.00000	1
05/01/1996		235.00000	0
08/14/1996		230.00000	0
11/21/1996		33.00000	1
01/08/1997		250.00000	0
02/11/1997		170.00000	0
08/12/1997		220.00000	0
12/17/1997		300.00000	0
12/17/1997		300.00000	0
01/29/1998		38.00000	1
02/03/1998		23.00000	1
03/25/1998		22.00000	1
05/19/1998		300.00000	0
08/20/1998		250.00000	0
12/10/1998		320.00000	0
01/25/1999		190.00000	1
04/07/1999		190.00000	1
05/12/1999		210.00000	0
08/30/1999		250.00000	0
12/09/1999		240.00000	0
02/12/2000		61.00000	1
02/23/2000		61.00000	1
04/05/2000		270.00000	0
04/18/2000		160.00000	1
08/17/2000		280.00000	0
01/22/2001		290.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1035 Alkalinity, total (CaCO3) in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		220.00000	0
08/20/2001		250.00000	0
01/15/2002		300.00000	0
04/25/2002		200.00000	0
01/21/2003		320.00000	0
02/11/2003		54.00000	1
02/25/2003		28.00000	1
03/11/2003		200.00000	0
04/14/2003		75.00000	1
05/22/2003		300.00000	0
07/22/2003		210.00000	0
10/30/2003		200.00000	0
01/27/2004		300.00000	0
02/18/2004		64.00000	1
02/22/2004		81.00000	1
03/02/2004		110.00000	1
03/23/2004		290.00000	0
07/15/2004		300.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1035 Alkalinity, total (CaCO3) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	38.000			45.000	97.667			210.000	
1991/92	5	0	3	25.000	35.000	50.000	75.000	121.600	218.000	231.200	240.000	0.94622
1992/93	10	0	7	33.000	42.000	48.000	81.500	122.800	170.000	280.500	303.000	0.91750
1993/94	7	0	3	33.000	42.000	110.500	183.000	168.857	235.000	260.000	275.000	0.95945
1994/95	6	0	3	28.000	53.000	78.000	160.000	144.833	220.000	221.500	223.000	0.96660
1995/96	6	0	3	30.000	31.500	33.000	167.500	141.833	218.000	226.500	235.000	0.95607
1996/97	4	0	1	33.000			200.000	170.750			250.000	
1997/98	7	0	3	22.000	22.600	30.500	220.000	171.857	300.000	300.000	300.000	0.92308
1998/99	5	0	2	190.000	190.000	190.000	210.000	232.000	250.000	292.000	320.000	0.92070
1999/0	6	0	3	61.000	61.000	61.000	200.000	173.667	250.000	260.000	270.000	0.95247
2000/1	3	0	0	220.000			280.000	263.333			290.000	
2001/2	3	0	0	200.000			250.000	250.000			300.000	
2002/3	6	0	3	28.000	41.000	54.000	137.500	162.833	300.000	310.000	320.000	0.96586
2003/4	7	0	3	64.000	74.200	95.500	200.000	179.286	250.000	294.000	300.000	0.97949
2004/5	1	0	0	300.000			300.000	300.000			300.000	
Overall	79	0	36	22.000	33.000	62.500	190.000	166.975	250.000	300.000	320.000	0.98640

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1051 Ammonia-nitrogen in mg/L
Raw Data

Date	Flag	Value	Wet
01/03/1991		1.50000	1
02/27/1991	<	0.10000	1
11/27/1991		0.10000	0
01/03/1992		0.80000	1
02/11/1992		0.10000	1
03/27/1992		0.40000	1
06/23/1992	<	0.10000	0
12/07/1992		1.10000	1
12/16/1992	<	0.10000	0
12/30/1992		0.40000	1
01/13/1993		0.30000	1
02/08/1993		0.40000	1
02/19/1993		0.20000	1
03/23/1993		0.20000	0
03/29/1993		0.50000	1
06/07/1993		0.40000	1
06/24/1993	<	0.10000	0
09/15/1993		0.20000	0
12/22/1993		0.10000	0
01/25/1994		0.30000	1
02/18/1994		0.40000	1
03/21/1994		0.60000	1
03/31/1994	<	0.10000	0
06/15/1994		0.20000	0
09/06/1994	<	0.10000	0
11/10/1994		0.90000	1
12/12/1994	<	0.10000	0
01/04/1995		0.50000	1
01/11/1995		0.30000	1
04/24/1995		1.30000	0
08/14/1995	<	0.40000	0
12/05/1995	<	0.10000	0
01/22/1996		0.20000	1
01/31/1996		0.80000	1
02/20/1996		0.50000	1
05/01/1996	<	0.10000	0
08/14/1996	<	0.10000	0
11/21/1996		1.40000	1
01/08/1997	<	0.10000	0
02/11/1997		0.40000	0
08/12/1997		0.10000	0
12/17/1997	<	0.10000	0
12/17/1997	<	0.10000	0
01/29/1998		0.70000	1
02/03/1998		0.20000	1
03/25/1998		0.40000	1
05/19/1998	<	0.10000	0
08/20/1998	<	0.10000	0
04/07/1999	<	0.10000	1
05/12/1999	<	0.10000	0
08/30/1999	<	0.10000	0
12/10/1998	<	0.10000	0
01/25/1999		0.40000	1
12/09/1999	<	0.10000	0
02/12/2000		0.50000	1
02/23/2000		0.50000	1
04/05/2000	<	0.10000	0
04/18/2000		0.40000	1
08/17/2000	<	0.10000	0
01/22/2001	<	0.10000	0
05/09/2001	<	0.10000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1051 Ammonia-nitrogen in mg/L
Raw Data

Date	Flag	Value	Wet
08/20/2001	<	0.10000	0
01/15/2002	<	0.10000	0
04/25/2002	<	0.10000	0
01/21/2003	<	0.10000	0
02/11/2003		1.10000	1
02/25/2003	<	0.10000	1
03/11/2003		0.13000	0
04/14/2003		1.10000	1
05/22/2003	<	0.10000	0
07/22/2003	<	0.10000	0
10/30/2003	<	0.10000	0
01/27/2004	<	0.10000	0
02/18/2004		0.22000	1
02/22/2004		0.36000	1
03/02/2004		0.11000	1
03/23/2004	<	0.10000	0
07/15/2004	<	0.10000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1051 Ammonia-nitrogen in mg/L

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	2	1	2	0.000			0.750	0.750			1.500	
1991/92	5	1	3	0.000	0.040	0.100	0.100	0.280	0.400	0.640	0.800	0.91840
1992/93	10	2	7	0.000	0.000	0.200	0.350	0.350	0.400	0.560	1.100	0.88359
1993/94	7	1	3	0.000	0.060	0.150	0.200	0.257	0.350	0.480	0.600	0.97019
1994/95	6	2	3	0.000	0.000	0.000	0.400	0.500	0.900	1.100	1.300	0.97057
1995/96	6	3	3	0.000	0.000	0.000	0.100	0.250	0.500	0.650	0.800	0.91449
1996/97	4	2	1	0.000			0.200	0.450			1.400	
1997/98	7	3	3	0.000	0.000	0.000	0.100	0.200	0.300	0.520	0.700	0.90398
1998/99	5	4	2	0.000	0.000	0.000	0.000	0.080	0.000	0.240	0.400	0.70711
1999/0	6	3	3	0.000	0.000	0.000	0.200	0.233	0.500	0.500	0.500	0.91089
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	3	3	0.000	0.000	0.000	0.065	0.388	1.100	1.100	1.100	0.86231
2003/4	7	4	3	0.000	0.000	0.000	0.000	0.099	0.165	0.276	0.360	0.88161
2004/5	1	1	0	0.000			0.000	0.000			0.000	
Overall	78	36	36	0.000	0.000	0.000	0.100	0.266	0.400	0.800	1.500	0.84639

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1055 Ammonium (NH4) in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		0.10000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1055 Ammonium (NH4) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	1	0	0	0.100			0.100	0.100			0.100	
Overall	1	0	0	0.100			0.100	0.100			0.100	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1060 Anthracene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1060 Anthracene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1065 Antimony, Total in mg/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.00250	1
02/27/2006	<	0.00250	1
04/20/2007		0.00110	1
12/07/2007	<	0.00120	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1065 Antimony, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	0	1	0.001			0.001	0.001			0.001	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	3	4	0.000			0.000	0.000			0.001	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1068 Azinphos-ethyl in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1069 Azinphos-methyl in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1070 Arsenic, Total in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990	<	0.01000	0
01/03/1991	<	0.01000	1
02/27/1991	<	0.01000	1
11/27/1991	<	0.01000	0
01/03/1992	<	0.01000	1
02/11/1992	<	0.01000	1
03/27/1992	<	0.01000	1
06/23/1992	<	0.01000	0
12/07/1992	<	0.01000	1
12/16/1992	<	0.01000	0
12/30/1992	<	0.01000	1
01/13/1993	<	0.02000	1
02/08/1993	<	0.01000	1
02/19/1993	<	0.01000	1
03/23/1993	<	0.01000	0
03/29/1993	<	0.01000	1
06/07/1993	<	0.01000	1
06/24/1993	<	0.01000	0
09/15/1993	<	0.01000	0
12/22/1993	<	0.01000	0
01/25/1994	<	0.01000	1
02/18/1994	<	0.01000	1
03/21/1994	<	0.01000	1
03/31/1994	<	0.01000	0
06/15/1994	<	0.01000	0
09/06/1994	<	0.01000	0
11/10/1994	<	0.01000	1
12/12/1994	<	0.01000	0
01/04/1995	<	0.01000	1
01/11/1995	<	0.01000	1
04/24/1995	<	0.01000	0
08/14/1995	<	0.01000	0
12/05/1995		0.01000	0
01/22/1996	<	0.01000	1
01/31/1996	<	0.01000	1
02/20/1996	<	0.01000	1
05/01/1996	<	0.01000	0
08/14/1996	<	0.01000	0
11/21/1996	<	0.01000	1
01/08/1997	<	0.01000	0
02/11/1997	<	0.01000	0
08/12/1997	<	0.01000	0
12/17/1997	<	0.01000	0
12/17/1997	<	0.01000	0
01/29/1998	<	0.01000	1
02/03/1998	<	0.01000	1
03/25/1998	<	0.01000	1
05/19/1998	<	0.01000	0
08/20/1998	<	0.00500	0
12/10/1998		0.00500	0
01/25/1999		0.01000	1
04/07/1999		0.00600	1
05/12/1999		0.00600	0
08/30/1999	<	0.00500	0
12/09/1999	<	0.00500	0
02/12/2000	<	0.00500	1
02/23/2000	<	0.00500	1
04/05/2000	<	0.00500	0
04/18/2000		0.00600	1
08/17/2000	<	0.00500	0
01/22/2001	<	0.00500	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1070 Arsenic, Total in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001	<	0.00500	0
08/20/2001	<	0.00500	0
01/15/2002	<	0.00500	0
04/25/2002		0.01200	0
01/21/2003	<	0.00500	0
02/11/2003		0.00520	1
02/25/2003		0.00510	1
03/11/2003		0.01700	0
04/14/2003		0.00910	1
05/22/2003		0.00550	0
07/22/2003		0.01100	0
10/30/2003		0.01600	0
01/27/2004		0.00620	0
02/18/2004		0.00620	1
02/22/2004	<	0.01200	1
03/02/2004	<	0.02500	1
03/23/2004		0.00700	0
07/15/2004	<	0.00500	0
10/20/2004		0.00610	1
12/28/2004		0.00340	1
01/26/2005		0.00460	1
03/30/2005		0.00330	0
06/13/2005		0.00310	0
02/09/2006		0.00650	0
02/27/2006	<	0.00500	1
03/28/2006		0.00530	1
04/04/2006	<	0.00500	1
05/30/2006		0.00740	0
08/23/2006		0.00540	0
12/07/2006		0.00560	0
04/20/2007		0.00210	1
05/15/2007		0.00280	0
09/26/2007		0.00420	0
12/07/2007		0.00470	1
01/05/2008		0.00580	1
01/27/2008		0.00170	1
03/20/2008		0.00280	0
06/24/2008		0.00320	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1070 Arsenic, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	3	2	0.000			0.000	0.000			0.000	
1991/92	5	5	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1992/93	10	10	7	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1993/94	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1994/95	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1995/96	6	5	3	0.000	0.000	0.000	0.000	0.002	0.000	0.005	0.010	0.65465
1996/97	4	4	1	0.000			0.000	0.000			0.000	
1997/98	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1998/99	5	1	2	0.000	0.002	0.005	0.006	0.005	0.006	0.008	0.010	0.92808
1999/0	6	5	3	0.000	0.000	0.000	0.000	0.001	0.000	0.003	0.006	0.65465
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	2	0	0.000			0.000	0.004			0.012	
2002/3	6	1	3	0.000	0.003	0.005	0.005	0.007	0.009	0.013	0.017	0.91228
2003/4	7	2	3	0.000	0.000	0.003	0.006	0.007	0.009	0.013	0.016	0.95739
2004/5	6	1	3	0.000	0.002	0.003	0.003	0.003	0.005	0.005	0.006	0.92911
2005/6	5	2	3	0.000	0.000	0.000	0.005	0.004	0.007	0.007	0.007	0.93976
2006/7	4	0	1	0.002			0.004	0.004			0.006	
2007/8	6	0	3	0.002	0.002	0.003	0.004	0.004	0.005	0.005	0.006	0.99325
Overall	99	64	46	0.000	0.000	0.000	0.000	0.002	0.005	0.006	0.017	0.78919

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1073 Aspon in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1074 Atrazine in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1075 Bact, fecal coliforms in MPN
Raw Data

Date	Flag	Value	Wet
02/22/1996		9000.00000	1
05/09/2001		0.00000	0
12/28/2004		8000.00000	1
01/26/2005		>160000.000	1
03/30/2005		130.00000	0
06/13/2005		3000.00000	0
02/09/2006		500.00000	0
05/30/2006		600.00000	0
08/23/2006		5000.00000	0
12/07/2006		7.00000	0
05/15/2007		1100.00000	0
09/26/2007		2400.00000	0
01/05/2008		5000.00000	1
03/20/2008		700.00000	0
06/24/2008		3000.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1075 Bact, fecal coliforms in MPN

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1995/96	1	0	1	9000.000			9000.000	9000.000			9000.000	
1996/97	0	0	0									
1997/98	0	0	0									
1998/99	0	0	0									
1999/0	0	0	0									
2000/1	1	0	0	0.000			0.000	0.000			0.000	
2001/2	0	0	0									
2002/3	0	0	0									
2003/4	0	0	0									
2004/5	4	0	2	130.000			5500.000	42782.500			160000.000	
2005/6	2	0	0	500.000			550.000	550.000			600.000	
2006/7	3	0	0	7.000			1100.000	2035.667			5000.000	
2007/8	4	0	1	700.000			2700.000	2775.000			5000.000	
Overall	15	0	4	0.000	56.200	550.000	2400.000	13229.133	5000.000	8600.000	160000.000	0.49088

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1077 Bact,Escherichia Coli in MPN
Raw Data

Date	Flag	Value	Wet
12/28/2004		5000.00000	1
01/26/2005	>	160000.000	1
03/30/2005		130.00000	0
06/13/2005		1100.00000	0
02/09/2006		500.00000	0
05/30/2006		600.00000	0
08/23/2006		2400.00000	0
12/07/2006		7.00000	0
05/15/2007		500.00000	0
09/26/2007		130.00000	0
01/05/2008		5000.00000	1
03/20/2008		700.00000	0
06/24/2008		200.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1077 Bact,Escherichia Coli in MPN

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	4	0	2	130.000			3050.000	41557.500			160000.000	
2005/6	2	0	0	500.000			550.000	550.000			600.000	
2006/7	3	0	0	7.000			500.000	969.000			2400.000	
2007/8	4	0	1	130.000			450.000	1507.500			5000.000	
Overall	13	0	3	7.000	130.000	200.000	600.000	13559.000	2400.000	5000.000	160000.000	0.49167

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1080 Bact, fecal streptococci in MPN
Raw Data

Date	Flag	Value	Wet
02/22/1996		16000.0000	1
05/09/2001		5000.00000	0
12/28/2004		50000.0000	1
01/26/2005		>160000.000	1
03/30/2005		1300.00000	0
06/13/2005		24000.0000	0
02/09/2006		800.00000	0
05/30/2006		1700.00000	0
08/23/2006		>16000.0000	0
12/07/2006		110.00000	0
05/15/2007		3000.00000	0
09/26/2007		1300.00000	0
01/05/2008		16000.0000	1
03/20/2008		5000.00000	0
06/24/2008		13000.0000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1080 Bact, fecal streptococci in MPN

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1995/96	1	0	1	16000.000			16000.000	16000.000			16000.000	
1996/97	0	0	0									
1997/98	0	0	0									
1998/99	0	0	0									
1999/0	0	0	0									
2000/1	1	0	0	5000.000			5000.000	5000.000			5000.000	
2001/2	0	0	0									
2002/3	0	0	0									
2003/4	0	0	0									
2004/5	4	0	2	1300.000			37000.000	58825.000			160000.000	
2005/6	2	0	0	800.000			1250.000	1250.000			1700.000	
2006/7	3	0	0	110.000			3000.000	6370.000			16000.000	
2007/8	4	0	1	1300.000			9000.000	8825.000			16000.000	
Overall	15	0	4	110.000	1000.000	1500.000	5000.000	20880.667	16000.000	39600.000	160000.000	0.65359

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1085 Bact, total coliforms in MPN
Raw Data

Date	Flag	Value	Wet
02/22/1996	>16000.0000		1
05/09/2001	14000.0000		0
12/28/2004	160000.000		1
01/26/2005	>160000.000		1
03/30/2005	30000.0000		0
06/13/2005	30000.0000		0
02/09/2006	5000.00000		0
05/30/2006	5000.00000		0
08/23/2006	>16000.0000		0
12/07/2006	80.00000		0
05/15/2007	16000.0000		0
09/26/2007	16000.0000		0
01/05/2008	>16000.0000		1
03/20/2008	17000.0000		0
06/24/2008	80000.0000		0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1085 Bact, total coliforms in MPN

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1995/96	1	0	1	16000.000			16000.000	16000.000			16000.000	
1996/97	0	0	0									
1997/98	0	0	0									
1998/99	0	0	0									
1999/0	0	0	0									
2000/1	1	0	0	14000.000			14000.000	14000.000		14000.000		
2001/2	0	0	0									
2002/3	0	0	0									
2003/4	0	0	0									
2004/5	4	0	2	30000.000			95000.000	95000.000		160000.000		
2005/6	2	0	0	5000.000			5000.000	5000.000		5000.000		
2006/7	3	0	0	80.000			16000.000	10693.333		16000.000		
2007/8	4	0	1	16000.000			16500.000	32250.000		80000.000		
Overall	15	0	4	80.000	5000.000	15000.000	16000.000	38738.667	30000.000	128000.000	160000.000	0.76927

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1087 Bacteria, Enterococcus in MPN
Raw Data

Date	Flag	Value	Wet
12/28/2004		11000.0000	1
01/26/2005		160000.000	1
03/30/2005		300.00000	0
06/13/2005		13000.0000	0
02/09/2006		270.00000	0
05/30/2006		1700.00000	0
08/23/2006		900.00000	0
12/07/2006		30.00000	0
05/15/2007		800.00000	0
09/26/2007		800.00000	0
01/05/2008		16000.0000	1
03/20/2008		700.00000	0
06/24/2008		8000.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1087 Bacteria, Enterococcus in MPN

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	4	0	2	300.000			12000.000	46075.000			160000.000	
2005/6	2	0	0	270.000			985.000	985.000			1700.000	
2006/7	3	0	0	30.000			800.000	576.667			900.000	
2007/8	4	0	1	700.000			4400.000	6375.000			16000.000	
Overall	13	0	3	30.000	276.000	700.000	900.000	16423.077	11000.000	15400.000	160000.000	0.55852

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1090 Barium, Total in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990	<	0.10000	0
01/03/1991		0.10000	1
02/27/1991	<	0.10000	1
11/27/1991	<	0.10000	0
01/03/1992	<	0.10000	1
02/11/1992	<	0.10000	1
03/27/1992		0.30000	1
06/23/1992	<	0.10000	0
12/07/1992		0.20000	1
12/16/1992	<	0.10000	0
12/30/1992		0.30000	1
01/13/1993		1.00000	1
02/08/1993		0.60000	1
02/19/1993		0.50000	1
03/23/1993		0.50000	0
03/29/1993		0.30000	1
06/07/1993		0.60000	1
06/24/1993	<	0.10000	0
09/15/1993	<	0.10000	0
12/22/1993	<	0.10000	0
01/25/1994		0.30000	1
02/18/1994	<	0.10000	1
03/21/1994	<	0.10000	1
03/31/1994	<	0.10000	0
06/15/1994	<	0.10000	0
09/06/1994	<	0.10000	0
11/10/1994		0.10000	1
12/12/1994	<	0.10000	0
01/04/1995		0.20000	1
01/11/1995		0.20000	1
04/24/1995	<	0.10000	0
08/14/1995	<	0.10000	0
12/05/1995	<	0.10000	0
01/22/1996	<	0.10000	1
01/31/1996		0.10000	1
02/20/1996	<	0.10000	1
05/01/1996	<	0.10000	0
08/14/1996	<	0.10000	0
11/21/1996		0.10000	1
01/08/1997	<	0.10000	0
02/11/1997	<	0.10000	0
08/12/1997	<	0.10000	0
12/17/1997		0.30000	0
12/17/1997		0.30000	0
01/29/1998		0.20000	1
02/03/1998		0.10000	1
03/25/1998		0.10000	1
05/19/1998		0.30000	0
08/20/1998		0.07000	0
12/10/1998		0.35000	0
01/25/1999		0.92000	1
04/07/1999		0.15000	1
05/12/1999		0.11000	0
08/30/1999		0.07000	0
12/09/1999		0.08000	0
02/12/2000		0.28000	1
02/23/2000		0.30000	1
04/05/2000		0.20000	0
04/18/2000		0.53000	1
08/17/2000		0.08000	0
01/22/2001		0.23000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1090 Barium, Total in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		0.14000	0
08/20/2001		0.09000	0
01/15/2002		0.09000	0
04/25/2002		0.05300	0
01/21/2003		0.23000	0
02/11/2003		0.16000	1
02/25/2003		0.21000	1
03/11/2003		0.12000	0
04/14/2003		0.60000	1
05/22/2003		0.19000	0
07/22/2003		0.06300	0
10/30/2003		0.12000	0
01/27/2004		0.37000	0
02/18/2004		0.11000	1
02/22/2004		0.44000	1
03/02/2004		1.80000	1
03/23/2004		0.44000	0
07/15/2004		0.15000	0
01/26/2005		0.46000	1
03/30/2005		0.42000	0
06/13/2005		0.26000	0
02/09/2006		0.30000	0
02/27/2006		0.35000	1
03/28/2006		2.00000	1
04/04/2006		0.35000	1
05/30/2006		0.19000	0
08/23/2006		0.14000	0
12/07/2006		0.03100	0
04/20/2007		0.12000	1
05/15/2007		0.09000	0
09/26/2007		0.08000	0
12/07/2007		0.85000	1
01/05/2008		0.90000	1
01/27/2008		0.10000	1
03/20/2008		0.14000	0
06/24/2008		0.07100	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1090 Barium, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	2	2	0.000			0.000	0.033			0.100	
1991/92	5	4	3	0.000	0.000	0.000	0.000	0.060	0.000	0.180	0.300	0.70711
1992/93	10	2	7	0.000	0.000	0.200	0.400	0.400	0.600	0.640	1.000	0.96100
1993/94	7	6	3	0.000	0.000	0.000	0.000	0.043	0.000	0.120	0.300	0.61237
1994/95	6	3	3	0.000	0.000	0.000	0.050	0.083	0.200	0.200	0.200	0.92422
1995/96	6	5	3	0.000	0.000	0.000	0.000	0.017	0.000	0.050	0.100	0.65465
1996/97	4	3	1	0.000			0.000	0.025			0.100	
1997/98	7	1	3	0.000	0.060	0.100	0.200	0.186	0.300	0.300	0.300	0.95250
1998/99	5	0	2	0.070	0.086	0.110	0.150	0.320	0.350	0.692	0.920	0.87073
1999/0	6	0	3	0.070	0.075	0.080	0.240	0.243	0.300	0.415	0.530	0.95311
2000/1	3	0	0	0.080			0.140	0.150			0.230	
2001/2	3	0	0	0.053			0.090	0.078			0.090	
2002/3	6	0	3	0.120	0.140	0.160	0.200	0.252	0.230	0.415	0.600	0.80342
2003/4	7	0	3	0.063	0.091	0.115	0.370	0.478	0.440	0.984	1.800	0.78916
2004/5	4	0	1	0.150			0.340	0.323			0.460	
2005/6	5	0	3	0.190	0.234	0.300	0.350	0.638	0.350	1.340	2.000	0.75935
2006/7	4	0	1	0.031			0.105	0.095			0.140	
2007/8	6	0	3	0.071	0.076	0.080	0.120	0.357	0.850	0.875	0.900	0.86279
Overall	97	26	44	0.000	0.000	0.000	0.120	0.230	0.300	0.512	2.000	0.75077

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1092 Benzene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1092 Benzene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1093 Benzidine in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1093 Benzidine in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1095 Benzo(a)anthracene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1095 Benzo(a)anthracene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1096 Benzo(a)pyrene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1096 Benzo(a)pyrene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1097 Benzo(b)fluoranthene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006		0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1097 Benzo(b)fluoranthene in ug/l

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	0	1	0.050			0.050	0.050			0.050	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	3	4	0.000			0.000	0.013			0.050	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1098 Benzo(ghi)perylene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1098 Benzo(ghi)perylene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1099 Benzo(k)fluoranthene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1099 Benzo(k)fluoranthene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1101 Benzyl butyl phthalate in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	10.00000	1
02/27/2006	<	10.00000	1
04/20/2007	<	10.00000	1
12/07/2007	<	10.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1101 Benzyl butyl phthalate in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1120 Beryllium, Total in mg/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.00250	1
12/28/2004		0.00140	1
02/27/2006	<	0.00250	1
04/20/2007	<	0.00050	1
12/07/2007	<	0.00120	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1120 Beryllium, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	2	1	2	0.000			0.001	0.001			0.001	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	5	4	5	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.001	0.00000

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1125 Bicarbonate (HCO3) in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		244.00000	0
01/03/1991		55.00000	1
02/27/1991		46.00000	1
11/27/1991		259.00000	0
01/03/1992		61.00000	1
02/11/1992		31.00000	1
03/27/1992		92.00000	1
06/23/1992		256.00000	0
12/07/1992		40.00000	1
12/16/1992		302.00000	0
12/30/1992		52.00000	1
01/13/1993		92.00000	1
02/08/1993		58.00000	1
02/19/1993		79.00000	1
03/23/1993		332.00000	0
03/29/1993		107.00000	1
06/07/1993		153.00000	1
06/24/1993		207.00000	0
09/15/1993		250.00000	0
12/22/1993		244.00000	0
01/25/1994		336.00000	1
02/18/1994		40.00000	1
03/21/1994		58.00000	1
03/31/1994		198.00000	0
06/15/1994		223.00000	0
09/06/1994		238.00000	0
11/10/1994		146.00000	1
12/12/1994		244.00000	0
01/04/1995		95.00000	1
01/11/1995		34.00000	1
04/24/1995		259.00000	0
08/14/1995		235.00000	0
12/05/1995		214.00000	0
01/22/1996		180.00000	1
01/31/1996		40.00000	1
02/20/1996		37.00000	1
05/01/1996		275.00000	0
08/14/1996		250.00000	0
11/21/1996		40.00000	1
01/08/1997		260.00000	0
02/11/1997		200.00000	0
08/12/1997		240.00000	0
12/17/1997		370.00000	0
12/17/1997		370.00000	0
01/29/1998		46.00000	1
02/03/1998		27.00000	1
03/25/1998		27.00000	1
05/19/1998		330.00000	0
08/20/1998		280.00000	0
12/10/1998		370.00000	0
01/25/1999		230.00000	1
04/07/1999		240.00000	1
05/12/1999		250.00000	0
08/30/1999		300.00000	0
12/09/1999		270.00000	0
02/12/2000		50.00000	1
02/23/2000		74.00000	1
04/05/2000		310.00000	0
04/18/2000		190.00000	1
08/17/2000		340.00000	0
01/22/2001		360.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1125 Bicarbonate (HCO3) in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		270.00000	0
08/20/2001		310.00000	0
01/15/2002		360.00000	0
04/25/2002		250.00000	0
01/21/2003		390.00000	0
02/11/2003		66.00000	1
02/25/2003		34.00000	1
03/11/2003		240.00000	0
04/14/2003		92.00000	1
05/22/2003		350.00000	0
07/22/2003		260.00000	0
10/30/2003		240.00000	0
01/27/2004		360.00000	0
02/18/2004		78.00000	1
02/22/2004		99.00000	1
03/02/2004		130.00000	1
03/23/2004		360.00000	0
07/15/2004		320.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1125 Bicarbonate (HCO3) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	46.000			55.000	115.000			244.000	
1991/92	5	0	3	31.000	43.000	61.000	92.000	139.800	256.000	257.800	259.000	0.93922
1992/93	10	0	7	40.000	50.800	58.000	99.500	142.200	207.000	305.000	332.000	0.93634
1993/94	7	0	3	40.000	50.800	128.000	223.000	192.714	247.000	284.400	336.000	0.94921
1994/95	6	0	3	34.000	64.500	95.000	192.000	169.333	244.000	251.500	259.000	0.96230
1995/96	6	0	3	37.000	38.500	40.000	197.000	163.500	235.000	255.000	275.000	0.95164
1996/97	4	0	1	40.000			225.000	187.500			260.000	
1997/98	7	0	3	27.000	27.000	36.500	240.000	201.429	350.000	370.000	370.000	0.94485
1998/99	5	0	2	230.000	234.000	240.000	250.000	274.000	280.000	334.000	370.000	0.89026
1999/0	6	0	3	50.000	62.000	74.000	230.000	199.000	300.000	305.000	310.000	0.96134
2000/1	3	0	0	270.000			340.000	323.333			360.000	
2001/2	3	0	0	250.000			310.000	306.667			360.000	
2002/3	6	0	3	34.000	50.000	66.000	166.000	195.333	350.000	370.000	390.000	0.97039
2003/4	7	0	3	78.000	90.600	114.500	240.000	218.143	310.000	360.000	360.000	0.97630
2004/5	1	0	0	320.000			320.000	320.000			320.000	
Overall	79	0	36	27.000	40.000	76.000	235.000	195.506	272.500	352.000	390.000	0.98553

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1127 bis(2-chloroethoxy)methane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1127 bis(2-chloroethoxy)methane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1128 bis(2-chloroethyl)ether in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1128 bis(2-chloroethyl)ether in ug/l

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1129 bis(2-chloroisopropyl)ether in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	2.00000	1
02/27/2006	<	2.00000	1
04/20/2007	<	2.00000	1
12/07/2007	<	2.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1129 bis(2-chloroisopropyl)ether in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1131 bis(2-ethylhexyl)phthalate in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006		7.70000	1
04/20/2007		5.30000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1131 bis(2-ethylhexyl)phthalate in ug/l

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	0	1	7.700			7.700	7.700			7.700	
2006/7	1	0	1	5.300			5.300	5.300			5.300	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	2	4	0.000			2.650	3.250			7.700	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1132 Bolstar in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1135 Boron in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		0.20000	0
01/03/1991	<	0.10000	1
02/27/1991		0.40000	1
11/27/1991		0.20000	0
01/03/1992	<	0.10000	1
02/11/1992	<	0.10000	1
03/27/1992		0.10000	1
06/23/1992		0.40000	0
12/07/1992	<	0.10000	1
12/16/1992		0.20000	0
12/30/1992	<	0.10000	1
01/13/1993		0.20000	1
02/08/1993		0.20000	1
02/19/1993	<	0.10000	1
03/23/1993		0.30000	0
03/29/1993		0.10000	1
06/07/1993		0.30000	1
06/24/1993		0.30000	0
09/15/1993		0.30000	0
12/22/1993		0.20000	0
01/25/1994		0.20000	1
02/18/1994	<	0.10000	1
03/21/1994	<	0.10000	1
03/31/1994		0.20000	0
06/15/1994		0.20000	0
09/06/1994		0.30000	0
11/10/1994		0.20000	1
12/12/1994		0.20000	0
01/04/1995		0.50000	1
01/11/1995	<	0.10000	1
04/24/1995		0.20000	0
08/14/1995		0.20000	0
12/05/1995		0.40000	0
01/22/1996		0.10000	1
01/31/1996	<	0.10000	1
02/20/1996	<	0.10000	1
05/01/1996		0.20000	0
08/14/1996		0.20000	0
11/21/1996	<	0.10000	1
01/08/1997		0.20000	0
02/11/1997		0.10000	0
08/12/1997		0.20000	0
12/17/1997		0.20000	0
12/17/1997		0.20000	0
01/29/1998	<	0.10000	1
02/03/1998	<	0.10000	1
03/25/1998	<	0.10000	1
05/19/1998		0.20000	0
08/20/1998		0.20000	0
12/10/1998		0.20000	0
01/25/1999		0.20000	1
04/07/1999		0.10000	1
05/12/1999		0.20000	0
08/30/1999		0.20000	0
12/09/1999	<	0.50000	0
02/12/2000	<	0.10000	1
02/23/2000	<	0.10000	1
04/05/2000		0.20000	0
04/18/2000		0.20000	1
08/17/2000		0.10000	0
01/22/2001		0.20000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1135 Boron in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		0.10000	0
08/20/2001		0.20000	0
01/15/2002		0.20000	0
04/25/2002		0.32000	0
01/21/2003		0.24000	0
02/11/2003	<	0.10000	1
02/25/2003	<	0.10000	1
03/11/2003		0.42000	0
04/14/2003		0.12000	1
05/22/2003		0.23000	0
07/22/2003		0.28000	0
10/30/2003		0.33000	0
01/27/2004		0.22000	0
02/18/2004	<	0.10000	1
02/22/2004	<	0.25000	1
03/02/2004	<	0.50000	1
03/23/2004		0.27000	0
07/15/2004		0.24000	0
10/20/2004	<	0.50000	1
12/28/2004	<	0.25000	1
01/26/2005		0.14000	1
03/30/2005		0.28000	0
06/13/2005		0.25000	0
02/09/2006		0.21000	0
02/27/2006	<	0.10000	1
03/28/2006	<	0.50000	1
04/04/2006	<	0.25000	1
05/30/2006		0.20000	0
08/23/2006		0.17000	0
12/07/2006		0.14000	0
04/20/2007		0.14000	1
05/15/2007		0.31000	0
09/26/2007		0.22000	0
12/07/2007	<	0.50000	1
01/05/2008	<	0.25000	1
01/27/2008	<	0.10000	1
03/20/2008		0.23000	0
06/24/2008		0.27000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1135 Boron in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	1	2	0.000			0.200	0.200			0.400	
1991/92	5	2	3	0.000	0.000	0.000	0.100	0.140	0.200	0.320	0.400	0.94491
1992/93	10	3	7	0.000	0.000	0.000	0.200	0.160	0.300	0.300	0.300	0.95743
1993/94	7	2	3	0.000	0.000	0.100	0.200	0.157	0.200	0.240	0.300	0.88454
1994/95	6	1	3	0.000	0.100	0.200	0.200	0.233	0.300	0.400	0.500	0.91652
1995/96	6	2	3	0.000	0.000	0.000	0.150	0.150	0.200	0.300	0.400	0.95162
1996/97	4	1	1	0.000			0.150	0.125			0.200	
1997/98	7	3	3	0.000	0.000	0.000	0.200	0.114	0.200	0.200	0.200	0.86603
1998/99	5	0	2	0.100	0.140	0.200	0.200	0.180	0.200	0.200	0.200	0.70711
1999/0	6	3	3	0.000	0.000	0.000	0.100	0.100	0.200	0.200	0.200	0.87831
2000/1	3	0	0	0.100			0.100	0.133			0.200	
2001/2	3	0	0	0.200			0.200	0.240			0.320	
2002/3	6	2	3	0.000	0.000	0.000	0.175	0.168	0.240	0.330	0.420	0.96653
2003/4	7	3	3	0.000	0.000	0.000	0.220	0.157	0.275	0.300	0.330	0.93354
2004/5	6	2	3	0.000	0.000	0.000	0.190	0.152	0.250	0.265	0.280	0.95030
2005/6	5	3	3	0.000	0.000	0.000	0.000	0.082	0.200	0.206	0.210	0.87263
2006/7	4	0	1	0.140			0.155	0.190			0.310	
2007/8	6	3	3	0.000	0.000	0.000	0.110	0.120	0.230	0.250	0.270	0.91162
Overall	99	31	46	0.000	0.000	0.000	0.200	0.153	0.205	0.300	0.500	0.94857

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1141 Bromodichloromethane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1141 Bromodichloromethane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1142 Bromoform in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1142 Bromoform in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1143 Bromomethane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1143 Bromomethane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1145 Cadmium, Total in mg/l
Raw Data

Date	Flag	Value	Wet
06/24/1993	<	0.01000	0
09/15/1993	<	0.01000	0
12/22/1993	<	0.01000	0
01/25/1994	<	0.01000	1
02/18/1994	<	0.01000	1
03/21/1994	<	0.01000	1
03/31/1994	<	0.01000	0
06/15/1994	<	0.01000	0
09/06/1994	<	0.01000	0
11/10/1994	<	0.01000	1
12/12/1994	<	0.01000	0
01/04/1995	<	0.01000	1
01/11/1995		0.01000	1
04/24/1995		0.01000	0
08/14/1995	<	0.01000	0
12/05/1995	<	0.01000	0
01/22/1996	<	0.01000	1
01/31/1996	<	0.01000	1
02/20/1996	<	0.01000	1
05/01/1996	<	0.01000	0
08/14/1996	<	0.01000	0
11/21/1996	<	0.01000	1
01/08/1997	<	0.01000	0
02/11/1997	<	0.01000	0
08/12/1997	<	0.01000	0
12/17/1997	<	0.01000	0
12/17/1997	<	0.01000	0
01/29/1998	<	0.01000	1
02/03/1998	<	0.01000	1
03/25/1998	<	0.01000	1
05/19/1998	<	0.01000	0
08/20/1998	<	0.00200	0
12/10/1998	<	0.00200	0
01/25/1999	<	0.00200	1
04/07/1999	<	0.00200	1
05/12/1999	<	0.00200	0
08/30/1999	<	0.00200	0
12/09/1999	<	0.00200	0
02/12/2000	<	0.00200	1
02/23/2000	<	0.00200	1
04/05/2000	<	0.00200	0
04/18/2000	<	0.00200	1
08/17/2000	<	0.00200	0
01/22/2001	<	0.00200	0
05/09/2001	<	0.00200	0
08/20/2001	<	0.00200	0
01/15/2002	<	0.00200	0
04/25/2002	<	0.00200	0
01/21/2003	<	0.00200	0
02/11/2003	<	0.00200	1
02/25/2003	<	0.00200	1
03/11/2003	<	0.00200	0
04/14/2003	<	0.00200	1
05/22/2003	<	0.00200	0
07/22/2003	<	0.00200	0
10/30/2003	<	0.00200	0
01/27/2004	<	0.00200	0
02/18/2004	<	0.00200	1
02/22/2004	<	0.00500	1
03/02/2004	<	0.01000	1
03/23/2004	<	0.00200	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1145 Cadmium, Total in mg/l
Raw Data

Date	Flag	Value	Wet
07/15/2004	<	0.00200	0
10/20/2004	<	0.00120	1
12/28/2004		0.00061	1
01/26/2005	<	0.00062	1
03/30/2005	<	0.00025	0
06/13/2005	<	0.00025	0
02/09/2006	<	0.00025	0
02/27/2006	<	0.00120	1
03/28/2006	<	0.00120	1
04/04/2006	<	0.00120	1
05/30/2006	<	0.00062	0
08/23/2006	<	0.00062	0
12/07/2006	<	0.00025	0
04/20/2007	<	0.00025	1
05/15/2007	<	0.00025	0
09/26/2007	<	0.00025	0
12/07/2007	<	0.00062	1
01/05/2008	<	0.00120	1
01/27/2008	<	0.00025	1
03/20/2008	<	0.00025	0
06/24/2008	<	0.00025	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1145 Cadmium, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1992/93	1	1	0	0.000			0.000	0.000			0.000	
1993/94	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1994/95	6	4	3	0.000	0.000	0.000	0.000	0.003	0.010	0.010	0.010	0.82808
1995/96	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1996/97	4	4	1	0.000			0.000	0.000			0.000	
1997/98	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1998/99	5	5	2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1999/0	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2003/4	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2004/5	6	5	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
2005/6	5	5	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2006/7	4	4	1	0.000			0.000	0.000			0.000	
2007/8	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Overall	82	79	34	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.010	0.27500

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1150 Calcium in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		86.00000	0
01/03/1991		23.00000	1
02/27/1991		14.00000	1
11/27/1991		73.00000	0
01/03/1992		19.00000	1
02/11/1992		9.00000	1
03/27/1992		40.00000	1
06/23/1992		111.00000	0
12/07/1992		20.00000	1
12/16/1992		90.00000	0
12/30/1992		23.00000	1
01/13/1993		44.00000	1
02/08/1993		31.00000	1
02/19/1993		37.00000	1
03/23/1993		128.00000	0
03/29/1993		42.00000	1
06/07/1993		65.00000	1
06/24/1993		66.00000	0
09/15/1993		83.00000	0
12/22/1993		114.00000	0
01/25/1994		120.00000	1
02/18/1994		11.00000	1
03/21/1994		21.00000	1
03/31/1994		61.00000	0
06/15/1994		66.00000	0
09/06/1994		98.00000	0
11/10/1994		57.00000	1
12/12/1994		85.00000	0
01/04/1995		36.00000	1
01/11/1995		13.00000	1
04/24/1995		91.00000	0
08/14/1995		88.00000	0
12/05/1995		76.00000	0
01/22/1996		49.00000	1
01/31/1996		14.00000	1
02/20/1996		11.00000	1
05/01/1996		82.00000	0
08/14/1996		90.00000	0
11/21/1996		20.00000	1
01/08/1997		75.00000	0
02/11/1997		56.00000	0
08/12/1997		97.00000	0
12/17/1997		110.00000	0
12/17/1997		110.00000	0
01/29/1998		21.00000	1
02/03/1998		11.00000	1
03/25/1998		8.00000	1
05/19/1998		100.00000	0
08/20/1998		85.00000	0
12/10/1998		110.00000	0
01/25/1999		90.00000	1
04/07/1999		78.00000	1
05/12/1999		84.00000	0
08/30/1999		110.00000	0
12/09/1999		100.00000	0
02/12/2000		34.00000	1
02/23/2000		29.00000	1
04/05/2000		88.00000	0
04/18/2000		75.00000	1
08/17/2000		120.00000	0
01/22/2001		97.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1150 Calcium in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		100.00000	0
08/20/2001		110.00000	0
01/15/2002		110.00000	0
04/25/2002		83.00000	0
01/21/2003		110.00000	0
02/11/2003		23.00000	1
02/25/2003		15.00000	1
03/11/2003		82.00000	0
04/14/2003		53.00000	1
05/22/2003		100.00000	0
07/22/2003		86.00000	0
10/30/2003		74.00000	0
01/27/2004		120.00000	0
02/18/2004		24.00000	1
02/22/2004		37.00000	1
03/02/2004		83.00000	1
03/23/2004		120.00000	0
07/15/2004		110.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1150 Calcium in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	14.000			23.000	41.000			86.000	
1991/92	5	0	3	9.000	13.000	19.000	40.000	50.400	73.000	95.800	111.000	0.97576
1992/93	10	0	7	20.000	22.700	31.000	43.000	54.600	66.000	93.800	128.000	0.92713
1993/94	7	0	3	11.000	17.000	41.000	66.000	68.000	98.500	116.400	120.000	0.98407
1994/95	6	0	3	13.000	24.500	36.000	71.000	63.333	91.000	94.500	98.000	0.97348
1995/96	6	0	3	11.000	12.500	14.000	62.500	53.333	82.000	85.000	88.000	0.95891
1996/97	4	0	1	20.000			65.500	60.250			90.000	
1997/98	7	0	3	8.000	9.800	16.000	97.000	65.286	105.000	110.000	110.000	0.91816
1998/99	5	0	2	78.000	80.400	84.000	85.000	89.400	90.000	102.000	110.000	0.90130
1999/0	6	0	3	29.000	31.500	34.000	81.500	72.667	100.000	105.000	110.000	0.96815
2000/1	3	0	0	97.000			100.000	105.667			120.000	
2001/2	3	0	0	83.000			110.000	101.000			110.000	
2002/3	6	0	3	15.000	19.000	23.000	67.500	63.833	100.000	105.000	110.000	0.98596
2003/4	7	0	3	24.000	31.800	55.500	83.000	77.714	103.000	120.000	120.000	0.97078
2004/5	1	0	0	110.000			110.000	110.000			110.000	
Overall	79	0	36	8.000	14.800	32.500	76.000	67.532	97.500	110.000	128.000	0.98890

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1153 Carbophenothion in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1155 Carbon, total organic (TOC) in mg/l
Raw Data

Date	Flag	Value	Wet
09/06/1994		4.60000	0
11/10/1994		15.00000	1
12/12/1994		3.10000	0
01/04/1995		9.20000	1
01/11/1995		5.20000	1
04/24/1995		3.20000	0
08/14/1995		2.00000	0
12/05/1995		1.50000	0
01/22/1996		10.00000	1
01/31/1996		20.00000	1
02/20/1996		13.00000	1
05/01/1996		8.10000	0
08/14/1996		18.00000	0
11/21/1996		30.00000	1
01/08/1997		4.90000	0
02/11/1997		7.00000	0
08/12/1997		1.80000	0
12/17/1997		4.80000	0
12/17/1997		5.30000	0
01/29/1998		11.00000	1
02/03/1998		6.00000	1
03/25/1998		25.00000	1
05/19/1998		5.00000	0
08/20/1998		4.30000	0
12/10/1998		10.00000	0
01/25/1999		9.50000	1
04/07/1999		7.70000	1
05/12/1999		1.00000	0
08/30/1999		0.80000	0
12/09/1999		0.80000	0
02/12/2000		24.00000	1
02/23/2000		8.10000	1
04/05/2000		4.60000	0
04/18/2000		8.30000	1
08/17/2000		2.30000	0
01/22/2001		10.00000	0
05/09/2001		4.20000	0
08/20/2001		1.60000	0
01/15/2002		4.80000	0
04/25/2002		1.50000	0
01/21/2003		8.00000	0
02/11/2003		21.00000	1
02/25/2003		12.00000	1
03/11/2003		2.10000	0
04/14/2003		46.00000	1
05/22/2003		5.60000	0
07/22/2003		2.50000	0
10/30/2003		2.30000	0
01/27/2004		5.40000	0
02/18/2004		24.00000	1
02/22/2004		24.00000	1
03/02/2004		16.00000	1
03/23/2004		7.40000	0
07/15/2004		7.00000	0
10/20/2004		13.00000	1
12/28/2004		22.00000	1
01/26/2005		81.00000	1
03/30/2005	<	7.00000	0
02/09/2006		4.00000	0
02/27/2006		27.00000	1
03/28/2006		28.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1155 Carbon, total organic (TOC) in mg/l
Raw Data

Date	Flag	Value	Wet
04/04/2006		9.00000	1
05/30/2006		2.00000	0
08/23/2006		2.20000	0
12/07/2006		1.80000	0
04/20/2007		26.00000	1
05/15/2007	<	1.40000	0
09/26/2007		3.40000	0
12/07/2007		11.00000	1
01/05/2008		14.00000	1
01/27/2008		18.00000	1
03/20/2008		3.40000	0
06/24/2008		5.30000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1155 Carbon, total organic (TOC) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	0	3	3.100	3.150	3.200	4.900	6.717	9.200	12.100	15.000	0.90239
1995/96	6	0	3	1.500	1.750	2.000	9.050	9.100	13.000	16.500	20.000	0.97482
1996/97	4	0	1	4.900			12.500	14.975			30.000	
1997/98	7	0	3	1.800	3.600	4.900	5.300	8.414	8.500	16.600	25.000	0.82015
1998/99	5	0	2	1.000	2.320	4.300	7.700	6.500	9.500	9.800	10.000	0.96516
1999/0	6	0	3	0.800	0.800	0.800	6.350	7.767	8.300	16.150	24.000	0.88114
2000/1	3	0	0	2.300			4.200	5.500			10.000	
2001/2	3	0	0	1.500			1.600	2.633			4.800	
2002/3	6	0	3	2.100	3.850	5.600	10.000	15.783	21.000	33.500	46.000	0.89196
2003/4	7	0	3	2.300	2.420	3.950	7.400	11.657	20.000	24.000	24.000	0.95457
2004/5	5	1	3	0.000	2.800	7.000	13.000	24.600	22.000	57.400	81.000	0.85987
2005/6	5	0	3	2.000	2.800	4.000	9.000	14.000	27.000	27.600	28.000	0.94193
2006/7	4	1	1	0.000			2.000	7.500			26.000	
2007/8	6	0	3	3.400	3.400	3.400	8.150	9.183	14.000	16.000	18.000	0.96786
Overall	73	2	31	0.000	1.640	3.200	7.000	10.570	13.000	24.000	81.000	0.77567

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1156 Carbon tetrachloride in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1156 Carbon tetrachloride in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1160 Carbonate (CO3) in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		6.00000	0
01/03/1991	<	2.00000	1
02/27/1991	<	2.00000	1
11/27/1991		3.00000	0
01/03/1992	<	2.00000	1
02/11/1992	<	2.00000	1
03/27/1992	<	2.00000	1
06/23/1992		18.00000	0
12/07/1992	<	2.00000	1
12/16/1992		33.00000	0
12/30/1992	<	2.00000	1
01/13/1993	<	2.00000	1
02/08/1993	<	2.00000	1
02/19/1993	<	2.00000	1
03/23/1993		3.00000	0
03/29/1993	<	2.00000	1
06/07/1993	<	2.00000	1
06/24/1993	<	2.00000	0
09/15/1993		9.00000	0
12/22/1993		30.00000	0
01/25/1994	<	1.00000	1
02/18/1994	<	1.00000	1
03/21/1994	<	1.00000	1
03/31/1994		6.00000	0
06/15/1994	<	1.00000	0
09/06/1994		15.00000	0
11/10/1994	<	3.00000	1
12/12/1994	<	3.00000	0
01/04/1995	<	3.00000	1
01/11/1995	<	3.00000	1
04/24/1995		6.00000	0
08/14/1995		15.00000	0
12/05/1995		6.00000	0
01/22/1996	<	3.00000	1
01/31/1996	<	3.00000	1
02/20/1996	<	3.00000	1
05/01/1996		6.00000	0
08/14/1996		15.00000	0
11/21/1996	<	3.00000	1
01/08/1997		21.00000	0
02/11/1997		3.00000	0
08/12/1997		15.00000	0
12/17/1997		6.00000	0
12/17/1997		6.00000	0
01/29/1998	<	3.00000	1
02/03/1998	<	3.00000	1
03/25/1998	<	3.00000	1
05/19/1998		15.00000	0
08/20/1998		12.00000	0
12/10/1998		9.00000	0
01/25/1999	<	3.00000	1
04/07/1999	<	3.00000	1
05/12/1999		4.00000	0
08/30/1999		6.00000	0
12/09/1999		10.00000	0
02/12/2000	<	3.00000	1
02/23/2000	<	3.00000	1
04/05/2000		7.00000	0
04/18/2000	<	3.00000	1
08/17/2000	<	3.00000	0
01/22/2001	<	3.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1160 Carbonate (CO3) in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001	<	3.00000	0
08/20/2001	<	3.00000	0
01/15/2002		6.00000	0
04/25/2002	<	3.00000	0
01/21/2003	<	3.00000	0
02/11/2003	<	3.00000	1
02/25/2003	<	3.00000	1
03/11/2003	<	3.00000	0
04/14/2003	<	3.00000	1
05/22/2003		7.00000	0
07/22/2003	<	3.00000	0
10/30/2003	<	3.00000	0
01/27/2004	<	3.00000	0
02/18/2004	<	3.00000	1
02/22/2004	<	3.00000	1
03/02/2004	<	3.00000	1
03/23/2004	<	3.00000	0
07/15/2004		24.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1160 Carbonate (CO3) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	2	2	0.000			0.000	2.000			6.000	
1991/92	5	3	3	0.000	0.000	0.000	0.000	4.200	3.000	12.000	18.000	0.78824
1992/93	10	8	7	0.000	0.000	0.000	0.000	3.600	0.000	6.000	33.000	0.56253
1993/94	7	4	3	0.000	0.000	0.000	0.000	6.429	7.500	17.400	30.000	0.79863
1994/95	6	4	3	0.000	0.000	0.000	0.000	3.500	6.000	10.500	15.000	0.81177
1995/96	6	3	3	0.000	0.000	0.000	3.000	4.500	6.000	10.500	15.000	0.89320
1996/97	4	1	1	0.000			9.000	9.750			21.000	
1997/98	7	3	3	0.000	0.000	0.000	6.000	6.000	10.500	15.000	15.000	0.93159
1998/99	5	2	2	0.000	0.000	0.000	4.000	5.000	9.000	10.800	12.000	0.96891
1999/0	6	3	3	0.000	0.000	0.000	3.000	3.833	7.000	8.500	10.000	0.93525
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	2	0	0.000			0.000	2.000			6.000	
2002/3	6	5	3	0.000	0.000	0.000	0.000	1.167	0.000	3.500	7.000	0.65465
2003/4	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2004/5	1	0	0	24.000			24.000	24.000			24.000	
Overall	79	50	36	0.000	0.000	0.000	0.000	4.076	6.000	15.000	33.000	0.75846

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1163 Chlorfenvinphos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1165 Chloride in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		63.00000	0
01/03/1991		11.00000	1
02/27/1991		8.00000	1
11/27/1991		54.00000	0
01/03/1992		9.00000	1
02/11/1992		2.00000	1
03/27/1992		40.00000	1
06/23/1992		67.00000	0
12/07/1992		9.00000	1
12/16/1992		110.00000	0
12/30/1992		23.00000	1
01/13/1993		29.00000	1
02/08/1993		15.00000	1
02/19/1993		32.00000	1
03/23/1993		190.00000	0
03/29/1993		53.00000	1
06/07/1993		36.00000	1
06/24/1993		37.00000	0
09/15/1993		55.00000	0
12/22/1993		86.00000	0
01/25/1994		100.00000	1
02/18/1994		7.00000	1
03/21/1994		12.00000	1
03/31/1994		38.00000	0
06/15/1994		33.00000	0
09/06/1994		65.00000	0
11/10/1994		28.00000	1
12/12/1994		65.00000	0
01/04/1995		21.00000	1
01/11/1995		4.00000	1
04/24/1995		69.00000	0
08/14/1995		77.00000	0
12/05/1995		57.00000	0
01/22/1996		46.00000	1
01/31/1996		6.00000	1
02/20/1996		3.00000	1
05/01/1996		48.00000	0
08/14/1996		69.00000	0
11/21/1996		4.00000	1
01/08/1997		61.00000	0
02/11/1997		64.00000	0
08/12/1997		78.00000	0
12/17/1997		150.00000	0
12/17/1997		150.00000	0
01/29/1998		4.00000	1
02/03/1998		3.00000	1
03/25/1998		2.00000	1
05/19/1998		160.00000	0
08/20/1998		59.00000	0
12/10/1998		130.00000	0
01/25/1999		83.00000	1
04/07/1999		60.00000	1
05/12/1999		58.00000	0
08/30/1999		68.00000	0
12/09/1999		73.00000	0
02/12/2000		23.00000	1
02/23/2000		19.00000	1
04/05/2000		120.00000	0
04/18/2000		56.00000	1
08/17/2000		98.00000	0
01/22/2001		130.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1165 Chloride in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		100.00000	0
08/20/2001		89.00000	0
01/15/2002		150.00000	0
04/25/2002		41.00000	0
01/21/2003		180.00000	0
02/11/2003		12.00000	1
02/25/2003		3.10000	1
03/11/2003		50.00000	0
04/14/2003		18.00000	1
05/22/2003		130.00000	0
07/22/2003		62.00000	0
10/30/2003		65.00000	0
01/27/2004		140.00000	0
02/18/2004		9.60000	1
02/22/2004		29.00000	1
03/02/2004		37.00000	1
03/23/2004		160.00000	0
07/15/2004		110.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1165 Chloride in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	8.000			11.000	27.333			63.000	
1991/92	5	0	3	2.000	4.800	9.000	40.000	34.400	54.000	61.800	67.000	0.98240
1992/93	10	0	7	9.000	14.400	23.000	34.000	53.400	53.000	118.000	190.000	0.81529
1993/94	7	0	3	7.000	10.000	22.500	38.000	47.286	70.500	91.600	100.000	0.98010
1994/95	6	0	3	4.000	12.500	21.000	46.500	42.000	65.000	67.000	69.000	0.94937
1995/96	6	0	3	3.000	4.500	6.000	47.000	39.500	57.000	67.000	77.000	0.95899
1996/97	4	0	1	4.000			62.500	49.500			69.000	
1997/98	7	0	3	2.000	2.600	3.500	78.000	78.143	150.000	154.000	160.000	0.93719
1998/99	5	0	2	58.000	58.400	59.000	60.000	78.000	83.000	111.200	130.000	0.86024
1999/0	6	0	3	19.000	21.000	23.000	62.000	59.833	73.000	96.500	120.000	0.95982
2000/1	3	0	0	98.000			100.000	109.333			130.000	
2001/2	3	0	0	41.000			89.000	93.333			150.000	
2002/3	6	0	3	3.100	7.550	12.000	34.000	65.517	130.000	155.000	180.000	0.93243
2003/4	7	0	3	9.600	21.240	33.000	62.000	71.800	102.500	148.000	160.000	0.94933
2004/5	1	0	0	110.000			110.000	110.000			110.000	
Overall	79	0	36	2.000	5.600	20.000	55.000	59.692	80.500	132.000	190.000	0.95413

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1174 Chlorpyrifos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1179 Chlorpyrifos methyl in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1180 Chromium, all valences in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990	<	0.01000	0
01/03/1991		0.02000	1
02/27/1991		0.01000	1
11/27/1991		0.01000	0
01/03/1992		0.01000	1
02/11/1992		0.01000	1
03/27/1992		0.02000	1
06/23/1992		0.02000	0
12/07/1992	<	0.02000	1
12/16/1992	<	0.02000	0
12/30/1992		0.03000	1
01/13/1993		0.09000	1
02/08/1993		0.07000	1
02/19/1993		0.05000	1
03/23/1993		0.05000	0
03/29/1993		0.03000	1
06/07/1993		0.03000	1
06/24/1993	<	0.02000	0
09/15/1993	<	0.02000	0
12/22/1993	<	0.02000	0
01/25/1994		0.02000	1
02/18/1994	<	0.02000	1
03/21/1994	<	0.02000	1
03/31/1994	<	0.02000	0
06/15/1994	<	0.02000	0
09/06/1994	<	0.02000	0
11/10/1994	<	0.02000	1
12/12/1994	<	0.02000	0
01/04/1995		0.02000	1
01/11/1995		0.02000	1
04/24/1995	<	0.02000	0
08/14/1995	<	0.02000	0
12/05/1995	<	0.02000	0
01/22/1996	<	0.02000	1
01/31/1996	<	0.02000	1
02/20/1996	<	0.02000	1
05/01/1996	<	0.02000	0
08/14/1996	<	0.02000	0
11/21/1996	<	0.02000	1
01/08/1997	<	0.02000	0
02/11/1997	<	0.02000	0
08/12/1997	<	0.02000	0
12/17/1997		0.02000	0
12/17/1997		0.02000	0
01/29/1998	<	0.02000	1
02/03/1998	<	0.02000	1
03/25/1998	<	0.02000	1
05/19/1998	<	0.02000	0
08/20/1998	<	0.02000	0
12/10/1998		0.02000	0
01/25/1999		0.04000	1
04/07/1999	<	0.02000	1
05/12/1999	<	0.02000	0
08/30/1999	<	0.02000	0
12/09/1999	<	0.02000	0
02/12/2000		0.02000	1
02/23/2000		0.02000	1
04/05/2000	<	0.02000	0
04/18/2000		0.04000	1
08/17/2000	<	0.02000	0
01/22/2001	<	0.02000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1180 Chromium, all valences in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001	<	0.02000	0
08/20/2001	<	0.02000	0
01/15/2002	<	0.02000	0
04/25/2002	<	0.02000	0
01/21/2003	<	0.02000	0
02/11/2003	<	0.02000	1
02/25/2003		0.02200	1
03/11/2003	<	0.02000	0
04/14/2003		0.07000	1
05/22/2003	<	0.02000	0
07/22/2003	<	0.02000	0
10/30/2003	<	0.02000	0
01/27/2004		0.02900	0
02/18/2004	<	0.02000	1
02/22/2004		0.06000	1
03/02/2004		0.18000	1
03/23/2004		0.03100	0
07/15/2004	<	0.02000	0
10/20/2004		0.07600	1
12/28/2004		0.05700	1
01/26/2005		0.03500	1
03/30/2005		0.01500	0
06/13/2005		0.00860	0
02/09/2006		0.01300	0
02/27/2006		0.02200	1
03/28/2006		0.06100	1
04/04/2006		0.02500	1
05/30/2006		0.01200	0
08/23/2006		0.00770	0
12/07/2006		0.00140	0
04/20/2007		0.00620	1
05/15/2007		0.00360	0
09/26/2007		0.00180	0
12/07/2007		0.03600	1
01/05/2008		0.05600	1
01/27/2008		0.00560	1
03/20/2008		0.00680	0
06/24/2008		0.00200	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1180 Chromium, all valences in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	1	2	0.000			0.010	0.010			0.020	
1991/92	5	0	3	0.010	0.010	0.010	0.010	0.014	0.020	0.020	0.020	0.86603
1992/93	10	3	7	0.000	0.000	0.000	0.030	0.035	0.050	0.072	0.090	0.96414
1993/94	7	6	3	0.000	0.000	0.000	0.000	0.003	0.000	0.008	0.020	0.61237
1994/95	6	4	3	0.000	0.000	0.000	0.000	0.007	0.020	0.020	0.020	0.82808
1995/96	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1996/97	4	4	1	0.000			0.000	0.000			0.000	
1997/98	7	5	3	0.000	0.000	0.000	0.000	0.006	0.010	0.020	0.020	0.79057
1998/99	5	3	2	0.000	0.000	0.000	0.000	0.012	0.020	0.032	0.040	0.88388
1999/0	6	3	3	0.000	0.000	0.000	0.010	0.013	0.020	0.030	0.040	0.91652
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	4	3	0.000	0.000	0.000	0.000	0.015	0.022	0.046	0.070	0.78880
2003/4	7	3	3	0.000	0.000	0.000	0.029	0.043	0.046	0.108	0.180	0.82682
2004/5	6	1	3	0.000	0.004	0.009	0.025	0.032	0.057	0.067	0.076	0.97899
2005/6	5	0	3	0.012	0.012	0.013	0.022	0.027	0.025	0.047	0.061	0.86822
2006/7	4	0	1	0.001			0.005	0.005			0.008	
2007/8	6	0	3	0.002	0.002	0.002	0.006	0.018	0.036	0.046	0.056	0.88299
Overall	99	49	46	0.000	0.000	0.000	0.001	0.015	0.020	0.050	0.180	0.74045

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1185 Chromium, hexavalent in mg/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.02500	1
12/28/2004	<	0.10000	1
01/26/2005	<	0.05000	1
03/30/2005	<	0.25000	0
06/13/2005	<	0.02500	0
02/09/2006	<	0.05000	0
02/27/2006	<	0.12000	1
03/28/2006	<	0.12000	1
04/04/2006	<	0.02500	1
05/30/2006	<	0.05000	0
08/23/2006	<	0.05000	0
12/07/2006	<	0.01000	0
04/20/2007	<	0.05000	1
05/15/2007	<	0.01000	0
09/26/2007	<	0.01000	0
12/07/2007	<	0.01000	1
01/05/2008	<	0.02500	1
01/27/2008	<	0.05000	1
03/20/2008	<	0.05000	0
06/24/2008	<	0.05000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1186 Chromium, Trivalent in ug/l
Raw Data

Date	Flag	Value	Wet
09/26/2007	<	0.01000	0
06/24/2008	<	0.01000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1186 Chromium, Trivalent in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2007/8	2	2	0	0.000			0.000	0.000			0.000	
Overall	2	2	0	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1195 Color
Raw Data

Date	Flag	Value	Wet
09/06/1994		25.00000	0
11/10/1994		40.00000	1
12/12/1994		30.00000	0
01/04/1995		55.00000	1
01/11/1995		60.00000	1
04/24/1995		30.00000	0
08/14/1995		10.00000	0
12/05/1995		15.00000	0
01/22/1996		45.00000	1
01/31/1996		90.00000	1
02/20/1996		45.00000	1
05/01/1996		40.00000	0
08/14/1996		20.00000	0
11/21/1996		90.00000	1
01/08/1997		45.00000	0
02/11/1997		40.00000	0
08/12/1997		10.00000	0
12/17/1997		60.00000	0
12/17/1997		60.00000	0
01/29/1998		70.00000	1
02/03/1998		50.00000	1
03/25/1998		20.00000	1
05/19/1998		20.00000	0
08/20/1998		40.00000	0
12/10/1998		30.00000	0
01/25/1999		150.00000	1
04/07/1999		15.00000	1
05/12/1999		5.00000	0
08/30/1999		15.00000	0
12/09/1999		15.00000	0
02/12/2000		60.00000	1
02/23/2000		40.00000	1
04/05/2000		20.00000	0
04/18/2000		25.00000	1
08/17/2000		15.00000	0
01/22/2001		15.00000	0
05/09/2001		3.00000	0
08/20/2001		10.00000	0
01/15/2002		20.00000	0
04/25/2002	<	3.00000	0
01/21/2003		15.00000	0
02/11/2003		50.00000	1
02/25/2003		25.00000	1
03/11/2003		3.00000	0
04/14/2003		80.00000	1
05/22/2003		25.00000	0
07/22/2003		3.00000	0
10/30/2003		10.00000	0
01/27/2004		20.00000	0
02/18/2004		50.00000	1
02/22/2004		35.00000	1
03/02/2004		35.00000	1
03/23/2004		20.00000	0
07/15/2004		20.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1195 Color

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	0	3	25.000	27.500	30.000	35.000	40.000	55.000	57.500	60.000	0.95902
1995/96	6	0	3	10.000	12.500	15.000	42.500	40.833	45.000	67.500	90.000	0.92729
1996/97	4	0	1	20.000			42.500	48.750			90.000	
1997/98	7	0	3	10.000	16.000	20.000	50.000	41.429	60.000	64.000	70.000	0.96028
1998/99	5	0	2	5.000	9.000	15.000	30.000	48.000	40.000	106.000	150.000	0.85011
1999/0	6	0	3	15.000	15.000	15.000	22.500	29.167	40.000	50.000	60.000	0.91978
2000/1	3	0	0	3.000			15.000	11.000			15.000	
2001/2	3	1	0	0.000			10.000	10.000			20.000	
2002/3	6	0	3	3.000	9.000	15.000	25.000	33.000	50.000	65.000	80.000	0.94388
2003/4	7	0	3	3.000	7.200	15.000	20.000	24.714	35.000	41.000	50.000	0.97834
2004/5	1	0	0	20.000			20.000	20.000			20.000	
Overall	54	1	21	0.000	10.000	15.000	25.000	34.056	45.000	60.000	150.000	0.88604

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1200 Conductance, specific -field in umho/cm
Raw Data

Date	Flag	Value	Wet
03/23/1993		1615.00000	0
06/24/1993		710.00000	0
09/15/1993		913.00000	0
03/31/1994		510.00000	0
06/15/1994		640.00000	0
09/06/1994		890.00000	0
12/12/1994		820.00000	0
04/24/1995		786.00000	0
08/14/1995		775.00000	0
12/05/1995		681.00000	0
05/01/1996		768.00000	0
08/14/1996		819.00000	0
02/11/1997		655.00000	0
08/12/1997		868.00000	0
12/17/1997		480.00000	0
12/17/1997		474.00000	0
05/12/1999		0.82000	0
08/30/1999		0.99000	0
12/09/1999		0.90000	0
04/05/2000		1.10000	0
08/17/2000		1009.00000	0
01/22/2001		1280.00000	0
05/09/2001		106.00000	0
05/09/2001		1.00000	0
08/20/2001		1040.00000	0
01/15/2002		1360.00000	0
04/25/2002		787.00000	0
01/21/2003		1369.00000	0
02/11/2003		230.00000	1
02/25/2003		70.00000	1
03/11/2003		707.00000	0
04/14/2003		290.00000	1
05/22/2003		900.00000	0
07/22/2003		750.00000	0
10/30/2003		590.00000	0
01/27/2004		830.00000	0
02/18/2004		140.00000	1
02/22/2004		220.00000	1
03/02/2004		250.00000	1
03/23/2004		970.00000	0
07/15/2004		990.00000	0
12/28/2004		316.00000	1
01/26/2005		614.00000	1
03/30/2005		1500.00000	0
06/13/2005		1270.00000	0
02/09/2006		518.00000	0
02/27/2006		218.00000	1
03/28/2006		367.00000	1
04/04/2006		134.00000	1
05/30/2006		522.00000	0
08/23/2006		560.00000	0
12/07/2006		440.00000	0
04/20/2007		630.00000	1
05/15/2007		1023.00000	0
09/26/2007		950.00000	0
12/07/2007		1010.00000	1
01/05/2008		356.00000	1
01/27/2008		281.00000	1
03/20/2008		1087.00000	0
06/24/2008		900000.000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1200 Conductance, specific -field in umho/cm

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1992/93	2	0	0	710.000			1162.500	1162.500			1615.000	
1993/94	3	0	0	510.000			640.000	687.667			913.000	
1994/95	3	0	0	786.000			820.000	832.000			890.000	
1995/96	3	0	0	681.000			768.000	741.333			775.000	
1996/97	2	0	0	655.000			737.000	737.000			819.000	
1997/98	3	0	0	474.000			480.000	607.333			868.000	
1998/99	1	0	0	0.820			0.820	0.820			0.820	
1999/0	3	0	0	0.900			0.990	0.997			1.100	
2000/1	4	0	0	1.000			557.500	599.000			1280.000	
2001/2	3	0	0	787.000			1040.000	1062.333			1360.000	
2002/3	6	0	3	70.000	150.000	230.000	498.500	594.333	900.000	1134.500	1369.000	0.97084
2003/4	7	0	3	140.000	188.000	235.000	590.000	535.714	790.000	886.000	970.000	0.97788
2004/5	5	0	2	316.000	435.200	614.000	990.000	938.000	1270.000	1408.000	1500.000	0.99664
2005/6	5	0	3	134.000	167.600	218.000	367.000	351.800	518.000	520.400	522.000	0.97352
2006/7	4	0	1	440.000			595.000	663.250			1023.000	
2007/8	6	0	3	281.000	318.500	356.000	980.000	150614.000	1087.000	450543.500	900000.000	0.65531
Overall	60	0	15	0.820	102.400	303.000	668.000	15634.880	931.500	1271.000	900000.000	0.22510

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1205 Conductance, specific -lab in umho/cm
Raw Data

Date	Flag	Value	Wet
08/23/1990		840.00000	0
01/03/1991		180.00000	1
02/27/1991		140.00000	1
11/27/1991		810.00000	0
01/03/1992		200.00000	1
02/11/1992		78.00000	1
03/27/1992		360.00000	1
06/23/1992		900.00000	0
12/07/1992		150.00000	1
12/16/1992		1100.00000	0
12/30/1992		230.00000	1
01/13/1993		290.09000	1
02/08/1993		180.00000	1
02/19/1993		310.00000	1
03/23/1993		1470.00000	0
03/29/1993		470.00000	1
06/07/1993		520.00000	1
06/24/1993		640.00000	0
09/15/1993		840.00000	0
12/22/1993		1040.00000	0
01/25/1994		1060.00000	1
02/18/1994		100.00000	1
03/21/1994		230.00000	1
03/31/1994		550.00000	0
06/15/1994		660.00000	0
09/06/1994		840.00000	0
11/10/1994		490.00000	1
12/12/1994		850.00000	0
01/04/1995		310.00000	1
01/11/1995		85.00000	1
04/24/1995		830.00000	0
08/14/1995		830.00000	0
12/05/1995		690.00000	0
01/22/1996		600.00000	1
01/31/1996		120.00000	1
02/20/1996		79.00000	1
05/01/1996		840.00000	0
08/14/1996		770.00000	0
11/21/1996		120.00000	1
01/08/1997		960.00000	0
02/11/1997		750.00000	0
08/12/1997		910.00000	0
12/17/1997		1310.00000	0
12/17/1997		1300.00000	0
01/29/1998		110.00000	1
02/03/1998		63.00000	1
03/25/1998		59.00000	1
05/19/1998		1310.00000	0
08/20/1998		900.00000	0
12/10/1998		1220.00000	0
01/25/1999		760.00000	1
04/07/1999		720.00000	1
05/12/1999		790.00000	0
08/30/1999		940.00000	0
12/09/1999		900.00000	0
02/12/2000		330.00000	1
02/23/2000		260.00000	1
04/05/2000		1070.00000	0
04/18/2000		690.00000	1
08/17/2000		1060.00000	0
01/22/2001		1190.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1205 Conductance, specific -lab in umho/cm
Raw Data

Date	Flag	Value	Wet
05/09/2001		920.00000	0
08/20/2001		990.00000	0
01/15/2002		1260.00000	0
04/25/2002		730.00000	0
01/21/2003		1400.00000	0
02/11/2003		210.00000	1
02/25/2003		79.00000	1
03/11/2003		790.00000	0
04/14/2003		290.00000	1
05/22/2003		1200.00000	0
07/22/2003		840.00000	0
10/30/2003		780.00000	0
01/27/2004		750.00000	0
02/18/2004		200.00000	1
02/22/2004		300.00000	1
03/02/2004		390.00000	1
03/23/2004		1200.00000	0
07/15/2004		1100.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1205 Conductance, specific -lab in umho/cm

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	140.000			180.000	386.667			840.000	
1991/92	5	0	3	78.000	126.800	200.000	360.000	469.600	810.000	864.000	900.000	0.97072
1992/93	10	0	7	150.000	177.000	230.000	390.000	536.009	640.000	1137.000	1470.000	0.89940
1993/94	7	0	3	100.000	178.000	390.000	660.000	640.000	940.000	1048.000	1060.000	0.98499
1994/95	6	0	3	85.000	197.500	310.000	660.000	567.500	840.000	845.000	850.000	0.94655
1995/96	6	0	3	79.000	99.500	120.000	645.000	526.500	830.000	835.000	840.000	0.93909
1996/97	4	0	1	120.000			760.000	650.000			960.000	
1997/98	7	0	3	59.000	61.400	86.500	910.000	723.143	1305.000	1310.000	1310.000	0.92487
1998/99	5	0	2	720.000	736.000	760.000	790.000	878.000	900.000	1092.000	1220.000	0.88997
1999/0	6	0	3	260.000	295.000	330.000	795.000	698.333	940.000	1005.000	1070.000	0.96830
2000/1	3	0	0	920.000			1060.000	1056.667			1190.000	
2001/2	3	0	0	730.000			990.000	993.333			1260.000	
2002/3	6	0	3	79.000	144.500	210.000	540.000	661.500	1200.000	1300.000	1400.000	0.97256
2003/4	7	0	3	200.000	260.000	345.000	750.000	637.143	810.000	984.000	1200.000	0.97095
2004/5	1	0	0	1100.000			1100.000	1100.000			1100.000	
Overall	79	0	36	59.000	118.000	275.000	750.000	656.115	915.000	1200.000	1470.000	0.99001

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1210 Copper, Total in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990	<	0.01000	0
01/03/1991		0.05000	1
02/27/1991		0.08000	1
11/27/1991		0.03000	0
01/03/1992		0.03000	1
02/11/1992		0.02000	1
03/27/1992		0.03000	1
06/23/1992		0.02000	0
12/07/1992		0.05000	1
12/16/1992		0.01000	0
12/30/1992		0.04000	1
01/13/1993		0.10000	1
02/08/1993		0.08000	1
02/19/1993		0.05000	1
03/23/1993		0.05000	0
03/29/1993		0.04000	1
06/07/1993		0.05000	1
06/24/1993		0.01000	0
09/15/1993		0.01000	0
12/22/1993		0.01000	0
01/25/1994		0.05000	1
02/18/1994		0.02000	1
03/21/1994		0.02000	1
03/31/1994		0.01000	0
06/15/1994	<	0.01000	0
09/06/1994		0.02000	0
11/10/1994		0.05000	1
12/12/1994	<	0.01000	0
01/04/1995		0.03000	1
01/11/1995		0.03000	1
04/24/1995		0.01000	0
08/14/1995		0.01000	0
12/05/1995		0.03000	0
01/22/1996		0.04000	1
01/31/1996		0.03000	1
02/20/1996		0.02000	1
05/01/1996	<	0.01000	0
08/14/1996		0.01000	0
11/21/1996		0.05000	1
01/08/1997		0.01000	0
02/11/1997	<	0.01000	0
08/12/1997		0.03000	0
12/17/1997		0.03000	0
12/17/1997		0.02000	0
01/29/1998		0.03000	1
02/03/1998		0.03000	1
03/25/1998		0.02000	1
05/19/1998		0.02000	0
08/20/1998	<	0.01000	0
12/10/1998		0.04000	0
01/25/1999		0.05000	1
04/07/1999		0.01000	1
05/12/1999		0.01000	0
08/30/1999	<	0.01000	0
12/09/1999	<	0.01000	0
02/12/2000		0.03000	1
02/23/2000		0.03000	1
04/05/2000		0.02000	0
04/18/2000		0.05000	1
08/17/2000	<	0.01000	0
01/22/2001		0.02000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1210 Copper, Total in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001	<	0.01000	0
08/20/2001	<	0.01000	0
01/15/2002	<	0.01000	0
04/25/2002	<	0.01000	0
01/21/2003		0.01600	0
02/11/2003		0.02800	1
02/25/2003		0.03400	1
03/11/2003	<	0.01000	0
04/14/2003		0.08400	1
05/22/2003		0.01600	0
07/22/2003	<	0.01000	0
10/30/2003		0.01100	0
01/27/2004		0.02600	0
02/18/2004		0.02300	1
02/22/2004		0.06100	1
03/02/2004		0.18000	1
03/23/2004		0.03200	0
07/15/2004		0.01100	0
10/20/2004		0.07800	1
12/28/2004		0.06500	1
01/26/2005		0.06800	1
03/30/2005		0.01500	0
06/13/2005		0.01400	0
02/09/2006		0.01300	0
02/27/2006		0.04000	1
03/28/2006		0.07100	1
04/04/2006		0.04100	1
05/30/2006		0.01300	0
08/23/2006		0.01200	0
12/07/2006		0.00400	0
04/20/2007		0.03000	1
05/15/2007		0.00980	0
09/26/2007		0.00330	0
12/07/2007		0.05400	1
01/05/2008		0.06700	1
01/27/2008		0.02100	1
03/20/2008		0.01200	0
06/24/2008		0.02700	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1210 Copper, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	1	2	0.000			0.050	0.043			0.080	
1991/92	5	0	3	0.020	0.020	0.020	0.030	0.026	0.030	0.030	0.030	0.86603
1992/93	10	0	7	0.010	0.010	0.040	0.050	0.048	0.050	0.082	0.100	0.92395
1993/94	7	1	3	0.000	0.006	0.010	0.010	0.017	0.020	0.032	0.050	0.86603
1994/95	6	1	3	0.000	0.005	0.010	0.025	0.023	0.030	0.040	0.050	0.97675
1995/96	6	1	3	0.000	0.005	0.010	0.025	0.022	0.030	0.035	0.040	0.98047
1996/97	4	1	1	0.000			0.010	0.018			0.050	
1997/98	7	0	3	0.020	0.020	0.020	0.030	0.026	0.030	0.030	0.030	0.86603
1998/99	5	1	2	0.000	0.004	0.010	0.010	0.022	0.040	0.046	0.050	0.94812
1999/0	6	2	3	0.000	0.000	0.000	0.025	0.022	0.030	0.040	0.050	0.96395
2000/1	3	2	0	0.000			0.000	0.007			0.020	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	1	3	0.000	0.008	0.016	0.022	0.030	0.034	0.059	0.084	0.89342
2003/4	7	1	3	0.000	0.007	0.017	0.026	0.048	0.047	0.109	0.180	0.81532
2004/5	6	0	3	0.011	0.013	0.014	0.040	0.042	0.068	0.073	0.078	0.92693
2005/6	5	0	3	0.013	0.013	0.013	0.040	0.036	0.041	0.059	0.071	0.94475
2006/7	4	0	1	0.004			0.011	0.014			0.030	
2007/8	6	0	3	0.003	0.008	0.012	0.024	0.031	0.054	0.061	0.067	0.97199
Overall	99	15	46	0.000	0.000	0.010	0.020	0.028	0.040	0.062	0.180	0.86641

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1213 Coumaphos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1214 crotoxyphos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1215 Cyanide, total in mg/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.00500	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1215 Cyanide, total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
Overall	1	1	1	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1217 Dalapon in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	10.00000	1
12/28/2004	<	10.00000	1
01/26/2005	<	10.00000	1
03/30/2005	<	10.00000	0
06/13/2005	<	10.00000	0
02/09/2006	<	10.00000	0
02/27/2006	<	10.00000	1
03/28/2006	<	10.00000	1
04/04/2006	<	10.00000	1
05/30/2006	<	10.00000	0
08/23/2006	<	10.00000	0
12/07/2006	<	10.00000	0
04/20/2007	<	10.00000	1
05/15/2007	<	10.00000	0
09/26/2007	<	10.00000	0
12/07/2007	<	10.00000	1
01/05/2008	<	10.00000	1
01/27/2008	<	10.00000	1
03/20/2008	<	10.00000	0
06/24/2008	<	10.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1218 Demeton-o in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1219 Demeton-s in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1221 Dimethoate in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1222 Dinoseb in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
12/28/2004	<	1.00000	1
01/26/2005	<	1.00000	1
03/30/2005	<	1.00000	0
06/13/2005	<	1.00000	0
02/09/2006	<	1.00000	0
02/27/2006	<	1.00000	1
03/28/2006	<	1.00000	1
04/04/2006	<	1.00000	1
05/30/2006	<	1.00000	0
08/23/2006	<	1.00000	0
12/07/2006	<	1.00000	0
04/20/2007	<	1.00000	1
05/15/2007	<	1.00000	0
09/26/2007	<	1.00000	0
12/07/2007	<	1.00000	1
01/05/2008	<	1.00000	1
01/27/2008	<	1.00000	1
03/20/2008	<	1.00000	0
06/24/2008	<	1.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1223 Dioxathion in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1224 Disulfoton in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1225 Detergent-MethyleneBlueActiveS in mg/l
Raw Data

Date	Flag	Value	Wet
06/24/1993	<	0.05000	0
09/15/1993	<	0.05000	0
12/22/1993		0.08000	0
01/25/1994		0.06000	1
02/18/1994	<	0.05000	1
03/21/1994		0.30000	1
03/31/1994		0.09000	0
06/15/1994	<	0.05000	0
09/06/1994		0.11000	0
11/10/1994		0.37000	1
12/12/1994		0.11000	0
01/04/1995		0.15000	1
01/11/1995		0.06000	1
04/24/1995		0.06000	0
08/14/1995		0.07000	0
12/05/1995		0.12000	0
01/22/1996		0.58000	1
01/31/1996		0.19000	1
02/20/1996		0.23000	1
05/01/1996		0.28000	0
08/14/1996	<	0.05000	0
11/21/1996		0.73000	1
01/08/1997		0.12000	0
02/11/1997		0.29000	0
08/12/1997	<	0.05000	0
12/17/1997	<	0.05000	0
12/17/1997	<	0.05000	0
01/29/1998		0.12000	1
02/03/1998	<	0.05000	1
03/25/1998		0.07000	1
05/19/1998	<	0.05000	0
08/20/1998	<	0.05000	0
12/10/1998	<	0.05000	0
01/25/1999	<	0.05000	1
04/07/1999		0.13000	1
05/12/1999		0.09000	0
08/30/1999	<	0.05000	0
12/09/1999		0.12000	0
02/12/2000		0.15000	1
02/23/2000		0.14000	1
04/05/2000	<	0.05000	0
04/18/2000	<	0.05000	1
08/17/2000		0.09000	0
01/22/2001	<	0.05000	0
05/09/2001	<	0.05000	0
08/20/2001	<	0.05000	0
01/15/2002		0.07000	0
04/25/2002		0.05000	0
01/21/2003	<	0.05000	0
02/11/2003		0.12000	1
02/25/2003	<	0.05000	1
03/11/2003	<	0.05000	0
04/14/2003		0.08000	1
05/22/2003	<	0.05000	0
07/22/2003	<	0.05000	0
10/30/2003	<	0.05000	0
01/27/2004	<	0.05000	0
02/18/2004		0.15000	1
02/22/2004	<	0.05000	1
03/02/2004	<	0.05000	1
03/23/2004	<	0.05000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1225 Detergent-MethyleneBlueActiveS in mg/l
Raw Data

Date	Flag	Value	Wet
07/15/2004	<	0.05000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1225 Detergent-MethyleneBlueActiveS in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1992/93	1	1	0	0.000			0.000	0.000			0.000	
1993/94	7	3	3	0.000	0.000	0.000	0.060	0.076	0.085	0.174	0.300	0.84084
1994/95	6	0	3	0.060	0.060	0.060	0.110	0.143	0.150	0.260	0.370	0.83707
1995/96	6	0	3	0.070	0.095	0.120	0.210	0.245	0.280	0.430	0.580	0.90900
1996/97	4	1	1	0.000			0.205	0.285			0.730	
1997/98	7	5	3	0.000	0.000	0.000	0.000	0.027	0.035	0.090	0.120	0.79455
1998/99	5	3	2	0.000	0.000	0.000	0.000	0.044	0.090	0.114	0.130	0.89421
1999/0	6	3	3	0.000	0.000	0.000	0.060	0.068	0.140	0.145	0.150	0.91358
2000/1	3	2	0	0.000			0.000	0.030			0.090	
2001/2	3	1	0	0.000			0.050	0.040			0.070	
2002/3	6	4	3	0.000	0.000	0.000	0.000	0.033	0.080	0.100	0.120	0.84452
2003/4	7	6	3	0.000	0.000	0.000	0.000	0.021	0.000	0.060	0.150	0.61237
2004/5	1	1	0	0.000			0.000	0.000			0.000	
Overall	62	30	24	0.000	0.000	0.000	0.055	0.087	0.120	0.226	0.730	0.76046

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1226 Dichrotophos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1228 Dicamba in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.50000	1
12/28/2004	<	1.50000	1
01/26/2005	<	1.50000	1
03/30/2005	<	1.50000	0
06/13/2005	<	1.50000	0
02/09/2006	<	1.50000	0
02/27/2006	<	1.50000	1
03/28/2006	<	1.50000	1
04/04/2006	<	1.50000	1
05/30/2006	<	1.50000	0
08/23/2006	<	1.50000	0
12/07/2006	<	1.50000	0
04/20/2007	<	1.50000	1
05/15/2007	<	1.50000	0
09/26/2007	<	1.50000	0
12/07/2007	<	1.50000	1
01/05/2008	<	1.50000	1
01/27/2008	<	1.50000	1
03/20/2008	<	1.50000	0
06/24/2008	<	1.50000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1229 Dichlofenthion in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1230 Dibenzo(a,h)anthracene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1230 Dibenzo(a,h)anthracene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1231 Dibromochloromethane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1231 Dibromochloromethane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1233 Dieldrin in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.01000	1
02/27/2006	<	0.01000	1
04/20/2007	<	0.01000	1
12/07/2007	<	0.01000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1233 Dieldrin in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1234 Diethyl phthalate in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	2.00000	1
02/27/2006	<	2.00000	1
04/20/2007	<	2.00000	1
12/07/2007	<	2.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1234 Diethyl phthalate in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1235 ElectroChemical Balance in me/l
Raw Data

Date	Flag	Value	Wet
09/06/1994		0.16000	0
11/10/1994		0.33000	1
12/12/1994		-0.46000	0
01/04/1995		0.67000	1
01/11/1995		0.90000	1
04/24/1995		-0.16000	0
08/14/1995		-0.28000	0
12/05/1995		-0.35000	0
01/22/1996		0.37000	1
01/31/1996		0.59000	1
02/20/1996		-0.27000	1
05/01/1996		0.08000	0
08/14/1996		-0.12000	0
11/21/1996		-0.79000	1
01/08/1997		0.05000	0
02/11/1997		-0.12000	0
08/12/1997		0.21000	0
12/17/1997		1.30000	0
12/17/1997		1.60000	0
01/29/1998		1.00000	1
02/03/1998		0.74000	1
03/25/1998		0.35000	1
05/19/1998		0.32000	0
08/20/1998		0.10000	0
12/10/1998		1.30000	0
01/25/1999		3.70000	1
04/07/1999		0.73000	1
05/12/1999		0.52000	0
08/30/1999		0.60000	0
12/09/1999		-0.17000	0
02/12/2000		1.90000	1
02/23/2000		1.50000	1
04/05/2000		4.30000	0
04/18/2000		2.50000	1
08/17/2000		0.33000	0
01/22/2001		0.84000	0
05/09/2001		0.44000	0
08/20/2001		0.15000	0
01/15/2002		1.00000	0
04/25/2002		-0.32000	0
01/21/2003		0.56000	0
02/11/2003		0.75000	1
02/25/2003		0.99000	1
03/11/2003		-0.06000	0
04/14/2003		3.80000	1
05/22/2003		0.25000	0
07/22/2003		0.10000	0
10/30/2003		0.67000	0
01/27/2004		2.10000	0
02/18/2004		0.36000	1
02/22/2004		1.80000	1
03/02/2004		9.70000	1
03/23/2004		2.20000	0
07/15/2004		1.70000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1235 ElectroChemical Balance in me/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	0	3	-0.460	-0.310	-0.160	0.245	0.240	0.670	0.785	0.900	0.99745
1995/96	6	0	3	-0.350	-0.315	-0.280	-0.095	0.023	0.370	0.480	0.590	0.95850
1996/97	4	0	1	-0.790			-0.120	-0.245			0.050	
1997/98	7	0	3	0.210	0.276	0.335	0.740	0.789	1.150	1.420	1.600	0.97878
1998/99	5	0	2	0.100	0.268	0.520	0.730	1.270	1.300	2.740	3.700	0.88509
1999/0	6	0	3	-0.170	0.215	0.600	1.700	1.772	2.500	3.400	4.300	0.97530
2000/1	3	0	0	0.330			0.440	0.537			0.840	
2001/2	3	0	0	-0.320			0.150	0.277			1.000	
2002/3	6	0	3	-0.060	0.095	0.250	0.655	1.048	0.990	2.395	3.800	0.83024
2003/4	7	0	3	0.100	0.256	0.515	1.800	2.419	2.150	5.200	9.700	0.78749
2004/5	1	0	0	1.700			1.700	1.700			1.700	
Overall	54	0	21	-0.790	-0.240	0.100	0.540	0.934	1.300	2.170	9.700	0.74535

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1236 Dimethyl phthalate in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	2.00000	1
02/27/2006	<	2.00000	1
04/20/2007	<	2.00000	1
12/07/2007	<	2.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1236 Dimethyl phthalate in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1237 Dichlorprop in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
12/28/2004	<	5.00000	1
01/26/2005	<	5.00000	1
03/30/2005	<	5.00000	0
06/13/2005	<	5.00000	0
02/09/2006	<	5.00000	0
02/27/2006	<	5.00000	1
03/28/2006	<	5.00000	1
04/04/2006	<	5.00000	1
05/30/2006	<	5.00000	0
08/23/2006	<	5.00000	0
12/07/2006	<	5.00000	0
04/20/2007	<	5.00000	1
05/15/2007	<	5.00000	0
09/26/2007	<	5.00000	0
12/07/2007	<	5.00000	1
01/05/2008	<	5.00000	1
01/27/2008	<	5.00000	1
03/20/2008	<	5.00000	0
06/24/2008	<	5.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1239 Dichlorvos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1241 Epn in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1242 Ethion in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1243 Ethoprop in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1244 Ethyl parathion in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1245 Fluoranthene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004		0.14000	1
02/27/2006		0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1245 Fluoranthene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	0	1	0.140			0.140	0.140			0.140	
2005/6	1	0	1	0.050			0.050	0.050			0.050	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	2	4	0.000			0.025	0.048			0.140	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1246 Famphur in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1247 Fenitrothion in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1248 Fensulfothion in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1249 Fenthion in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1250 Fluorene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1250 Fluorene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1255 Fluoride in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		0.60000	0
01/03/1991		0.20000	1
02/27/1991		0.20000	1
11/27/1991		0.60000	0
01/03/1992		0.30000	1
02/11/1992		0.30000	1
03/27/1992		0.40000	1
06/23/1992		0.60000	0
12/07/1992		0.50000	1
12/16/1992		0.70000	0
12/30/1992		0.30000	1
01/13/1993		0.20000	1
02/08/1993		0.10000	1
02/19/1993		0.20000	1
03/23/1993		0.60000	0
03/29/1993		0.20000	1
06/07/1993		0.30000	1
06/24/1993		0.80000	0
09/15/1993		0.70000	0
12/22/1993		0.70000	0
01/25/1994		0.60000	1
02/18/1994		0.10000	1
03/21/1994		0.20000	1
03/31/1994		0.60000	0
06/15/1994		0.80000	0
09/06/1994		0.80000	0
11/10/1994		0.60000	1
12/12/1994		0.50000	0
01/04/1995		0.40000	1
01/11/1995		0.10000	1
04/24/1995		0.60000	0
08/14/1995		0.60000	0
12/05/1995		0.80000	0
01/22/1996		0.40000	1
01/31/1996		0.20000	1
02/20/1996		0.20000	1
05/01/1996		0.70000	0
08/14/1996		0.70000	0
11/21/1996		0.30000	1
01/08/1997		0.60000	0
02/11/1997		0.40000	0
08/12/1997		0.70000	0
12/17/1997		0.50000	0
12/17/1997		0.50000	0
01/29/1998		0.20000	1
02/03/1998		0.10000	1
03/25/1998		0.10000	1
05/19/1998		0.50000	0
08/20/1998		0.80000	0
12/10/1998		0.50000	0
01/25/1999		0.40000	1
04/07/1999		0.40000	1
05/12/1999		0.60000	0
08/30/1999		0.60000	0
12/09/1999		0.60000	0
02/12/2000		0.30000	1
02/23/2000		0.20000	1
04/05/2000		0.30000	0
04/18/2000		0.30000	1
08/17/2000		0.50000	0
01/22/2001		0.60000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1255 Fluoride in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		0.50000	0
08/20/2001		0.50000	0
01/15/2002		0.50000	0
04/25/2002		0.80000	0
01/21/2003		0.60000	0
02/11/2003		0.30000	1
02/25/2003		0.10000	1
03/11/2003		1.00000	0
04/14/2003		1.00000	1
05/22/2003		0.50000	0
07/22/2003		0.60000	0
10/30/2003		0.90000	0
01/27/2004		0.80000	0
02/18/2004		0.30000	1
02/22/2004		0.30000	1
03/02/2004		0.20000	1
03/23/2004		0.50000	0
07/15/2004		0.50000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1255 Fluoride in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	0.200			0.200	0.333			0.600	
1991/92	5	0	3	0.300	0.300	0.300	0.400	0.440	0.600	0.600	0.600	0.93831
1992/93	10	0	7	0.100	0.190	0.200	0.300	0.390	0.600	0.710	0.800	0.96121
1993/94	7	0	3	0.100	0.160	0.400	0.600	0.529	0.700	0.740	0.800	0.91766
1994/95	6	0	3	0.100	0.250	0.400	0.550	0.500	0.600	0.700	0.800	0.94868
1995/96	6	0	3	0.200	0.200	0.200	0.500	0.483	0.700	0.750	0.800	0.98037
1996/97	4	0	1	0.300			0.500	0.500			0.700	
1997/98	7	0	3	0.100	0.100	0.150	0.500	0.371	0.500	0.580	0.700	0.94789
1998/99	5	0	2	0.400	0.400	0.400	0.500	0.540	0.600	0.720	0.800	0.94491
1999/0	6	0	3	0.200	0.250	0.300	0.300	0.383	0.600	0.600	0.600	0.89997
2000/1	3	0	0	0.500			0.500	0.533			0.600	
2001/2	3	0	0	0.500			0.500	0.600			0.800	
2002/3	6	0	3	0.100	0.200	0.300	0.550	0.583	1.000	1.000	1.000	0.97956
2003/4	7	0	3	0.200	0.260	0.300	0.500	0.514	0.700	0.840	0.900	0.98150
2004/5	1	0	0	0.500			0.500	0.500			0.500	
Overall	79	0	36	0.100	0.200	0.300	0.500	0.472	0.600	0.800	1.000	0.98135

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1256 Fonophos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1265 Hardness, total (CaCO3) in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		290.00000	0
01/03/1991		74.00000	1
02/27/1991		44.00000	1
11/27/1991		266.00000	0
01/03/1992		64.00000	1
02/11/1992		44.00000	1
03/27/1992		179.00000	1
06/23/1992		353.00000	0
12/07/1992		79.00000	1
12/16/1992		359.00000	0
12/30/1992		124.00000	1
01/13/1993		285.00000	1
02/08/1993		190.00000	1
02/19/1993		153.00000	1
03/23/1993		583.00000	0
03/29/1993		193.00000	1
06/07/1993		267.00000	1
06/24/1993		211.00000	0
09/15/1993		270.00000	0
12/22/1993		377.00000	0
01/25/1994		434.00000	1
02/18/1994		44.00000	1
03/21/1994		78.00000	1
03/31/1994		199.00000	0
06/15/1994		211.00000	0
09/06/1994		316.00000	0
11/10/1994		184.00000	1
12/12/1994		279.00000	0
01/04/1995		132.00000	1
01/11/1995		70.00000	1
04/24/1995		299.00000	0
08/14/1995		291.00000	0
12/05/1995		244.00000	0
01/22/1996		190.00000	1
01/31/1996		56.00000	1
02/20/1996		42.00000	1
05/01/1996		280.00000	0
08/14/1996		300.00000	0
11/21/1996		70.00000	1
01/08/1997		280.00000	0
02/11/1997		220.00000	0
08/12/1997		320.00000	0
12/17/1997		490.00000	0
12/17/1997		500.00000	0
01/29/1998		83.00000	1
02/03/1998		54.00000	1
03/25/1998		37.00000	1
05/19/1998		440.00000	0
01/25/1999		400.00000	1
08/20/1998		300.00000	0
12/10/1998		460.00000	0
04/07/1999		280.00000	1
05/12/1999		280.00000	0
08/30/1999		350.00000	0
12/09/1999		330.00000	0
02/12/2000		150.00000	1
02/23/2000		140.00000	1
04/05/2000		370.00000	0
04/18/2000		320.00000	1
08/17/2000		410.00000	0
01/22/2001		440.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1265 Hardness, total (CaCO3) in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		370.00000	0
08/20/2001		370.00000	0
01/15/2002		450.00000	0
04/25/2002		270.00000	0
01/21/2003		500.00000	0
02/11/2003		90.00000	1
02/25/2003		66.00000	1
03/11/2003		260.00000	0
04/14/2003		240.00000	1
05/22/2003		420.00000	0
07/22/2003		280.00000	0
10/30/2003		270.00000	0
01/27/2004		510.00000	0
02/18/2004		81.00000	1
02/22/2004		180.00000	1
03/02/2004		510.00000	1
03/23/2004		520.00000	0
07/15/2004		430.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1265 Hardness, total (CaCO3) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	44.000			74.000	136.000			290.000	
1991/92	5	0	3	44.000	52.000	64.000	179.000	181.200	266.000	318.200	353.000	0.98523
1992/93	10	0	7	79.000	119.500	153.000	202.000	244.400	285.000	381.400	583.000	0.90287
1993/94	7	0	3	44.000	64.400	138.500	211.000	230.429	323.500	399.800	434.000	0.98756
1994/95	6	0	3	70.000	101.000	132.000	231.500	213.333	299.000	307.500	316.000	0.97398
1995/96	6	0	3	42.000	49.000	56.000	217.000	183.833	280.000	285.500	291.000	0.95502
1996/97	4	0	1	70.000			250.000	217.500			300.000	
1997/98	7	0	3	37.000	47.200	68.500	320.000	274.857	465.000	494.000	500.000	0.95490
1998/99	5	0	2	280.000	280.000	280.000	300.000	344.000	400.000	436.000	460.000	0.92859
1999/0	6	0	3	140.000	145.000	150.000	325.000	276.667	350.000	360.000	370.000	0.90918
2000/1	3	0	0	370.000			410.000	406.667			440.000	
2001/2	3	0	0	270.000			370.000	363.333			450.000	
2002/3	6	0	3	66.000	78.000	90.000	250.000	262.667	420.000	460.000	500.000	0.98106
2003/4	7	0	3	81.000	140.400	225.000	280.000	335.857	510.000	514.000	520.000	0.95802
2004/5	1	0	0	430.000			430.000	430.000			430.000	
Overall	79	0	36	37.000	65.600	145.000	270.000	260.696	364.500	452.000	583.000	0.99014

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1270 Hydrocarbons, total petroleum in mg/l
Raw Data

Date	Flag	Value	Wet
09/06/1994	<	1.00000	0
11/10/1994	<	1.00000	1
12/12/1994	<	1.00000	0
01/04/1995	<	1.00000	1
01/11/1995	<	1.00000	1
04/24/1995	<	1.00000	0
08/14/1995	<	1.00000	0
12/05/1995	<	1.00000	0
01/22/1996	<	1.00000	1
01/31/1996	<	1.00000	1
02/20/1996	<	1.00000	1
05/01/1996	<	1.00000	0
08/14/1996	<	1.00000	0
11/21/1996	<	1.00000	1
01/08/1997	<	1.00000	0
02/11/1997	<	1.00000	0
08/12/1997	<	1.00000	0
12/17/1997	<	1.00000	0
12/17/1997	<	1.00000	0
01/29/1998	<	1.00000	1
02/03/1998	<	1.00000	1
03/25/1998	<	1.20000	1
05/19/1998	<	1.00000	0
08/20/1998	<	1.00000	0
12/10/1998	<	1.00000	0
01/25/1999	<	1.00000	1
04/07/1999	<	1.00000	1
05/12/1999	<	1.00000	0
08/30/1999	<	1.00000	0
12/09/1999	<	1.00000	0
02/12/2000	<	1.00000	1
02/23/2000	<	3.60000	1
04/05/2000	<	1.00000	0
04/18/2000	<	1.00000	1
08/17/2000	<	1.00000	0
01/22/2001	<	1.00000	0
05/09/2001	<	1.00000	0
08/20/2001	<	1.00000	0
01/15/2002	<	1.00000	0
04/25/2002	<	1.00000	0
01/21/2003	<	1.00000	0
02/11/2003	<	1.00000	1
02/25/2003	<	1.00000	1
03/11/2003	<	1.00000	0
04/14/2003	<	1.00000	1
05/22/2003	<	1.20000	0
07/22/2003	<	1.00000	0
10/30/2003	<	1.00000	0
01/27/2004	<	1.00000	0
02/18/2004	<	1.90000	1
02/22/2004	<	1.00000	1
03/02/2004	<	1.00000	1
03/23/2004	<	1.00000	0
07/15/2004	<	1.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1270 Hydrocarbons, total petroleum in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1995/96	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1996/97	4	4	1	0.000			0.000	0.000			0.000	
1997/98	7	6	3	0.000	0.000	0.000	0.000	0.171	0.000	0.480	1.200	0.61237
1998/99	5	5	2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1999/0	6	5	3	0.000	0.000	0.000	0.000	0.600	0.000	1.800	3.600	0.65465
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	5	3	0.000	0.000	0.000	0.000	0.200	0.000	0.600	1.200	0.65465
2003/4	7	6	3	0.000	0.000	0.000	0.000	0.271	0.000	0.760	1.900	0.61237
2004/5	1	1	0	0.000			0.000	0.000			0.000	
Overall	54	50	21	0.000	0.000	0.000	0.000	0.146	0.000	0.000	3.600	0.41123

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1275 Hydroxide (OH) in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990	<	2.00000	0
01/03/1991	<	2.00000	1
02/27/1991	<	2.00000	1
11/27/1991	<	2.00000	0
01/03/1992	<	2.00000	1
02/11/1992	<	2.00000	1
03/27/1992	<	2.00000	1
06/23/1992	<	2.00000	0
12/07/1992	<	2.00000	1
12/16/1992	<	2.00000	0
12/30/1992	<	2.00000	1
01/13/1993	<	2.00000	1
02/08/1993	<	2.00000	1
02/19/1993	<	2.00000	1
03/23/1993	<	2.00000	0
03/29/1993	<	2.00000	1
06/07/1993	<	2.00000	1
06/24/1993	<	2.00000	0
09/15/1993	<	2.00000	0
12/22/1993	<	1.00000	0
01/25/1994	<	1.00000	1
02/18/1994	<	1.00000	1
03/21/1994	<	1.00000	1
03/31/1994	<	1.00000	0
06/15/1994	<	1.00000	0
09/06/1994	<	3.00000	0
11/10/1994	<	3.00000	1
12/12/1994	<	3.00000	0
01/04/1995	<	3.00000	1
01/11/1995	<	3.00000	1
04/24/1995	<	3.00000	0
08/14/1995	<	3.00000	0
12/05/1995	<	3.00000	0
01/22/1996	<	3.00000	1
01/31/1996	<	3.00000	1
02/20/1996	<	3.00000	1
05/01/1996	<	3.00000	0
08/14/1996	<	3.00000	0
11/21/1996	<	3.00000	1
01/08/1997	<	3.00000	0
02/11/1997	<	3.00000	0
08/12/1997	<	3.00000	0
12/17/1997	<	3.00000	0
12/17/1997	<	3.00000	0
01/29/1998	<	3.00000	1
02/03/1998	<	3.00000	1
03/25/1998	<	3.00000	1
05/19/1998	<	3.00000	0
08/20/1998	<	3.00000	0
12/10/1998	<	3.00000	0
01/25/1999	<	3.00000	1
04/07/1999	<	3.00000	1
05/12/1999	<	3.00000	0
08/30/1999	<	3.00000	0
12/09/1999	<	3.00000	0
02/12/2000	<	3.00000	1
02/23/2000	<	3.00000	1
04/05/2000	<	3.00000	0
04/18/2000	<	3.00000	1
08/17/2000	<	3.00000	0
01/22/2001	<	3.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1275 Hydroxide (OH) in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001	<	3.00000	0
08/20/2001	<	3.00000	0
01/15/2002	<	3.00000	0
04/25/2002	<	3.00000	0
01/21/2003	<	3.00000	0
02/11/2003	<	3.00000	1
02/25/2003	<	3.00000	1
03/11/2003	<	3.00000	0
04/14/2003	<	3.00000	1
05/22/2003	<	3.00000	0
07/22/2003	<	3.00000	0
10/30/2003	<	3.00000	0
01/27/2004	<	3.00000	0
02/18/2004	<	3.00000	1
02/22/2004	<	3.00000	1
03/02/2004	<	3.00000	1
03/23/2004	<	3.00000	0
07/15/2004	<	3.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1285 Iron in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		0.21000	0
01/03/1991		12.00000	1
02/27/1991		4.40000	1
11/27/1991		0.09000	0
01/03/1992		2.60000	1
02/11/1992		7.60000	1
03/27/1992		25.00000	1
06/23/1992		0.50000	0
12/07/1992		16.00000	1
12/16/1992		0.09000	0
12/30/1992		33.00000	1
01/13/1993		120.00000	1
02/08/1993		83.00000	1
02/19/1993		49.00000	1
03/23/1993		57.00000	0
03/29/1993		29.00000	1
06/07/1993		49.00000	1
06/24/1993		1.30000	0
09/15/1993		0.11000	0
12/22/1993		0.02000	0
01/25/1994		23.00000	1
02/18/1994		6.40000	1
03/21/1994		8.00000	1
03/31/1994		0.08000	0
06/15/1994		0.06000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1285 Iron in mg/l

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	0.210			4.400	5.537			12.000	
1991/92	5	0	3	0.090	0.254	0.500	2.600	7.158	7.600	18.040	25.000	0.86442
1992/93	10	0	7	0.090	1.179	16.000	41.000	43.739	57.000	86.700	120.000	0.95525
1993/94	7	0	3	0.020	0.044	0.070	0.110	5.381	7.200	14.000	23.000	0.82939
Overall	25	0	15	0.020	0.084	0.210	7.600	21.098	29.000	53.800	120.000	0.82902

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1290 Lead, Total in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990	<	0.05000	0
01/03/1991		0.06000	1
02/27/1991		0.03000	1
11/27/1991	<	0.01000	0
01/03/1992	<	0.01000	1
02/11/1992		0.04000	1
03/27/1992		0.04000	1
06/23/1992		0.03000	0
12/07/1992		0.06000	1
12/16/1992	<	0.01000	0
12/30/1992		0.04000	1
01/13/1993		0.07000	1
02/08/1993		0.06000	1
02/19/1993		0.04000	1
03/23/1993		0.02000	0
03/29/1993		0.04000	1
06/07/1993		0.03000	1
06/24/1993	<	0.01000	0
09/15/1993	<	0.01000	0
12/22/1993	<	0.01000	0
01/25/1994		0.01000	1
02/18/1994		0.02000	1
03/21/1994		0.02000	1
03/31/1994	<	0.01000	0
06/15/1994	<	0.01000	0
09/06/1994	<	0.01000	0
11/10/1994		0.04000	1
12/12/1994	<	0.01000	0
01/04/1995		0.03000	1
01/11/1995		0.03000	1
04/24/1995	<	0.01000	0
08/14/1995	<	0.01000	0
12/05/1995	<	0.01000	0
01/22/1996	<	0.01000	1
01/31/1996		0.05000	1
02/20/1996		0.02000	1
05/01/1996	<	0.01000	0
08/14/1996	<	0.01000	0
11/21/1996		0.07000	1
01/08/1997	<	0.01000	0
02/11/1997	<	0.01000	0
08/12/1997	<	0.01000	0
12/17/1997		0.01000	0
12/17/1997	<	0.01000	0
01/29/1998		0.02000	1
02/03/1998		0.03000	1
03/25/1998		0.02000	1
05/19/1998	<	0.01000	0
08/20/1998	<	0.01000	0
12/10/1998		0.02000	0
01/25/1999		0.03000	1
04/07/1999	<	0.01000	1
05/12/1999	<	0.01000	0
08/30/1999	<	0.01000	0
12/09/1999	<	0.01000	0
02/12/2000		0.01000	1
02/23/2000		0.02000	1
04/05/2000	<	0.01000	0
04/18/2000		0.02000	1
08/17/2000	<	0.01000	0
01/22/2001	<	0.01000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1290 Lead, Total in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001	<	0.01000	0
08/20/2001	<	0.01000	0
01/15/2002	<	0.01000	0
04/25/2002	<	0.01000	0
01/21/2003	<	0.01000	0
02/11/2003		0.02000	1
02/25/2003		0.02100	1
03/11/2003	<	0.01000	0
04/14/2003		0.02800	1
05/22/2003	<	0.01000	0
07/22/2003	<	0.01000	0
10/30/2003	<	0.01000	0
01/27/2004	<	0.01000	0
02/18/2004		0.01500	1
02/22/2004		0.05600	1
03/02/2004		0.06200	1
03/23/2004		0.01200	0
07/15/2004	<	0.01000	0
10/20/2004		0.04600	1
12/28/2004		0.04600	1
01/26/2005		0.03400	1
03/30/2005		0.00750	0
06/13/2005		0.00470	0
02/09/2006		0.00610	0
02/27/2006		0.01900	1
03/28/2006		0.03900	1
04/04/2006		0.02600	1
05/30/2006		0.00630	0
08/23/2006		0.00630	0
12/07/2006	<	0.00050	0
04/20/2007		0.01200	1
05/15/2007		0.00250	0
09/26/2007	<	0.00050	0
12/07/2007		0.02800	1
01/05/2008		0.03300	1
01/27/2008		0.00910	1
03/20/2008		0.00250	0
06/24/2008		0.00090	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1290 Lead, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	1	2	0.000			0.030	0.030			0.060	
1991/92	5	2	3	0.000	0.000	0.000	0.030	0.022	0.040	0.040	0.040	0.92582
1992/93	10	2	7	0.000	0.000	0.020	0.040	0.036	0.060	0.061	0.070	0.97339
1993/94	7	4	3	0.000	0.000	0.000	0.000	0.007	0.015	0.020	0.020	0.89222
1994/95	6	3	3	0.000	0.000	0.000	0.015	0.017	0.030	0.035	0.040	0.91867
1995/96	6	4	3	0.000	0.000	0.000	0.000	0.012	0.020	0.035	0.050	0.81177
1996/97	4	3	1	0.000			0.000	0.018			0.070	
1997/98	7	3	3	0.000	0.000	0.000	0.010	0.011	0.020	0.024	0.030	0.95250
1998/99	5	3	2	0.000	0.000	0.000	0.000	0.010	0.020	0.026	0.030	0.89443
1999/0	6	3	3	0.000	0.000	0.000	0.005	0.008	0.020	0.020	0.020	0.92422
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	3	3	0.000	0.000	0.000	0.010	0.012	0.021	0.025	0.028	0.92433
2003/4	7	3	3	0.000	0.000	0.000	0.012	0.021	0.036	0.058	0.062	0.89732
2004/5	6	1	3	0.000	0.002	0.005	0.021	0.023	0.046	0.046	0.046	0.95154
2005/6	5	0	3	0.006	0.006	0.006	0.019	0.019	0.026	0.034	0.039	0.97040
2006/7	4	1	1	0.000			0.004	0.005			0.012	
2007/8	6	1	3	0.000	0.000	0.001	0.006	0.012	0.028	0.031	0.033	0.92733
Overall	99	43	46	0.000	0.000	0.000	0.006	0.016	0.030	0.041	0.070	0.90379

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1291 Leptophos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1292 Lindane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.02000	1
02/27/2006	<	0.02000	1
04/20/2007	<	0.02000	1
12/07/2007	<	0.02000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1292 Lindane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1300 Magnesium in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		18.00000	0
01/03/1991		4.00000	1
02/27/1991		2.00000	1
11/27/1991		20.00000	0
01/03/1992		4.00000	1
02/11/1992		5.00000	1
03/27/1992		19.00000	1
06/23/1992		18.00000	0
12/07/1992		7.00000	1
12/16/1992		32.00000	0
12/30/1992		16.00000	1
01/13/1993		42.00000	1
02/08/1993		27.00000	1
02/19/1993		24.00000	1
03/23/1993		63.00000	0
03/29/1993		21.00000	1
06/07/1993		25.00000	1
06/24/1993		11.00000	0
09/15/1993		15.00000	0
12/22/1993		22.00000	0
01/25/1994		32.00000	1
02/18/1994		4.00000	1
03/21/1994		6.00000	1
03/31/1994		11.00000	0
06/15/1994		11.00000	0
09/06/1994		17.00000	0
11/10/1994		10.00000	1
12/12/1994		16.00000	0
01/04/1995		10.00000	1
01/11/1995		9.00000	1
04/24/1995		17.00000	0
08/14/1995		17.00000	0
12/05/1995		13.00000	0
01/22/1996		16.00000	1
01/31/1996		5.00000	1
02/20/1996		4.00000	1
05/01/1996		19.00000	0
08/14/1996		17.00000	0
11/21/1996		5.00000	1
01/08/1997		22.00000	0
02/11/1997		19.00000	0
08/12/1997		17.00000	0
12/17/1997		52.00000	0
12/17/1997		52.00000	0
01/29/1998		7.00000	1
02/03/1998		6.00000	1
03/25/1998		4.00000	1
05/19/1998		43.00000	0
08/20/1998		22.00000	0
12/10/1998		45.00000	0
01/25/1999		43.00000	1
04/07/1999		20.00000	1
05/12/1999		18.00000	0
08/30/1999		21.00000	0
12/09/1999		19.00000	0
02/12/2000		17.00000	1
02/23/2000		15.00000	1
04/05/2000		36.00000	0
04/18/2000		31.00000	1
08/17/2000		25.00000	0
01/22/2001		46.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1300 Magnesium in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		27.00000	0
08/20/2001		21.00000	0
01/15/2002		45.00000	0
04/25/2002		15.00000	0
01/21/2003		52.00000	0
02/11/2003		7.70000	1
02/25/2003		7.10000	1
03/11/2003		13.00000	0
04/14/2003		26.00000	1
05/22/2003		39.00000	0
07/22/2003		15.00000	0
10/30/2003		20.00000	0
01/27/2004		51.00000	0
02/18/2004		5.20000	1
02/22/2004		20.00000	1
03/02/2004		73.00000	1
03/23/2004		54.00000	0
07/15/2004		39.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1300 Magnesium in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	2.000			4.000	8.000			18.000	
1991/92	5	0	3	4.000	4.400	5.000	18.000	13.200	19.000	19.600	20.000	0.91129
1992/93	10	0	7	7.000	10.600	16.000	24.500	26.800	32.000	44.100	63.000	0.92691
1993/94	7	0	3	4.000	5.200	8.500	11.000	14.429	18.500	26.000	32.000	0.95011
1994/95	6	0	3	9.000	9.500	10.000	13.000	13.167	17.000	17.000	17.000	0.92572
1995/96	6	0	3	4.000	4.500	5.000	14.500	12.333	17.000	18.000	19.000	0.95555
1996/97	4	0	1	5.000			18.000	15.750			22.000	
1997/98	7	0	3	4.000	5.200	6.500	17.000	25.857	47.500	52.000	52.000	0.94372
1998/99	5	0	2	18.000	18.800	20.000	22.000	29.600	43.000	44.200	45.000	0.91954
1999/0	6	0	3	15.000	16.000	17.000	20.000	23.167	31.000	33.500	36.000	0.94810
2000/1	3	0	0	25.000			27.000	32.667			46.000	
2001/2	3	0	0	15.000			21.000	27.000			45.000	
2002/3	6	0	3	7.100	7.400	7.700	19.500	24.133	39.000	45.500	52.000	0.96489
2003/4	7	0	3	5.200	11.080	17.500	20.000	34.029	52.500	61.600	73.000	0.95868
2004/5	1	0	0	39.000			39.000	39.000			39.000	
Overall	79	0	36	2.000	5.000	11.000	18.000	22.076	27.000	45.200	73.000	0.92789

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1301 Malathion in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1302 Merphos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1303 Methyl parathion in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1304 Mevinphos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1305 Manganese, Total in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		0.01000	0
01/03/1991		0.27000	1
02/27/1991		0.12000	1
11/27/1991	<	0.01000	0
01/03/1992		0.08000	1
02/11/1992		0.15000	1
03/27/1992		0.75000	1
06/23/1992		0.07000	0
12/07/1992		0.40000	1
12/16/1992	<	0.01000	0
12/30/1992		0.67000	1
01/13/1993		2.20000	1
02/08/1993		1.50000	1
02/19/1993		1.20000	1
03/23/1993		1.20000	0
03/29/1993		0.65000	1
06/07/1993		0.74000	1
06/24/1993		0.05000	0
09/15/1993		0.05000	0
12/22/1993	<	0.01000	0
01/25/1994		0.50000	1
02/18/1994		0.23000	1
03/21/1994		0.18000	1
03/31/1994	<	0.01000	0
06/15/1994	<	0.01000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1305 Manganese, Total in mg/l

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	0.010			0.120	0.133			0.270	
1991/92	5	1	3	0.000	0.028	0.070	0.080	0.210	0.150	0.510	0.750	0.81504
1992/93	10	1	7	0.000	0.045	0.400	0.705	0.861	1.200	1.570	2.200	0.96524
1993/94	7	3	3	0.000	0.000	0.000	0.050	0.137	0.205	0.338	0.500	0.89074
Overall	25	5	15	0.000	0.000	0.050	0.180	0.441	0.670	1.200	2.200	0.86460

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1308 Methylene chloride in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1308 Methylene chloride in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1309 Monocrotophos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1310 Mercury, Total in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990	<	0.00100	0
01/03/1991	<	0.00100	1
02/27/1991	<	0.00100	1
11/27/1991	<	0.00100	0
01/03/1992	<	0.00100	1
02/11/1992	<	0.00100	1
03/27/1992	<	0.00100	1
06/23/1992	<	0.00100	0
12/07/1992	<	0.00100	1
12/16/1992	<	0.00100	0
12/30/1992	<	0.00100	1
01/13/1993	<	0.00100	1
02/08/1993	<	0.00100	1
02/19/1993	<	0.00100	1
03/23/1993	<	0.00100	0
03/29/1993	<	0.00100	1
06/07/1993	<	0.00100	1
06/24/1993	<	0.00100	0
09/15/1993	<	0.00100	0
12/22/1993	<	0.00100	0
01/25/1994	<	0.00100	1
02/18/1994	<	0.00100	1
03/21/1994	<	0.00100	1
03/31/1994	<	0.00100	0
06/15/1994	<	0.00100	0
09/06/1994	<	0.00100	0
11/10/1994	<	0.00100	1
12/12/1994	<	0.00100	0
01/04/1995	<	0.00100	1
01/11/1995	<	0.00100	1
04/24/1995	<	0.00100	0
08/14/1995	<	0.00100	0
12/05/1995	<	0.01000	0
01/22/1996	<	0.00100	1
01/31/1996	<	0.00100	1
02/20/1996	<	0.00100	1
05/01/1996	<	0.00100	0
08/14/1996	<	0.00100	0
11/21/1996	<	0.00100	1
01/08/1997	<	0.00100	0
02/11/1997	<	0.00100	0
08/12/1997	<	0.00100	0
12/17/1997	<	0.00100	0
12/17/1997	<	0.00100	0
01/29/1998	<	0.00100	1
02/03/1998	<	0.00100	1
03/25/1998	<	0.00100	1
05/19/1998	<	0.00100	0
08/20/1998	<	0.00050	0
12/10/1998	<	0.00050	0
01/25/1999	<	0.00050	1
04/07/1999	<	0.00050	1
05/12/1999	<	0.00050	0
08/30/1999	<	0.00050	0
12/09/1999	<	0.00050	0
02/12/2000	<	0.00050	1
02/23/2000	<	0.00050	1
04/05/2000	<	0.00050	0
04/18/2000	<	0.00050	1
08/17/2000	<	0.00050	0
01/22/2001	<	0.00050	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1310 Mercury, Total in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001	<	0.00050	0
08/20/2001	<	0.00050	0
01/15/2002	<	0.00050	0
04/25/2002	<	0.00050	0
01/21/2003	<	0.00050	0
02/11/2003	<	0.00050	1
02/25/2003	<	0.00050	1
03/11/2003	<	0.00050	0
04/14/2003	<	0.00050	1
05/22/2003	<	0.00050	0
07/22/2003	<	0.00050	0
10/30/2003	<	0.00050	0
01/27/2004	<	0.00050	0
02/18/2004	<	0.00050	1
02/22/2004	<	0.00120	1
03/02/2004	<	0.00250	1
03/23/2004	<	0.00050	0
07/15/2004	<	0.00050	0
10/20/2004	<	0.00020	1
12/28/2004	<	0.00020	1
01/26/2005	<	0.00020	1
03/30/2005	<	0.00020	0
06/13/2005	<	0.00020	0
02/09/2006	<	0.00020	0
02/27/2006	<	0.00020	1
03/28/2006	<	0.00020	1
04/04/2006	<	0.00020	1
05/30/2006	<	0.00020	0
08/23/2006	<	0.00020	0
12/07/2006	<	0.00020	0
04/20/2007	<	0.00020	1
05/15/2007	<	0.00020	0
09/26/2007	<	0.00020	0
12/07/2007	<	0.00020	1
01/05/2008	<	0.00020	1
01/27/2008	<	0.00020	1
03/20/2008	<	0.00020	0
06/24/2008	<	0.00020	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1314 Naled in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1315 Napthalene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006		0.25000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1315 Napthalene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	0	1	0.250			0.250	0.250			0.250	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	3	4	0.000			0.000	0.063			0.250	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1320 Nickel, Total in mg/l
Raw Data

Date	Flag	Value	Wet
12/05/1995	<	0.02000	0
01/22/1996	<	0.02000	1
01/31/1996	<	0.02000	1
02/20/1996	<	0.02000	1
05/01/1996	<	0.02000	0
08/14/1996	<	0.02000	0
11/21/1996	<	0.02000	1
01/08/1997	<	0.02000	0
02/11/1997	<	0.02000	0
08/12/1997	<	0.02000	0
12/17/1997	<	0.02000	0
12/17/1997		0.12000	0
01/29/1998	<	0.02000	1
02/03/1998	<	0.02000	1
03/25/1998	<	0.02000	1
05/19/1998	<	0.02000	0
08/20/1998	<	0.02000	0
12/10/1998	<	0.02000	0
01/25/1999		0.03000	1
04/07/1999	<	0.02000	1
05/12/1999	<	0.02000	0
08/30/1999	<	0.02000	0
12/09/1999	<	0.02000	0
02/12/2000	<	0.02000	1
02/23/2000	<	0.02000	1
04/05/2000	<	0.02000	0
04/18/2000		0.02000	1
08/17/2000	<	0.02000	0
01/22/2001	<	0.02000	0
05/09/2001	<	0.02000	0
08/20/2001	<	0.02000	0
01/15/2002	<	0.02000	0
04/25/2002	<	0.02000	0
01/21/2003	<	0.02000	0
02/11/2003	<	0.02000	1
02/25/2003	<	0.02000	1
03/11/2003	<	0.02000	0
04/14/2003		0.03500	1
05/22/2003	<	0.02000	0
07/22/2003	<	0.02000	0
10/30/2003	<	0.02000	0
01/27/2004	<	0.02000	0
02/18/2004	<	0.02000	1
02/22/2004	<	0.05000	1
03/02/2004	<	0.10000	1
03/23/2004	<	0.02000	0
07/15/2004	<	0.02000	0
10/20/2004		0.03800	1
12/28/2004		0.02400	1
01/26/2005		0.02200	1
03/30/2005		0.00820	0
06/13/2005		0.00870	0
02/09/2006		0.00760	0
02/27/2006		0.01500	1
03/28/2006		0.04300	1
04/04/2006		0.01600	1
05/30/2006		0.00650	0
08/23/2006		0.00530	0
12/07/2006		0.00110	0
04/20/2007		0.00590	1
05/15/2007		0.00150	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1320 Nickel, Total in mg/l
Raw Data

Date	Flag	Value	Wet
09/26/2007		0.00150	0
12/07/2007		0.02500	1
01/05/2008		0.03400	1
01/27/2008		0.00530	1
03/20/2008		0.00420	0
06/24/2008		0.00310	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1320 Nickel, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1995/96	5	5	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1996/97	4	4	1	0.000			0.000	0.000			0.000	
1997/98	7	6	3	0.000	0.000	0.000	0.000	0.017	0.000	0.048	0.120	0.61237
1998/99	5	4	2	0.000	0.000	0.000	0.000	0.006	0.000	0.018	0.030	0.70711
1999/0	6	5	3	0.000	0.000	0.000	0.000	0.003	0.000	0.010	0.020	0.65465
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	5	3	0.000	0.000	0.000	0.000	0.006	0.000	0.018	0.035	0.65465
2003/4	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2004/5	6	1	3	0.000	0.004	0.008	0.015	0.017	0.024	0.031	0.038	0.97211
2005/6	5	0	3	0.007	0.007	0.008	0.015	0.018	0.016	0.032	0.043	0.86887
2006/7	4	0	1	0.001			0.003	0.003			0.006	
2007/8	6	0	3	0.002	0.002	0.003	0.005	0.012	0.025	0.030	0.034	0.89013
Overall	67	43	28	0.000	0.000	0.000	0.000	0.007	0.006	0.024	0.120	0.59339

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1325 Nitrate (NO3) in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		16.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1325 Nitrate (NO3) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	1	0	0	16.000			16.000	16.000			16.000	
Overall	1	0	0	16.000			16.000	16.000			16.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1331 Nitrobenzene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1331 Nitrobenzene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1340 Nitrogen, nitrate (N) in mg/l
Raw Data

Date	Flag	Value	Wet
01/03/1991		7.00000	1
02/27/1991		1.30000	1
11/27/1991		3.80000	0
01/03/1992		2.30000	1
02/11/1992		0.50000	1
03/27/1992		2.00000	1
06/23/1992		11.00000	0
12/07/1992		1.80000	1
12/16/1992		7.60000	0
12/30/1992		1.30000	1
01/13/1993		1.30000	1
02/08/1993		0.70000	1
02/19/1993		1.70000	1
03/23/1993		11.00000	0
03/29/1993		2.90000	1
06/07/1993		4.20000	1
06/24/1993		0.70000	0
09/15/1993		6.60000	0
12/22/1993		12.00000	0
01/25/1994		19.00000	1
02/18/1994		0.50000	1
03/21/1994		1.60000	1
03/31/1994		3.50000	0
06/15/1994		3.70000	0
09/06/1994		7.20000	0
11/10/1994		3.90000	1
12/12/1994		4.10000	0
01/04/1995		1.90000	1
01/11/1995		0.40000	1
04/24/1995		8.70000	0
08/14/1995		9.60000	0
12/05/1995		5.30000	0
01/22/1996		3.70000	1
01/31/1996		0.90000	1
02/20/1996		0.80000	1
05/01/1996		4.80000	0
08/14/1996		9.00000	0
11/21/1996		1.40000	1
01/08/1997		5.60000	0
02/11/1997		4.30000	0
08/12/1997		8.90000	0
12/17/1997		4.70000	0
12/17/1997		4.60000	0
01/29/1998		0.90000	1
02/03/1998		0.60000	1
03/25/1998		0.80000	1
05/19/1998		5.90000	0
08/20/1998		6.60000	0
12/10/1998		5.60000	0
01/25/1999		3.00000	1
04/07/1999		8.00000	1
05/12/1999		7.90000	0
08/30/1999		11.00000	0
12/09/1999		11.00000	0
02/12/2000		1.50000	1
02/23/2000		1.10000	1
04/05/2000		5.20000	0
04/18/2000		5.30000	1
08/17/2000		13.00000	0
01/22/2001		4.90000	0
05/09/2001		13.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1340 Nitrogen, nitrate (N) in mg/l
Raw Data

Date	Flag	Value	Wet
08/20/2001		12.00000	0
01/15/2002		5.40000	0
04/25/2002		2.10000	0
01/21/2003		5.30000	0
02/11/2003		0.93000	1
02/25/2003		0.43000	1
03/11/2003		1.50000	0
04/14/2003		2.10000	1
05/22/2003		5.40000	0
07/22/2003		6.10000	0
10/30/2003		1.80000	0
01/27/2004		6.10000	0
02/18/2004		1.10000	1
02/22/2004		1.80000	1
03/02/2004		1.70000	1
03/23/2004		5.70000	0
07/15/2004		4.40000	0
10/20/2004		1.60000	1
12/28/2004		1.70000	1
01/26/2005		3.80000	1
03/30/2005		7.70000	0
06/13/2005		7.40000	0
02/09/2006		2.50000	0
02/27/2006		1.60000	1
03/28/2006		2.40000	1
04/04/2006		0.70000	1
05/30/2006		1.70000	0
08/23/2006		2.50000	0
12/07/2006		1.70000	0
04/20/2007		6.90000	1
05/15/2007		7.80000	0
09/26/2007		8.70000	0
12/07/2007		2.30000	1
01/05/2008		1.30000	1
01/27/2008		0.97000	1
03/20/2008		4.50000	0
06/24/2008		5.30000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1340 Nitrogen, nitrate (N) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	2	0	2	1.300			4.150	4.150			7.000	
1991/92	5	0	3	0.500	1.100	2.000	2.300	3.920	3.800	8.120	11.000	0.87339
1992/93	10	0	7	0.700	0.700	1.300	1.750	3.320	4.200	7.940	11.000	0.86138
1993/94	7	0	3	0.500	1.160	2.550	3.700	6.700	9.300	14.800	19.000	0.92512
1994/95	6	0	3	0.400	1.150	1.900	4.000	4.367	7.200	7.950	8.700	0.98437
1995/96	6	0	3	0.800	0.850	0.900	4.250	4.183	5.300	7.450	9.600	0.95331
1996/97	4	0	1	1.400			4.950	5.075			9.000	
1997/98	7	0	3	0.600	0.720	0.850	4.600	3.771	5.300	7.100	8.900	0.95293
1998/99	5	0	2	3.000	4.040	5.600	6.600	6.220	7.900	7.960	8.000	0.94649
1999/0	6	0	3	1.100	1.300	1.500	5.250	5.850	11.000	11.000	11.000	0.95644
2000/1	3	0	0	4.900			13.000	10.300			13.000	
2001/2	3	0	0	2.100			5.400	6.500			12.000	
2002/3	6	0	3	0.430	0.680	0.930	1.800	2.610	5.300	5.350	5.400	0.93906
2003/4	7	0	3	1.100	1.460	1.750	1.800	3.471	5.900	6.100	6.100	0.90941
2004/5	6	0	3	1.600	1.650	1.700	4.100	4.433	7.400	7.550	7.700	0.96863
2005/6	5	0	3	0.700	1.060	1.600	1.700	1.780	2.400	2.460	2.500	0.95834
2006/7	4	0	1	1.700			4.700	4.725			7.800	
2007/8	6	0	3	0.970	1.135	1.300	3.400	3.845	5.300	7.000	8.700	0.96055
Overall	98	0	46	0.400	0.870	1.600	3.800	4.490	6.600	9.180	19.000	0.92865

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1345 Nitrogen, nitrite (N) in mg/l
Raw Data

Date	Flag	Value	Wet
11/27/1991	<	0.10000	0
01/03/1992		0.20000	1
02/11/1992	<	0.50000	1
03/27/1992	<	0.10000	1
06/23/1992	<	0.10000	0
12/07/1992	<	0.10000	1
12/16/1992	<	0.10000	0
12/30/1992	<	0.10000	1
01/13/1993		0.20000	1
02/08/1993	<	0.10000	1
02/19/1993	<	0.10000	1
03/23/1993	<	0.10000	0
03/29/1993		0.10000	1
06/07/1993		0.10000	1
06/24/1993	<	0.10000	0
09/15/1993	<	0.10000	0
12/22/1993	<	0.10000	0
01/25/1994	<	0.10000	1
02/18/1994	<	0.10000	1
03/21/1994		0.20000	1
03/31/1994	<	0.10000	0
06/15/1994	<	0.10000	0
09/06/1994	<	0.10000	0
11/10/1994		0.30000	1
12/12/1994	<	0.10000	0
01/04/1995	<	0.10000	1
01/11/1995	<	0.10000	1
04/24/1995		0.10000	0
08/14/1995	<	0.40000	0
12/05/1995	<	0.10000	0
01/22/1996	<	0.10000	1
01/31/1996	<	0.10000	1
02/20/1996	<	0.10000	1
05/01/1996	<	0.10000	0
08/14/1996	<	0.10000	0
11/21/1996	<	0.10000	1
01/08/1997	<	0.10000	0
02/11/1997		0.20000	0
08/12/1997	<	0.10000	0
12/17/1997	<	0.10000	0
12/17/1997	<	0.10000	0
01/29/1998		0.10000	1
02/03/1998	<	0.10000	1
03/25/1998	<	0.10000	1
05/19/1998	<	0.10000	0
08/20/1998	<	0.10000	0
12/10/1998	<	0.10000	0
01/25/1999	<	0.10000	1
04/07/1999	<	0.10000	1
05/12/1999	<	0.10000	0
08/30/1999	<	0.10000	0
12/09/1999	<	0.10000	0
02/12/2000	<	0.10000	1
02/23/2000	<	0.10000	1
04/05/2000	<	0.10000	0
04/18/2000	<	0.10000	1
08/17/2000	<	0.10000	0
01/22/2001	<	0.10000	0
05/09/2001	<	0.10000	0
08/20/2001	<	0.10000	0
01/15/2002	<	0.10000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1345 Nitrogen, nitrite (N) in mg/l
Raw Data

Date	Flag	Value	Wet
04/25/2002	<	0.10000	0
01/21/2003	<	0.10000	0
02/11/2003	<	0.10000	1
02/25/2003	<	0.10000	1
03/11/2003	<	0.10000	0
04/14/2003	<	0.10000	1
05/22/2003	<	0.10000	0
07/22/2003	<	0.10000	0
10/30/2003	<	0.10000	0
01/27/2004	<	0.10000	0
02/18/2004	<	0.10000	1
02/22/2004	<	0.10000	1
03/02/2004	<	0.10000	1
03/23/2004	<	0.10000	0
07/15/2004	<	0.10000	0
10/20/2004	<	0.10000	1
12/28/2004	<	0.10000	1
01/26/2005		0.61000	1
03/30/2005	<	0.10000	0
06/13/2005	<	0.10000	0
02/09/2006	<	0.10000	0
02/27/2006	<	0.10000	1
03/28/2006	<	0.10000	1
04/04/2006	<	0.10000	1
05/30/2006	<	0.10000	0
08/23/2006	<	0.10000	0
12/07/2006	<	0.10000	0
04/20/2007	<	0.10000	1
05/15/2007	<	0.10000	0
09/26/2007	<	0.10000	0
12/07/2007	<	0.10000	1
01/05/2008	<	0.10000	1
01/27/2008	<	0.10000	1
03/20/2008	<	0.10000	0
06/24/2008	<	0.10000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1345 Nitrogen, nitrite (N) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1991/92	5	4	3	0.000	0.000	0.000	0.000	0.040	0.000	0.120	0.200	0.70711
1992/93	10	7	7	0.000	0.000	0.000	0.000	0.040	0.100	0.110	0.200	0.78730
1993/94	7	6	3	0.000	0.000	0.000	0.000	0.029	0.000	0.080	0.200	0.61237
1994/95	6	4	3	0.000	0.000	0.000	0.000	0.067	0.100	0.200	0.300	0.79446
1995/96	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1996/97	4	3	1	0.000			0.000	0.050			0.200	
1997/98	7	6	3	0.000	0.000	0.000	0.000	0.014	0.000	0.040	0.100	0.61237
1998/99	5	5	2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1999/0	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2003/4	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2004/5	6	5	3	0.000	0.000	0.000	0.000	0.102	0.000	0.305	0.610	0.65465
2005/6	5	5	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2006/7	4	4	1	0.000			0.000	0.000			0.000	
2007/8	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Overall	96	86	44	0.000	0.000	0.000	0.000	0.022	0.000	0.050	0.610	0.44179

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1350 Nitrogen, organic (N) in mg/l
Raw Data

Date	Flag	Value	Wet
09/06/1994		0.60000	0
11/10/1994		4.60000	1
12/12/1994		0.30000	0
01/04/1995		3.10000	1
01/11/1995		0.50000	1
04/24/1995		2.10000	0
08/14/1995	<	0.40000	0
12/05/1995		0.70000	0
01/22/1996		1.90000	1
01/31/1996		2.30000	1
02/20/1996		2.00000	1
05/01/1996		0.90000	0
08/14/1996		1.20000	0
11/21/1996		6.80000	1
01/08/1997		1.00000	0
02/11/1997		0.70000	0
08/12/1997		2.50000	0
12/17/1997		0.50000	0
12/17/1997		0.40000	0
01/29/1998		0.80000	1
02/03/1998		0.60000	1
03/25/1998		0.80000	1
05/19/1998		1.10000	0
08/20/1998		0.70000	0
12/10/1998		0.60000	0
01/25/1999		4.00000	1
04/07/1999		1.20000	1
05/12/1999		0.60000	0
08/30/1999		0.10000	0
12/09/1999	<	0.10000	0
02/12/2000		0.90000	1
02/23/2000		2.70000	1
04/05/2000		2.00000	0
04/18/2000		1.80000	1
08/17/2000		0.20000	0
01/22/2001		0.80000	0
05/09/2001		0.20000	0
08/20/2001	<	0.20000	0
01/15/2002		0.40000	0
04/25/2002	<	0.10000	0
01/21/2003		0.70000	0
02/11/2003		1.80000	1
02/25/2003		1.70000	1
03/11/2003		0.40000	0
04/14/2003		5.40000	1
05/22/2003		1.00000	0
07/22/2003		0.40000	0
10/30/2003	<	0.10000	0
01/27/2004	<	0.10000	0
02/18/2004		3.00000	1
02/22/2004		3.20000	1
03/02/2004		4.90000	1
03/23/2004		2.80000	0
07/15/2004		1.10000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1350 Nitrogen, organic (N) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	0	3	0.300	0.400	0.500	1.350	1.867	3.100	3.850	4.600	0.95135
1995/96	6	1	3	0.000	0.350	0.700	1.400	1.300	2.000	2.150	2.300	0.97282
1996/97	4	0	1	0.700			1.100	2.425			6.800	
1997/98	7	0	3	0.400	0.460	0.550	0.800	0.957	0.950	1.660	2.500	0.82686
1998/99	5	0	2	0.600	0.600	0.600	0.700	1.420	1.200	2.880	4.000	0.79945
1999/0	6	1	3	0.000	0.050	0.100	1.350	1.250	2.000	2.350	2.700	0.98283
2000/1	3	0	0	0.200			0.200	0.400			0.800	
2001/2	3	2	0	0.000			0.000	0.133			0.400	
2002/3	6	0	3	0.400	0.550	0.700	1.350	1.833	1.800	3.600	5.400	0.84633
2003/4	7	2	3	0.000	0.000	0.200	2.800	2.043	3.100	3.880	4.900	0.95410
2004/5	1	0	0	1.100			1.100	1.100			1.100	
Overall	54	6	21	0.000	0.030	0.400	0.850	1.444	2.000	3.170	6.800	0.87786

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1355 Nitrogen, total (N) in mg/l
Raw Data

Date	Flag	Value	Wet
11/27/1991		5.00000	0
01/03/1992		5.10000	1
02/11/1992		2.00000	1
03/27/1992		4.90000	1
12/07/1992		4.50000	1
12/16/1992		8.50000	0
12/30/1992		3.40000	1
01/13/1993		7.70000	1
02/08/1993		5.00000	1
02/19/1993		5.40000	1
03/23/1993		14.00000	0
03/29/1993		11.00000	1
06/07/1993		8.10000	1
06/24/1993		1.40000	0
09/15/1993		9.20000	0
12/22/1993		12.00000	0
01/25/1994		21.00000	1
02/18/1994		2.70000	1
03/21/1994		5.80000	1
03/31/1994		4.30000	0
06/15/1994		4.30000	0
09/06/1994		7.80000	0
11/10/1994		9.70000	1
12/12/1994		4.40000	0
01/04/1995		5.50000	1
01/11/1995		1.20000	1
04/24/1995		12.00000	0
08/14/1995		9.60000	0
12/05/1995		6.00000	0
01/22/1996		5.80000	1
01/31/1996		4.00000	1
02/20/1996		3.20000	1
05/01/1996		5.70000	0
08/14/1996		10.00000	0
11/21/1996		9.60000	1
01/08/1997		6.50000	0
02/11/1997		5.60000	0
08/12/1997		12.00000	0
12/17/1997		5.10000	0
12/17/1997		5.10000	0
01/29/1998		2.50000	1
02/03/1998		1.40000	1
03/25/1998		2.00000	1
05/19/1998		7.10000	0
08/20/1998		7.30000	0
12/10/1998		5.80000	0
01/25/1999		7.40000	1
04/07/1999		9.30000	1
05/12/1999		8.60000	0
08/30/1999		11.00000	0
12/09/1999		11.00000	0
02/12/2000		2.90000	1
02/23/2000		4.40000	1
04/05/2000		7.20000	0
04/18/2000		7.50000	1
08/17/2000		14.00000	0
01/22/2001		5.70000	0
05/09/2001		13.00000	0
08/20/2001		12.00000	0
01/15/2002		5.80000	0
04/25/2002		2.10000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1355 Nitrogen, total (N) in mg/l
Raw Data

Date	Flag	Value	Wet
01/21/2003		6.10000	0
02/11/2003		3.90000	1
02/25/2003		2.20000	1
03/11/2003		2.00000	0
04/14/2003		8.60000	1
05/22/2003		6.50000	0
07/22/2003		6.50000	0
10/30/2003		2.30000	0
02/18/2004		4.30000	1
02/22/2004		5.40000	1
03/02/2004		6.70000	1
03/23/2004		8.50000	0
07/15/2004		5.50000	0
10/20/2004		6.10000	1
12/28/2004		7.90000	1
01/26/2005		13.00000	1
03/30/2005		8.20000	0
06/13/2005		8.00000	0
02/09/2006		3.40000	0
02/27/2006		6.50000	1
03/28/2006		6.80000	1
04/04/2006		3.20000	1
05/30/2006		2.40000	0
08/23/2006		3.30000	0
12/07/2006		1.70000	0
04/20/2007		12.00000	1
05/15/2007		8.00000	0
09/26/2007		9.10000	0
12/07/2007		8.20000	1
01/05/2008		6.50000	1
01/27/2008		3.10000	1
03/20/2008		5.40000	0
06/24/2008		6.50000	0
01/27/2004		7.40000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1355 Nitrogen, total (N) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1991/92	4	0	3	2.000			4.950	4.250			5.100	
1992/93	10	0	7	1.400	3.200	4.500	6.550	6.900	8.500	11.300	14.000	0.97207
1993/94	7	0	3	2.700	3.660	4.300	5.800	8.471	10.600	15.600	21.000	0.90758
1994/95	6	0	3	1.200	2.800	4.400	6.650	6.767	9.700	10.850	12.000	0.99478
1995/96	6	0	3	3.200	3.600	4.000	5.750	5.717	6.000	7.800	9.600	0.92098
1996/97	4	0	1	5.600			8.050	7.925			10.000	
1997/98	7	0	3	1.400	1.760	2.250	5.100	5.029	6.100	9.060	12.000	0.93287
1998/99	5	0	2	5.800	6.400	7.300	7.400	7.680	8.600	9.020	9.300	0.97627
1999/0	6	0	3	2.900	3.650	4.400	7.350	7.333	11.000	11.000	11.000	0.97495
2000/1	3	0	0	5.700			13.000	10.900			14.000	
2001/2	3	0	0	2.100			5.800	6.633			12.000	
2002/3	6	0	3	2.000	2.100	2.200	5.000	4.883	6.500	7.550	8.600	0.98037
2003/4	7	0	3	2.300	3.500	4.850	6.500	5.871	7.050	7.840	8.500	0.97156
2004/5	6	0	3	5.500	5.800	6.100	7.950	8.117	8.200	10.600	13.000	0.88910
2005/6	5	0	3	2.400	2.720	3.200	3.400	4.460	6.500	6.680	6.800	0.93937
2006/7	4	0	1	1.700			5.650	6.250			12.000	
2007/8	6	0	3	3.100	4.250	5.400	6.500	6.467	8.200	8.650	9.100	0.96946
Overall	95	0	44	1.200	2.340	4.300	6.100	6.603	8.350	11.600	21.000	0.94475

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1360 Nitrogen, total Kjeldahl (N) in mg/l
Raw Data

Date	Flag	Value	Wet
11/27/1991		1.20000	0
01/03/1992		2.60000	1
02/11/1992		1.50000	1
03/27/1992		2.90000	1
06/23/1992		0.50000	0
12/07/1992		2.70000	1
12/16/1992		0.90000	0
12/30/1992		2.10000	1
01/13/1993		6.20000	1
02/08/1993		4.30000	1
02/19/1993		3.70000	1
03/23/1993		3.10000	0
03/29/1993		7.50000	1
06/07/1993		3.80000	1
06/24/1993		0.70000	0
09/15/1993		2.60000	0
12/22/1993		0.10000	0
01/25/1994		1.70000	1
02/18/1994		2.20000	1
03/21/1994		4.00000	1
03/31/1994		0.80000	0
06/15/1994		0.60000	0
09/06/1994		0.60000	0
11/10/1994		5.50000	1
12/12/1994		0.30000	0
01/04/1995		3.60000	1
01/11/1995		0.80000	1
04/24/1995		3.40000	0
08/14/1995	<	0.40000	0
12/05/1995		0.70000	0
01/22/1996		2.10000	1
01/31/1996		3.10000	1
02/20/1996		2.50000	1
05/01/1996		0.90000	0
08/14/1996		1.20000	0
11/21/1996		8.20000	1
01/08/1997		1.00000	0
02/11/1997		1.00000	0
08/12/1997		2.70000	0
12/17/1997		0.50000	0
12/17/1997		0.50000	0
01/29/1998		1.50000	1
02/03/1998		0.80000	1
03/25/1998		1.20000	1
05/19/1998		1.20000	0
08/20/1998		0.70000	0
04/07/1999		1.30000	1
05/12/1999		0.70000	0
08/30/1999		0.10000	0
12/10/1998		0.60000	0
01/25/1999		4.40000	1
12/09/1999	<	0.10000	0
02/12/2000		1.40000	1
02/23/2000		3.20000	1
04/05/2000		2.00000	0
04/18/2000		2.20000	1
08/17/2000		0.20000	0
01/22/2001		0.80000	0
05/09/2001		0.30000	0
08/20/2001	<	0.20000	0
01/15/2002		0.40000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1360 Nitrogen, total Kjeldahl (N) in mg/l
Raw Data

Date	Flag	Value	Wet
04/25/2002	<	0.10000	0
01/21/2003		0.83000	0
02/11/2003		2.90000	1
02/25/2003		1.80000	1
03/11/2003		0.50000	0
04/14/2003		6.50000	1
05/22/2003		1.10000	0
07/22/2003		0.43000	0
10/30/2003		0.54000	0
01/27/2004		1.30000	0
02/18/2004		3.20000	1
02/22/2004		3.60000	1
03/02/2004		5.00000	1
03/23/2004		2.80000	0
07/15/2004		1.10000	0
10/20/2004		4.50000	1
12/28/2004		6.20000	1
01/26/2005		8.50000	1
03/30/2005		0.54000	0
06/13/2005		0.64000	0
02/09/2006		0.91000	0
02/27/2006		4.90000	1
03/28/2006		4.40000	1
04/04/2006		2.50000	1
05/30/2006		0.71000	0
08/23/2006		0.81000	0
12/07/2006	<	0.10000	0
04/20/2007		5.40000	1
05/15/2007		0.23000	0
09/26/2007		0.47000	0
12/07/2007		5.90000	1
01/05/2008		5.20000	1
01/27/2008		2.10000	1
03/20/2008		0.92000	0
06/24/2008		1.10000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1360 Nitrogen, total Kjeldahl (N) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1991/92	5	0	3	0.500	0.780	1.200	1.500	1.740	2.600	2.780	2.900	0.98376
1992/93	10	0	7	0.700	0.880	2.100	3.400	3.500	4.300	6.330	7.500	0.96824
1993/94	7	0	3	0.100	0.400	0.700	1.700	1.714	2.400	3.160	4.000	0.97754
1994/95	6	0	3	0.300	0.450	0.600	2.100	2.367	3.600	4.550	5.500	0.95267
1995/96	6	1	3	0.000	0.350	0.700	1.500	1.550	2.500	2.800	3.100	0.98750
1996/97	4	0	1	1.000			1.100	2.850			8.200	
1997/98	7	0	3	0.500	0.500	0.650	1.200	1.200	1.350	1.980	2.700	0.91175
1998/99	5	0	2	0.600	0.640	0.700	0.700	1.540	1.300	3.160	4.400	0.79902
1999/0	6	1	3	0.000	0.050	0.100	1.700	1.483	2.200	2.700	3.200	0.97701
2000/1	3	0	0	0.200			0.300	0.433			0.800	
2001/2	3	2	0	0.000			0.000	0.133			0.400	
2002/3	6	0	3	0.500	0.665	0.830	1.450	2.272	2.900	4.700	6.500	0.88080
2003/4	7	0	3	0.430	0.496	0.920	2.800	2.410	3.400	4.160	5.000	0.98027
2004/5	6	0	3	0.540	0.590	0.640	2.800	3.580	6.200	7.350	8.500	0.95680
2005/6	5	0	3	0.710	0.790	0.910	2.500	2.684	4.400	4.700	4.900	0.97136
2006/7	4	1	1	0.000			0.520	1.610			5.400	
2007/8	6	0	3	0.470	0.695	0.920	1.600	2.615	5.200	5.550	5.900	0.93411
Overall	96	5	44	0.000	0.300	0.670	1.250	2.134	3.150	5.100	8.500	0.91525

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1365 Nitrogen, total inorganic (N) in mg/l
Raw Data

Date	Flag	Value	Wet
09/06/1994		7.20000	0
11/10/1994		5.10000	1
12/12/1994		4.10000	0
01/04/1995		2.40000	1
01/11/1995		0.70000	1
04/24/1995		9.90000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1365 Nitrogen, total inorganic (N) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	0	3	0.700	1.550	2.400	4.600	4.900	7.200	8.550	9.900	0.99081
Overall	6	0	3	0.700	1.550	2.400	4.600	4.900	7.200	8.550	9.900	0.99081

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1370 Nitrogen, un-ionizedAmmonia(N) in mg/l
Raw Data

Date	Flag	Value	Wet
09/06/1994	<	0.01000	0
11/10/1994		0.00100	1
12/12/1994	<	0.01000	0
01/04/1995		0.00300	1
01/11/1995		0.00100	1
04/24/1995		0.34400	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1370 Nitrogen, un-ionizedAmmonia(N) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	2	3	0.000	0.000	0.000	0.001	0.058	0.003	0.173	0.344	0.65998
Overall	6	2	3	0.000	0.000	0.000	0.001	0.058	0.003	0.173	0.344	0.65998

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1375 Odor in Ton
Raw Data

Date	Flag	Value	Wet
09/06/1994	<	1.00000	0
11/10/1994		2.00000	1
12/12/1994	<	1.00000	0
01/04/1995	<	1.00000	1
01/11/1995	<	1.00000	1
04/24/1995	<	1.00000	0
08/14/1995	<	1.00000	0
12/05/1995	<	1.00000	0
01/22/1996	<	1.00000	1
01/31/1996	<	1.00000	1
02/20/1996	<	1.00000	1
05/01/1996	<	1.00000	0
08/14/1996	<	1.00000	0
11/21/1996	<	1.00000	1
01/08/1997	<	1.00000	0
02/11/1997	<	1.00000	0
08/12/1997	<	1.00000	0
12/17/1997	<	1.00000	0
12/17/1997	<	1.00000	0
01/29/1998	<	1.00000	1
02/03/1998	<	1.00000	1
03/25/1998		2.00000	1
05/19/1998	<	1.00000	0
08/20/1998	<	1.00000	0
12/10/1998		8.00000	0
01/25/1999	<	1.00000	1
04/07/1999	<	1.00000	1
05/12/1999	<	1.00000	0
08/30/1999	<	1.00000	0
12/09/1999	<	1.00000	0
02/12/2000	<	1.00000	1
02/23/2000	<	1.00000	1
04/05/2000	<	1.00000	0
04/18/2000	<	1.00000	1
08/17/2000	<	1.00000	0
01/22/2001	<	1.00000	0
05/09/2001	<	1.00000	0
08/20/2001	<	1.00000	0
01/15/2002	<	1.00000	0
04/25/2002	<	1.00000	0
01/21/2003	<	1.00000	0
02/11/2003	<	1.00000	1
02/25/2003	<	1.00000	1
03/11/2003	<	1.00000	0
04/14/2003	<	1.00000	1
05/22/2003	<	1.00000	0
07/22/2003	<	1.00000	0
10/30/2003	<	1.00000	0
01/27/2004	<	1.00000	0
02/18/2004	<	1.00000	1
02/22/2004	<	1.00000	1
03/02/2004	<	1.00000	1
03/23/2004	<	1.00000	0
07/15/2004	<	1.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1375 Odor in Ton

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	5	3	0.000	0.000	0.000	0.000	0.333	0.000	1.000	2.000	0.65465
1995/96	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1996/97	4	4	1	0.000			0.000	0.000			0.000	
1997/98	7	6	3	0.000	0.000	0.000	0.000	0.286	0.000	0.800	2.000	0.61237
1998/99	5	4	2	0.000	0.000	0.000	0.000	1.600	0.000	4.800	8.000	0.70711
1999/0	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2003/4	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2004/5	1	1	0	0.000			0.000	0.000			0.000	
Overall	54	51	21	0.000	0.000	0.000	0.000	0.222	0.000	0.000	8.000	0.32716

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1380 Oil & Grease in mg/l
Raw Data

Date	Flag	Value	Wet
11/27/1991	<	1.00000	0
01/03/1992	<	1.00000	1
02/11/1992		57.00000	1
03/27/1992		4.00000	1
06/23/1992		2.00000	0
12/07/1992		3.00000	1
12/16/1992	<	1.00000	0
12/30/1992	<	2.00000	1
01/13/1993		6.00000	1
02/08/1993		6.00000	1
02/19/1993		4.00000	1
03/23/1993		4.00000	0
03/29/1993		2.00000	1
06/07/1993		3.00000	1
06/24/1993		4.00000	0
09/15/1993		3.00000	0
12/22/1993	<	1.00000	0
01/25/1994		17.00000	1
02/18/1994		2.00000	1
03/21/1994		4.00000	1
03/31/1994		1.00000	0
06/15/1994	<	1.00000	0
09/06/1994	<	1.00000	0
11/10/1994		7.00000	1
12/12/1994	<	1.00000	0
01/04/1995		6.00000	1
01/11/1995	<	1.00000	1
04/24/1995	<	1.00000	0
08/14/1995	<	1.00000	0
12/05/1995		2.00000	0
01/22/1996	<	1.00000	1
01/31/1996		16.00000	1
02/20/1996	<	1.00000	1
05/01/1996	<	1.00000	0
08/14/1996		1.00000	0
11/21/1996		7.00000	1
01/08/1997	<	1.00000	0
02/11/1997		2.00000	0
08/12/1997	<	1.00000	0
12/17/1997	<	1.00000	0
12/17/1997	<	1.00000	0
01/29/1998		3.00000	1
02/03/1998		2.00000	1
03/25/1998	<	1.00000	1
05/19/1998	<	1.00000	0
12/10/1998	<	1.00000	0
01/25/1999	<	1.00000	1
04/07/1999		5.00000	1
08/20/1998	<	1.00000	0
05/12/1999	<	1.00000	0
08/30/1999	<	5.00000	0
12/09/1999	<	5.00000	0
02/12/2000	<	5.00000	1
02/23/2000	<	5.00000	1
04/05/2000	<	5.00000	0
04/18/2000	<	5.00000	1
08/17/2000	<	5.00000	0
01/22/2001		7.00000	0
05/09/2001	<	5.00000	0
08/20/2001	<	5.00000	0
01/15/2002	<	5.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1380 Oil & Grease in mg/l
Raw Data

Date	Flag	Value	Wet
04/25/2002	<	5.00000	0
01/21/2003	<	5.00000	0
02/11/2003		5.00000	1
02/25/2003	<	5.00000	1
03/11/2003	<	5.00000	0
04/14/2003		5.00000	1
05/22/2003	<	5.00000	0
07/22/2003	<	5.00000	0
10/30/2003	<	4.90000	0
01/27/2004	<	5.00000	0
02/18/2004	<	5.00000	1
02/22/2004	<	4.90000	1
03/02/2004	<	13.00000	1
03/23/2004	<	8.30000	0
07/15/2004	<	4.90000	0
03/30/2005	<	6.20000	0
06/13/2005	<	5.00000	0
02/09/2006	<	4.80000	0
05/30/2006	<	4.70000	0
08/23/2006	<	4.70000	0
12/07/2006	<	4.90000	0
05/15/2007	<	2.60000	0
09/26/2007	<	2.60000	0
03/20/2008	<	2.60000	0
06/24/2008	<	2.60000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1380 Oil & Grease in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1991/92	5	2	3	0.000	0.000	0.000	2.000	12.600	4.000	35.800	57.000	0.75003
1992/93	10	2	7	0.000	0.000	2.000	3.500	3.200	4.000	6.000	6.000	0.96225
1993/94	7	2	3	0.000	0.000	0.500	2.000	3.857	3.500	9.200	17.000	0.78646
1994/95	6	4	3	0.000	0.000	0.000	0.000	2.167	6.000	6.500	7.000	0.84028
1995/96	6	4	3	0.000	0.000	0.000	0.000	3.000	2.000	9.000	16.000	0.71617
1996/97	4	1	1	0.000			1.500	2.500			7.000	
1997/98	7	5	3	0.000	0.000	0.000	0.000	0.714	1.000	2.400	3.000	0.80009
1998/99	5	4	2	0.000	0.000	0.000	0.000	1.000	0.000	3.000	5.000	0.70711
1999/0	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2000/1	3	2	0	0.000			0.000	2.333			7.000	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	4	3	0.000	0.000	0.000	0.000	1.667	5.000	5.000	5.000	0.82808
2003/4	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2004/5	3	3	0	0.000			0.000	0.000			0.000	
2005/6	2	2	0	0.000			0.000	0.000			0.000	
2006/7	3	3	0	0.000			0.000	0.000			0.000	
2007/8	3	3	0	0.000			0.000	0.000			0.000	
Overall	86	57	34	0.000	0.000	0.000	0.000	2.209	2.000	5.500	57.000	0.47817

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1400 Organics, PolyAromatHydro(625) in ug/l
Raw Data

Date	Flag	Value	Wet
11/27/1991	<	10.00000	0
01/03/1992	<	10.00000	1
02/11/1992	<	10.00000	1
03/27/1992	<	10.00000	1
06/23/1992	<	10.00000	0
12/07/1992	<	1.00000	1
12/16/1992	<	10.00000	0
12/30/1992	<	10.00000	1
01/13/1993	<	1.00000	1
02/08/1993	<	10.00000	1
02/19/1993	<	1.00000	1
03/23/1993	<	2.00000	0
03/29/1993	<	2.00000	1
06/07/1993	<	2.00000	1
06/24/1993	<	1.00000	0
09/15/1993	<	10.00000	0
12/22/1993	<	10.00000	0
01/25/1994	<	10.00000	1
02/18/1994	<	20.00000	1
03/21/1994	<	10.00000	1
03/31/1994	<	10.00000	0
06/15/1994	<	10.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1425 Oxygen Demand, biochemical BOD in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		12.00000	0
01/03/1991		20.00000	1
02/27/1991		8.00000	1
11/27/1991		4.00000	0
01/03/1992		2.00000	1
02/11/1992	<	1.00000	1
03/27/1992		7.00000	1
06/23/1992		2.00000	0
12/07/1992		17.00000	1
12/16/1992		3.00000	0
12/30/1992		14.00000	1
01/13/1993		12.00000	1
02/08/1993		22.00000	1
02/19/1993		10.00000	1
03/23/1993		8.00000	0
03/29/1993		16.00000	1
06/07/1993		14.00000	1
06/24/1993	<	5.00000	0
09/15/1993		12.00000	0
12/22/1993	<	5.00000	0
01/25/1994		11.00000	1
02/18/1994		17.00000	1
03/21/1994		38.00000	1
03/31/1994	<	5.00000	0
06/15/1994		6.00000	0
09/06/1994	<	5.00000	0
11/10/1994		26.00000	1
12/12/1994		6.00000	0
01/04/1995		17.00000	1
01/11/1995		6.00000	1
04/24/1995	<	5.00000	0
08/14/1995		37.00000	0
12/05/1995		8.00000	0
01/22/1996		11.00000	1
01/31/1996		30.00000	1
02/20/1996		12.00000	1
05/01/1996	<	5.00000	0
08/14/1996	<	5.00000	0
11/21/1996		38.00000	1
01/08/1997	<	5.00000	0
02/11/1997	<	5.00000	0
08/12/1997		5.00000	0
12/17/1997		6.00000	0
12/17/1997		12.00000	0
01/29/1998		21.00000	1
02/03/1998		17.00000	1
03/25/1998		30.00000	1
05/19/1998		5.00000	0
08/20/1998	<	5.00000	0
12/10/1998		11.00000	0
01/25/1999		12.00000	1
04/07/1999		8.00000	1
05/12/1999		11.00000	0
08/30/1999	<	10.00000	0
12/09/1999		7.00000	0
02/12/2000		19.00000	1
02/23/2000		13.00000	1
04/05/2000		15.00000	0
04/18/2000		18.00000	1
08/17/2000	<	5.00000	0
01/22/2001		5.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1425 Oxygen Demand, biochemical BOD in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001	<	5.00000	0
08/20/2001		5.00000	0
01/15/2002	<	5.00000	0
04/25/2002	<	5.00000	0
01/21/2003	<	5.00000	0
02/11/2003		20.00000	1
02/25/2003		5.00000	1
03/11/2003	<	5.00000	0
04/14/2003		35.00000	1
05/22/2003	<	5.00000	0
07/22/2003	<	5.00000	0
10/30/2003	<	5.00000	0
01/27/2004	<	5.00000	0
02/18/2004		0.00000	1
02/22/2004		10.00000	1
03/02/2004	<	5.00000	1
03/23/2004	<	5.00000	0
07/15/2004	<	5.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1425 Oxygen Demand, biochemical BOD in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	8.000			12.000	13.333			20.000	
1991/92	5	1	3	0.000	0.800	2.000	2.000	3.000	4.000	5.800	7.000	0.95618
1992/93	10	1	7	0.000	2.700	8.000	13.000	11.600	16.000	17.500	22.000	0.97263
1993/94	7	2	3	0.000	0.000	3.000	11.000	12.000	14.500	25.400	38.000	0.90859
1994/95	6	2	3	0.000	0.000	0.000	6.000	9.167	17.000	21.500	26.000	0.93720
1995/96	6	1	3	0.000	4.000	8.000	11.500	16.333	30.000	33.500	37.000	0.95374
1996/97	4	3	1	0.000			0.000	9.500			38.000	
1997/98	7	0	3	5.000	5.000	5.500	12.000	13.714	19.000	24.600	30.000	0.95660
1998/99	5	1	2	0.000	3.200	8.000	11.000	8.400	11.000	11.600	12.000	0.86603
1999/0	6	1	3	0.000	3.500	7.000	14.000	12.000	18.000	18.500	19.000	0.95630
2000/1	3	2	0	0.000			0.000	1.667			5.000	
2001/2	3	2	0	0.000			0.000	1.667			5.000	
2002/3	6	3	3	0.000	0.000	0.000	2.500	10.000	20.000	27.500	35.000	0.88525
2003/4	7	5	3	0.000	0.000	0.000	0.000	1.429	0.000	4.000	10.000	0.61237
2004/5	1	1	0	0.000			0.000	0.000			0.000	
Overall	79	25	36	0.000	0.000	0.000	7.000	9.316	14.000	21.200	38.000	0.91527

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1430 Oxygen Demand, chemical (COD) in mg/l
Raw Data

Date	Flag	Value	Wet
11/27/1991		15.00000	0
01/03/1992		120.00000	1
02/11/1992		75.00000	1
03/27/1992		70.00000	1
06/23/1992	<	5.00000	0
12/07/1992		100.00000	1
12/16/1992		40.00000	0
12/30/1992		75.00000	1
01/13/1993		140.00000	1
02/08/1993		105.00000	1
02/19/1993		15.00000	1
03/23/1993		90.00000	0
03/29/1993		110.00000	1
06/07/1993		60.00000	1
06/24/1993	<	5.00000	0
09/15/1993		20.00000	0
12/22/1993	<	5.00000	0
01/25/1994		35.00000	1
02/18/1994		70.00000	1
03/21/1994		65.00000	1
03/31/1994		15.00000	0
06/15/1994		25.00000	0
09/06/1994		25.00000	0
11/10/1994		145.00000	1
12/12/1994	<	5.00000	0
01/04/1995		105.00000	1
01/11/1995		75.00000	1
04/24/1995		15.00000	0
08/14/1995		45.00000	0
12/05/1995	<	10.00000	0
01/22/1996		49.00000	1
01/31/1996		150.00000	1
02/20/1996		72.00000	1
05/01/1996		12.00000	0
08/14/1996		12.00000	0
11/21/1996		300.00000	1
01/08/1997		20.00000	0
02/11/1997		12.00000	0
08/12/1997		16.00000	0
12/17/1997		56.00000	0
12/17/1997		54.00000	0
01/29/1998		330.00000	1
02/03/1998		64.00000	1
03/25/1998		79.00000	1
05/19/1998		52.00000	0
08/20/1998		24.00000	0
12/10/1998		69.00000	0
01/25/1999		200.00000	1
04/07/1999		38.00000	1
05/12/1999		11.00000	0
08/30/1999	<	10.00000	0
12/09/1999	<	10.00000	0
02/12/2000		110.00000	1
02/23/2000		100.00000	1
04/05/2000		34.00000	0
04/18/2000		74.00000	1
08/17/2000		14.00000	0
01/22/2001		56.00000	0
05/09/2001		18.00000	0
08/20/2001		29.00000	0
01/15/2002	<	10.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1430 Oxygen Demand, chemical (COD) in mg/l
Raw Data

Date	Flag	Value	Wet
04/25/2002		16.00000	0
01/21/2003		36.00000	0
02/11/2003		130.00000	1
02/25/2003		71.00000	1
03/11/2003		15.00000	0
04/14/2003		220.00000	1
05/22/2003		38.00000	0
07/22/2003	<	10.00000	0
10/30/2003		18.00000	0
01/27/2004		49.00000	0
02/18/2004		180.00000	1
02/22/2004		120.00000	1
03/02/2004		160.00000	1
03/23/2004		51.00000	0
07/15/2004		85.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1430 Oxygen Demand, chemical (COD) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1991/92	5	1	3	0.000	6.000	15.000	70.000	56.000	75.000	102.000	120.000	0.97487
1992/93	10	1	7	0.000	13.500	40.000	82.500	73.500	105.000	113.000	140.000	0.98261
1993/94	7	1	3	0.000	9.000	17.500	25.000	32.857	50.000	67.000	70.000	0.96596
1994/95	6	1	3	0.000	7.500	15.000	50.000	60.833	105.000	125.000	145.000	0.97768
1995/96	6	1	3	0.000	6.000	12.000	47.000	54.667	72.000	111.000	150.000	0.93277
1996/97	4	0	1	12.000			16.000	86.000			300.000	
1997/98	7	0	3	16.000	37.600	53.000	56.000	93.000	71.500	179.400	330.000	0.73064
1998/99	5	0	2	11.000	16.200	24.000	38.000	68.400	69.000	147.600	200.000	0.87241
1999/0	6	2	3	0.000	0.000	0.000	54.000	53.000	100.000	105.000	110.000	0.97604
2000/1	3	0	0	14.000			18.000	29.333			56.000	
2001/2	3	1	0	0.000			16.000	15.000			29.000	
2002/3	6	0	3	15.000	25.500	36.000	54.500	85.000	130.000	175.000	220.000	0.92537
2003/4	7	1	3	0.000	10.800	33.500	51.000	82.571	140.000	168.000	180.000	0.97653
2004/5	1	0	0	85.000			85.000	85.000			85.000	
Overall	76	9	34	0.000	0.000	15.500	50.000	64.461	87.500	142.500	330.000	0.87188

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1435 Oxygen, dissolved field conc in mg/l
Raw Data

Date	Flag	Value	Wet
03/23/1993		11.90000	0
06/24/1993		9.70000	0
09/15/1993		9.75000	0
04/24/1995		9.10000	0
08/14/1995		8.30000	0
12/05/1995		7.90000	0
05/01/1996		10.20000	0
08/14/1996		9.42000	0
02/11/1997		7.20000	0
08/12/1997		8.74000	0
05/12/1999		8.05000	0
08/30/1999		7.67000	0
12/09/1999		6.40000	0
04/05/2000		9.60000	0
08/17/2000		9.18000	0
01/22/2001		7.98000	0
05/09/2001		8.10000	0
05/09/2001		8.10000	0
08/20/2001		6.08000	0
04/14/2003		9.60000	1
05/22/2003		9.10000	0
07/22/2003		7.40000	0
10/30/2003		7.50000	0
01/27/2004		10.30000	0
02/18/2004		9.60000	1
02/22/2004		10.20000	1
03/02/2004		12.70000	1
03/23/2004		10.30000	0
07/15/2004		12.20000	0
12/28/2004		13.00000	1
01/26/2005		12.58000	1
03/30/2005		19.74000	0
06/13/2005		15.70000	0
08/23/2006	>	19.99000	0
12/07/2006		14.92000	0
09/26/2007		19.40000	0
06/24/2008		9.50000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1435 Oxygen, dissolved field conc in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1992/93	2	0	0	9.700			10.800	10.800			11.900	
1993/94	1	0	0	9.750			9.750	9.750			9.750	
1994/95	1	0	0	9.100			9.100	9.100			9.100	
1995/96	3	0	0	7.900			8.300	8.800			10.200	
1996/97	2	0	0	7.200			8.310	8.310			9.420	
1997/98	1	0	0	8.740			8.740	8.740			8.740	
1998/99	1	0	0	8.050			8.050	8.050			8.050	
1999/0	3	0	0	6.400			7.670	7.890			9.600	
2000/1	4	0	0	7.980			8.100	8.340			9.180	
2001/2	1	0	0	6.080			6.080	6.080			6.080	
2002/3	2	0	1	9.100			9.350	9.350			9.600	
2003/4	7	0	3	7.400	7.460	8.550	10.200	9.714	10.300	11.260	12.700	0.93559
2004/5	5	0	2	12.200	12.352	12.580	13.000	14.644	15.700	18.124	19.740	0.90977
2005/6	0	0	0									
2006/7	2	0	0	14.920			17.455	17.455			19.990	
2007/8	2	0	0	9.500			14.450	14.450			19.400	
Overall	37	0	6	6.080	7.460	8.100	9.600	10.462	11.900	15.232	19.990	0.87853

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1445 Oxygen, field saturation
Raw Data

Date	Flag	Value	Wet
03/23/1993		132.00000	0
06/24/1993		115.00000	0
09/15/1993		114.00000	0
04/24/1995		103.90000	0
08/14/1995		98.00000	0
12/05/1995		89.70000	0
05/01/1996		111.90000	0
08/14/1996		113.10000	0
02/11/1997		70.50000	0
08/12/1997		104.70000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1445 Oxygen, field saturation

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1992/93	2	0	0	115.000			123.500	123.500			132.000	
1993/94	1	0	0	114.000			114.000	114.000			114.000	
1994/95	1	0	0	103.900			103.900	103.900			103.900	
1995/96	3	0	0	89.700			98.000	99.867			111.900	
1996/97	2	0	0	70.500			91.800	91.800			113.100	
1997/98	1	0	0	104.700			104.700	104.700			104.700	
Overall	10	0	0	70.500	87.780	98.000	108.300	105.280	114.000	116.700	132.000	0.93130

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1447 Pentachlorophenol in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1447 Pentachlorophenol in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1455 Phenanthrene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004		0.08000	1
02/27/2006		0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1455 Phenanthrene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	0	1	0.080			0.080	0.080			0.080	
2005/6	1	0	1	0.050			0.050	0.050			0.050	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	2	4	0.000			0.025	0.033			0.080	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1459 Phenol in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1459 Phenol in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1460 Phenols in mg/l
Raw Data

Date	Flag	Value	Wet
09/06/1994	<	0.01000	0
11/10/1994		0.05000	1
12/12/1994	<	0.01000	0
01/04/1995		0.04000	1
01/11/1995		0.02000	1
04/24/1995		0.01000	0
08/14/1995	<	0.01000	0
12/05/1995	<	0.01000	0
01/22/1996	<	0.01000	1
01/31/1996		0.03000	1
02/20/1996	<	0.01000	1
05/01/1996		0.02000	0
08/14/1996		0.02000	0
11/21/1996	<	0.01000	1
01/08/1997		0.05000	0
02/11/1997	<	0.01000	0
08/12/1997	<	0.02000	0
12/17/1997	<	0.02000	0
12/17/1997	<	0.02000	0
01/29/1998		0.04000	1
02/03/1998		0.07000	1
03/25/1998	<	0.02000	1
05/19/1998	<	0.02000	0
08/20/1998	<	0.02000	0
12/10/1998	<	0.02000	0
01/25/1999		0.05000	1
04/07/1999	<	0.02000	1
05/12/1999	<	0.02000	0
08/30/1999	<	0.02000	0
12/09/1999	<	0.02000	0
02/12/2000	<	0.02000	1
02/23/2000	<	0.02000	1
04/05/2000	<	0.02000	0
04/18/2000	<	0.02000	1
08/17/2000	<	0.02000	0
01/22/2001	<	0.02000	0
05/09/2001	<	0.02000	0
08/20/2001	<	0.02000	0
01/15/2002	<	0.02000	0
04/25/2002	<	0.02000	0
01/21/2003	<	0.02000	0
02/11/2003	<	0.02000	1
02/25/2003	<	0.02000	1
03/11/2003	<	0.02000	0
04/14/2003	<	0.02000	1
05/22/2003	<	0.02000	0
07/22/2003	<	0.02000	0
10/30/2003	<	0.02000	0
01/27/2004	<	0.02000	0
02/18/2004	<	0.02000	1
02/22/2004	<	0.02000	1
03/02/2004	<	0.02000	1
03/23/2004	<	0.02000	0
07/15/2004		0.03700	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1460 Phenols in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	2	3	0.000	0.000	0.000	0.015	0.020	0.040	0.045	0.050	0.96833
1995/96	6	4	3	0.000	0.000	0.000	0.000	0.008	0.020	0.025	0.030	0.84452
1996/97	4	2	1	0.000			0.010	0.018			0.050	
1997/98	7	5	3	0.000	0.000	0.000	0.000	0.016	0.020	0.052	0.070	0.79340
1998/99	5	4	2	0.000	0.000	0.000	0.000	0.010	0.000	0.030	0.050	0.70711
1999/0	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2003/4	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2004/5	1	0	0	0.037			0.037	0.037			0.037	
Overall	54	42	21	0.000	0.000	0.000	0.000	0.008	0.000	0.039	0.070	0.68705

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1461 Phorate in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1463 Phosmet in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1464 Phosphamidon in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1475 Phosphorus, organic (P) in mg/l
Raw Data

Date	Flag	Value	Wet
09/06/1994	<	0.05000	0
11/10/1994		0.15000	1
12/12/1994	<	0.05000	0
01/04/1995		0.25000	1
01/11/1995		0.15000	1
04/24/1995		0.15000	0
08/14/1995	<	0.05000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1475 Phosphorus, organic (P) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	2	3	0.000	0.000	0.000	0.150	0.117	0.150	0.200	0.250	0.92422
1995/96	1	1	0	0.000			0.000	0.000			0.000	
Overall	7	3	3	0.000	0.000	0.000	0.150	0.100	0.150	0.190	0.250	0.92582

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1480 Phosphate, ortho (P) in mg/l
Raw Data

Date	Flag	Value	Wet
09/06/1994		0.20000	0
11/10/1994		0.15000	1
12/12/1994	<	0.05000	0
01/04/1995		0.10000	1
01/11/1995		0.20000	1
04/24/1995		0.50000	0
08/14/1995		0.35000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1480 Phosphate, ortho (P) in mg/l

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	1	3	0.000	0.050	0.100	0.175	0.192	0.200	0.350	0.500	0.90370
1995/96	1	0	0	0.350			0.350	0.350			0.350	
Overall	7	1	3	0.000	0.060	0.125	0.200	0.214	0.275	0.410	0.500	0.95790

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1485 Phosphorus, total (P) in mg/l
Raw Data

Date	Flag	Value	Wet
11/27/1991		0.56000	0
01/03/1992		0.57000	1
02/11/1992		0.47000	1
03/27/1992		1.70000	1
06/23/1992		0.24000	0
12/07/1992		1.50000	1
12/16/1992		0.35000	0
12/30/1992		0.60000	1
01/13/1993		6.00000	1
02/08/1993		4.90000	1
02/19/1993		2.50000	1
03/23/1993		1.80000	0
03/29/1993		1.10000	1
06/07/1993		0.90000	1
06/24/1993		0.50000	0
09/15/1993		1.10000	0
12/22/1993	<	0.05000	0
01/25/1994		0.60000	1
02/18/1994		0.50000	1
03/21/1994		0.50000	1
03/31/1994		0.80000	0
06/15/1994		0.30000	0
09/06/1994		0.20000	0
11/10/1994		0.60000	1
12/12/1994		0.05000	0
01/04/1995		0.90000	1
01/11/1995		1.00000	1
04/24/1995		0.85000	0
08/14/1995		0.35000	0
12/05/1995		0.32000	0
01/22/1996		0.31000	1
01/31/1996		0.70000	1
02/20/1996		0.48000	1
05/01/1996		0.30000	0
08/14/1996		0.16000	0
11/21/1996		1.30000	1
01/08/1997		0.28000	0
02/11/1997		0.18000	0
08/12/1997		0.46000	0
12/17/1997		1.50000	0
12/17/1997		1.10000	0
01/29/1998		0.71000	1
02/03/1998		0.46000	1
03/25/1998		0.75000	1
05/19/1998		0.53000	0
08/20/1998		0.16000	0
12/10/1998		0.85000	0
01/25/1999		2.60000	1
04/07/1999		0.79000	1
05/12/1999		0.25000	0
08/30/1999		0.24000	0
12/09/1999		0.22000	0
02/12/2000		1.00000	1
02/23/2000		1.10000	1
04/05/2000		0.46000	0
04/18/2000		1.50000	1
08/17/2000		0.30000	0
01/22/2001		0.45000	0
05/09/2001		0.30000	0
08/20/2001		0.05000	0
01/15/2002		0.14000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1485 Phosphorus, total (P) in mg/l
Raw Data

Date	Flag	Value	Wet
04/25/2002	<	0.05000	0
01/21/2003		0.39000	0
02/11/2003		0.57000	1
02/25/2003		0.48000	1
03/11/2003		0.18000	0
04/14/2003		1.40000	1
05/22/2003		0.43000	0
07/22/2003		0.15000	0
10/30/2003		0.29000	0
01/27/2004		0.93000	0
02/18/2004		0.73000	1
02/22/2004		1.20000	1
03/02/2004		3.40000	1
03/23/2004		1.10000	0
07/15/2004		0.88000	0
10/20/2004		2.60000	1
12/28/2004		3.40000	1
01/26/2005		4.60000	1
03/30/2005		1.20000	0
06/13/2005		0.58000	0
02/09/2006		0.92000	0
02/27/2006		1.60000	1
03/28/2006		4.00000	1
04/04/2006		1.20000	1
05/30/2006		0.72000	0
08/23/2006		0.49000	0
12/07/2006		0.47000	0
04/20/2007		0.88000	1
05/15/2007		0.10000	0
09/26/2007		0.08000	0
12/07/2007		1.50000	1
01/05/2008		3.60000	1
01/27/2008		1.00000	1
03/20/2008		0.41000	0
06/24/2008		0.30000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1485 Phosphorus, total (P) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1991/92	5	0	3	0.240	0.332	0.470	0.560	0.708	0.570	1.248	1.700	0.83738
1992/93	10	0	7	0.350	0.485	0.600	1.300	2.015	2.500	5.010	6.000	0.89109
1993/94	7	1	3	0.000	0.180	0.400	0.500	0.543	0.700	0.920	1.100	0.96850
1994/95	6	0	3	0.050	0.125	0.200	0.725	0.600	0.900	0.950	1.000	0.96396
1995/96	6	0	3	0.300	0.305	0.310	0.335	0.410	0.480	0.590	0.700	0.86633
1996/97	4	0	1	0.160			0.230	0.480			1.300	
1997/98	7	0	3	0.460	0.460	0.495	0.710	0.787	0.925	1.260	1.500	0.92365
1998/99	5	0	2	0.160	0.196	0.250	0.790	0.930	0.850	1.900	2.600	0.88087
1999/0	6	0	3	0.220	0.230	0.240	0.730	0.753	1.100	1.300	1.500	0.97124
2000/1	3	0	0	0.300			0.300	0.350			0.450	
2001/2	3	1	0	0.000			0.050	0.063			0.140	
2002/3	6	0	3	0.180	0.285	0.390	0.455	0.575	0.570	0.985	1.400	0.84242
2003/4	7	0	3	0.150	0.234	0.510	0.930	1.114	1.150	2.080	3.400	0.85146
2004/5	6	0	3	0.580	0.730	0.880	1.900	2.210	3.400	4.000	4.600	0.97364
2005/6	5	0	3	0.720	0.800	0.920	1.200	1.688	1.600	3.040	4.000	0.85814
2006/7	4	0	1	0.100			0.480	0.485			0.880	
2007/8	6	0	3	0.080	0.190	0.300	0.705	1.148	1.500	2.550	3.600	0.89004
Overall	96	2	44	0.000	0.170	0.305	0.590	0.971	1.100	2.150	6.000	0.77981

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1490 Phosphorus,total dissolved(P) in mg/l
Raw Data

Date	Flag	Value	Wet
12/05/1995		0.32000	0
01/22/1996		0.25000	1
01/31/1996		0.24000	1
02/20/1996		0.36000	1
05/01/1996		0.25000	0
08/14/1996		0.13000	0
11/21/1996		0.35000	1
01/08/1997		0.28000	0
02/11/1997		0.13000	0
08/12/1997		0.28000	0
12/17/1997		0.28000	0
12/17/1997		0.35000	0
01/29/1998		0.19000	1
02/03/1998		0.28000	1
03/25/1998		0.48000	1
05/19/1998		0.09000	0
08/20/1998		0.14000	0
12/10/1998		0.49000	0
01/25/1999		0.25000	1
04/07/1999		0.53000	1
05/12/1999		0.24000	0
08/30/1999		0.18000	0
12/09/1999		0.22000	0
02/12/2000		0.22000	1
02/23/2000		0.69000	1
04/05/2000		0.34000	0
04/18/2000		0.95000	1
08/17/2000	<	0.05000	0
01/22/2001		0.28000	0
05/09/2001		0.20000	0
08/20/2001	<	0.05000	0
01/15/2002		0.14000	0
04/25/2002		0.06000	0
01/21/2003		0.14000	0
02/11/2003		0.20000	1
02/25/2003		0.14000	1
03/11/2003	<	0.05000	0
04/14/2003		0.40000	1
05/22/2003		0.22000	0
07/22/2003		0.10000	0
10/30/2003		0.12000	0
01/27/2004		0.17000	0
02/18/2004		0.22000	1
02/22/2004		0.14000	1
03/02/2004		0.23000	1
03/23/2004		0.17000	0
07/15/2004		0.20000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1490 Phosphorus,total dissolved(P) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1995/96	5	0	3	0.240	0.244	0.250	0.250	0.284	0.320	0.344	0.360	0.92138
1996/97	4	0	1	0.130			0.205	0.223			0.350	
1997/98	7	0	3	0.090	0.150	0.235	0.280	0.279	0.315	0.402	0.480	0.94342
1998/99	5	0	2	0.140	0.180	0.240	0.250	0.330	0.490	0.514	0.530	0.95551
1999/0	6	0	3	0.180	0.200	0.220	0.280	0.433	0.690	0.820	0.950	0.91237
2000/1	3	1	0	0.000			0.200	0.160			0.280	
2001/2	3	1	0	0.000			0.060	0.067			0.140	
2002/3	6	1	3	0.000	0.070	0.140	0.170	0.183	0.220	0.310	0.400	0.93777
2003/4	7	0	3	0.100	0.112	0.130	0.170	0.164	0.195	0.224	0.230	0.98425
2004/5	1	0	0	0.200			0.200	0.200			0.200	
Overall	47	3	18	0.000	0.096	0.140	0.220	0.248	0.280	0.432	0.950	0.86366

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1495 Phosphorus,total insoluble(P) in mg/l
Raw Data

Date	Flag	Value	Wet
12/05/1995	<	0.05000	0
01/22/1996		0.06000	1
01/31/1996		0.46000	1
02/20/1996		0.12000	1
05/01/1996		0.05000	0
08/14/1996	<	0.05000	0
11/21/1996		0.96000	1
01/08/1997	<	0.05000	0
02/11/1997		0.05000	0
08/12/1997		0.18000	0
12/17/1997		1.20000	0
12/17/1997		0.74000	0
01/29/1998		0.52000	1
02/03/1998		0.18000	1
03/25/1998		0.27000	1
05/19/1998		0.44000	0
08/20/1998	<	0.05000	0
12/10/1998		0.37000	0
01/25/1999		2.40000	1
04/07/1999		0.26000	1
05/12/1999	<	0.05000	0
08/30/1999		0.05000	0
12/09/1999	<	0.05000	0
02/12/2000		0.82000	1
02/23/2000		0.41000	1
04/05/2000		0.12000	0
04/18/2000		0.57000	1
08/17/2000		0.26000	0
01/22/2001		0.17000	0
05/09/2001		0.09000	0
08/20/2001	<	0.05000	0
01/15/2002	<	0.05000	0
04/25/2002	<	0.05000	0
01/21/2003		0.25000	0
02/11/2003		0.37000	1
02/25/2003		0.34000	1
03/11/2003		0.13000	0
04/14/2003		1.00000	1
05/22/2003		0.21000	0
07/22/2003	<	0.05000	0
10/30/2003		0.16000	0
01/27/2004		0.76000	0
02/18/2004		0.51000	1
02/22/2004		1.00000	1
03/02/2004		3.10000	1
03/23/2004		0.98000	0
07/15/2004		0.68000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1495 Phosphorus,total insoluble(P) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1995/96	5	1	3	0.000	0.020	0.050	0.060	0.138	0.120	0.324	0.460	0.84618
1996/97	4	2	1	0.000			0.025	0.253			0.960	
1997/98	7	0	3	0.180	0.180	0.225	0.440	0.504	0.630	0.924	1.200	0.93069
1998/99	5	2	2	0.000	0.000	0.000	0.260	0.606	0.370	1.588	2.400	0.80464
1999/0	6	1	3	0.000	0.025	0.050	0.265	0.328	0.570	0.695	0.820	0.97184
2000/1	3	0	0	0.090			0.170	0.173			0.260	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	0	3	0.130	0.170	0.210	0.295	0.383	0.370	0.685	1.000	0.83638
2003/4	7	1	3	0.000	0.096	0.335	0.760	0.930	0.990	1.840	3.100	0.85672
2004/5	1	0	0	0.680			0.680	0.680			0.680	
Overall	47	10	18	0.000	0.000	0.050	0.250	0.431	0.545	0.988	3.100	0.77391

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1500 Potassium in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		6.00000	0
01/03/1991		5.00000	1
02/27/1991		6.00000	1
11/27/1991		7.00000	0
01/03/1992		6.00000	1
02/11/1992		3.00000	1
03/27/1992		4.00000	1
06/23/1992		5.00000	0
12/07/1992		5.00000	1
12/16/1992		9.00000	0
12/30/1992		5.00000	1
01/13/1993		8.00000	1
02/08/1993		4.00000	1
02/19/1993		5.00000	1
03/23/1993		8.00000	0
03/29/1993		5.00000	1
06/07/1993		5.00000	1
06/24/1993		5.00000	0
09/15/1993		8.00000	0
12/22/1993		5.00000	0
01/25/1994		7.00000	1
02/18/1994		3.00000	1
03/21/1994		4.00000	1
03/31/1994		7.00000	0
06/15/1994		7.00000	0
09/06/1994		7.00000	0
11/10/1994		6.00000	1
12/12/1994		5.00000	0
01/04/1995		4.00000	1
01/11/1995		4.00000	1
04/24/1995		6.00000	0
08/14/1995		5.00000	0
12/05/1995		5.00000	0
01/22/1996		8.00000	1
01/31/1996		6.00000	1
02/20/1996		5.00000	1
05/01/1996		8.00000	0
08/14/1996		5.00000	0
11/21/1996		8.00000	1
01/08/1997		9.00000	0
02/11/1997		5.00000	0
08/12/1997		5.00000	0
12/17/1997		14.00000	0
12/17/1997		13.00000	0
01/29/1998		7.00000	1
02/03/1998		7.00000	1
03/25/1998		5.00000	1
05/19/1998		11.00000	0
08/20/1998		7.00000	0
12/10/1998		14.00000	0
01/25/1999		24.00000	1
04/07/1999		8.00000	1
05/12/1999		7.00000	0
08/30/1999		5.00000	0
12/09/1999		5.00000	0
02/12/2000		13.00000	1
02/23/2000		12.00000	1
04/05/2000		10.00000	0
04/18/2000		20.00000	1
08/17/2000		5.00000	0
01/22/2001		10.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1500 Potassium in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		6.00000	0
08/20/2001		4.00000	0
01/15/2002		5.00000	0
04/25/2002		3.20000	0
01/21/2003		9.10000	0
02/11/2003		8.10000	1
02/25/2003		8.20000	1
03/11/2003		4.60000	0
04/14/2003		24.00000	1
05/22/2003		9.80000	0
07/22/2003		3.90000	0
10/30/2003		6.50000	0
01/27/2004		14.00000	0
02/18/2004		7.00000	1
02/22/2004		17.00000	1
03/02/2004		67.00000	1
03/23/2004		18.00000	0
07/15/2004		6.60000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1500 Potassium in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	5.000			6.000	5.667			6.000	
1991/92	5	0	3	3.000	3.400	4.000	5.000	5.000	6.000	6.600	7.000	1.00000
1992/93	10	0	7	4.000	4.900	5.000	5.000	5.900	8.000	8.100	9.000	0.85971
1993/94	7	0	3	3.000	3.600	4.500	7.000	5.857	7.000	7.400	8.000	0.95175
1994/95	6	0	3	4.000	4.000	4.000	5.500	5.333	6.000	6.500	7.000	0.97101
1995/96	6	0	3	5.000	5.000	5.000	5.500	6.167	8.000	8.000	8.000	0.90784
1996/97	4	0	1	5.000			6.500	6.750			9.000	
1997/98	7	0	3	5.000	5.000	6.000	7.000	8.857	12.000	13.400	14.000	0.96422
1998/99	5	0	2	7.000	7.000	7.000	8.000	12.000	14.000	20.000	24.000	0.88629
1999/0	6	0	3	5.000	5.000	5.000	11.000	10.833	13.000	16.500	20.000	0.95786
2000/1	3	0	0	5.000			6.000	7.000			10.000	
2001/2	3	0	0	3.200			4.000	4.067			5.000	
2002/3	6	0	3	4.600	6.350	8.100	8.650	10.633	9.800	16.900	24.000	0.81095
2003/4	7	0	3	3.900	5.460	6.750	14.000	19.057	17.500	37.600	67.000	0.78525
2004/5	1	0	0	6.600			6.600	6.600			6.600	
Overall	79	0	36	3.000	4.000	5.000	6.500	8.380	8.150	14.000	67.000	0.60308

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1505 Pyrene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004		0.11000	1
02/27/2006		0.11000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1505 Pyrene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	0	1	0.110			0.110	0.110			0.110	
2005/6	1	0	1	0.110			0.110	0.110			0.110	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	2	4	0.000			0.055	0.055			0.110	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1515 Redox Potential, field in mv
Raw Data

Date	Flag	Value	Wet
12/12/1994		230.00000	0
04/24/1995		135.00000	0
12/28/2004		63.00000	1
01/26/2005		140.00000	1
03/30/2005		196.00000	0
06/13/2005		175.00000	0
08/23/2006		126.00000	0
12/07/2006		202.00000	0
09/26/2007		207.00000	0
06/24/2008		76.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1515 Redox Potential, field in mv

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	2	0	0	135.000			182.500	182.500			230.000	
1995/96	0	0	0									
1996/97	0	0	0									
1997/98	0	0	0									
1998/99	0	0	0									
1999/0	0	0	0									
2000/1	0	0	0									
2001/2	0	0	0									
2002/3	0	0	0									
2003/4	0	0	0									
2004/5	4	0	2	63.000			157.500	143.500			196.000	
2005/6	0	0	0									
2006/7	2	0	0	126.000			164.000	164.000			202.000	
2007/8	2	0	0	76.000			141.500	141.500			207.000	
Overall	10	0	2	63.000	74.700	126.000	157.500	155.000	202.000	209.300	230.000	0.97913

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1516 Ronnel in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1518 Salinity - field in ppt
Raw Data

Date	Flag	Value	Wet
05/12/1999		0.03000	0
08/30/1999		0.05000	0
04/05/2000		0.10000	0
08/17/2000		0.04000	0
01/22/2001		0.05000	0
05/09/2001		0.06000	0
05/09/2001		0.06000	0
08/20/2001		0.04000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1518 Salinity - field in ppt

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1998/99	1	0	0	0.030			0.030	0.030			0.030	
1999/0	2	0	0	0.050			0.075	0.075			0.100	
2000/1	4	0	0	0.040			0.055	0.053			0.060	
2001/2	1	0	0	0.040			0.040	0.040			0.040	
Overall	8	0	0	0.030	0.037	0.040	0.050	0.054	0.060	0.072	0.100	0.88825

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1520 Selenium, Total in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990	<	0.00500	0
01/03/1991	<	0.00500	1
02/27/1991	<	0.00500	1
11/27/1991	<	0.00500	0
01/03/1992	<	0.00500	1
02/11/1992	<	0.00500	1
03/27/1992	<	0.00500	1
06/23/1992	<	0.00500	0
12/07/1992	<	0.00500	1
12/16/1992	<	0.00500	0
12/30/1992	<	0.00500	1
01/13/1993	<	0.00500	1
02/08/1993	<	0.00500	1
02/19/1993	<	0.00500	1
03/23/1993	<	0.00500	0
03/29/1993	<	0.00500	1
06/07/1993	<	0.00500	1
06/24/1993	<	0.00500	0
09/15/1993	<	0.00500	0
12/22/1993	<	0.00500	0
01/25/1994	<	0.00500	1
02/18/1994	<	0.00500	1
03/21/1994	<	0.00500	1
03/31/1994	<	0.00500	0
06/15/1994	<	0.00500	0
09/06/1994	<	0.00500	0
11/10/1994	<	0.00500	1
12/12/1994	<	0.00500	0
01/04/1995	<	0.00500	1
01/11/1995	<	0.00500	1
04/24/1995	<	0.00500	0
08/14/1995	<	0.01000	0
12/05/1995	<	0.00500	0
01/22/1996	<	0.00500	1
01/31/1996	<	0.00500	1
02/20/1996	<	0.00500	1
05/01/1996	<	0.00500	0
08/14/1996	<	0.00500	0
11/21/1996	<	0.00500	1
01/08/1997	<	0.00500	0
02/11/1997	<	0.00500	0
08/12/1997		0.01100	0
12/17/1997		0.00500	0
12/17/1997	<	0.00500	0
01/29/1998	<	0.00500	1
02/03/1998	<	0.00500	1
03/25/1998	<	0.00500	1
05/19/1998	<	0.00500	0
08/20/1998	<	0.00500	0
12/10/1998	<	0.00500	0
01/25/1999	<	0.00500	1
04/07/1999	<	0.00500	1
05/12/1999	<	0.00500	0
08/30/1999	<	0.00500	0
12/09/1999	<	0.00500	0
02/12/2000	<	0.00500	1
02/23/2000	<	0.00500	1
04/05/2000		0.00600	0
04/18/2000	<	0.00500	1
08/17/2000		0.00700	0
01/22/2001		0.00500	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1520 Selenium, Total in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001	<	0.00500	0
08/20/2001	<	0.00500	0
01/15/2002		0.00900	0
04/25/2002	<	0.00500	0
01/21/2003		0.00550	0
02/11/2003	<	0.00500	1
02/25/2003	<	0.00500	1
03/11/2003		0.00570	0
04/14/2003	<	0.00500	1
05/22/2003	<	0.00500	0
07/22/2003	<	0.00500	0
10/30/2003	<	0.00500	0
01/27/2004		0.01000	0
02/18/2004	<	0.00500	1
02/22/2004	<	0.01200	1
03/02/2004	<	0.02500	1
03/23/2004		0.00620	0
07/15/2004		0.00540	0
10/20/2004	<	0.00500	1
12/28/2004		0.00140	1
01/26/2005	<	0.00250	1
03/30/2005		0.00210	0
06/13/2005		0.00410	0
02/09/2006		0.00130	0
02/27/2006	<	0.00500	1
03/28/2006	<	0.00500	1
04/04/2006	<	0.00500	1
05/30/2006	<	0.00250	0
08/23/2006	<	0.00250	0
12/07/2006	<	0.00100	0
04/20/2007		0.00140	1
05/15/2007		0.00200	0
09/26/2007		0.00150	0
12/07/2007		0.00290	1
01/05/2008	<	0.00500	1
01/27/2008	<	0.00100	1
03/20/2008		0.00190	0
06/24/2008		0.00110	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1520 Selenium, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	3	2	0.000			0.000	0.000			0.000	
1991/92	5	5	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1992/93	10	10	7	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1993/94	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1994/95	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1995/96	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1996/97	4	4	1	0.000			0.000	0.000			0.000	
1997/98	7	5	3	0.000	0.000	0.000	0.000	0.002	0.003	0.007	0.011	0.77683
1998/99	5	5	2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1999/0	6	5	3	0.000	0.000	0.000	0.000	0.001	0.000	0.003	0.006	0.65465
2000/1	3	1	0	0.000			0.005	0.004			0.007	
2001/2	3	2	0	0.000			0.000	0.003			0.009	
2002/3	6	4	3	0.000	0.000	0.000	0.000	0.002	0.006	0.006	0.006	0.83158
2003/4	7	5	3	0.000	0.000	0.000	0.000	0.002	0.003	0.008	0.010	0.79751
2004/5	6	2	3	0.000	0.000	0.000	0.002	0.002	0.004	0.005	0.005	0.97239
2005/6	5	4	3	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.001	0.00000
2006/7	4	2	1	0.000			0.001	0.001			0.002	
2007/8	6	2	3	0.000	0.000	0.000	0.001	0.001	0.002	0.002	0.003	0.97683
Overall	99	78	46	0.000	0.000	0.000	0.000	0.001	0.000	0.005	0.011	0.62854

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1535 Silver, Total in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990	<	0.01000	0
01/03/1991	<	0.01000	1
02/27/1991	<	0.01000	1
11/27/1991	<	0.01000	0
01/03/1992	<	0.01000	1
02/11/1992	<	0.01000	1
03/27/1992	<	0.01000	1
06/23/1992	<	0.01000	0
12/07/1992	<	0.01000	1
12/16/1992	<	0.01000	0
12/30/1992	<	0.01000	1
01/13/1993	<	0.01000	1
02/08/1993	<	0.01000	1
02/19/1993	<	0.01000	1
03/23/1993	<	0.01000	0
03/29/1993	<	0.01000	1
06/07/1993	<	0.01000	1
06/24/1993	<	0.01000	0
09/15/1993	<	0.01000	0
12/22/1993	<	0.01000	0
01/25/1994	<	0.01000	1
02/18/1994	<	0.01000	1
03/21/1994	<	0.01000	1
03/31/1994	<	0.01000	0
06/15/1994	<	0.01000	0
09/06/1994	<	0.01000	0
11/10/1994	<	0.01000	1
12/12/1994	<	0.01000	0
01/04/1995	<	0.01000	1
01/11/1995	<	0.01000	1
04/24/1995	<	0.01000	0
08/14/1995	<	0.01000	0
12/05/1995	<	0.01000	0
01/22/1996	<	0.01000	1
01/31/1996	<	0.01000	1
02/20/1996	<	0.02000	1
05/01/1996	<	0.01000	0
08/14/1996	<	0.01000	0
11/21/1996	<	0.01000	1
01/08/1997	<	0.01000	0
02/11/1997	<	0.01000	0
08/12/1997	<	0.01000	0
12/17/1997	<	0.01000	0
12/17/1997	<	0.01000	0
01/29/1998	<	0.01000	1
02/03/1998	<	0.01000	1
03/25/1998	<	0.01000	1
05/19/1998	<	0.01000	0
08/20/1998	<	0.01000	0
12/10/1998	<	0.01000	0
01/25/1999	<	0.01000	1
04/07/1999	<	0.01000	1
05/12/1999	<	0.01000	0
08/30/1999	<	0.01000	0
12/09/1999	<	0.01000	0
02/12/2000	<	0.01000	1
02/23/2000	<	0.01000	1
04/05/2000	<	0.01000	0
04/18/2000	<	0.01000	1
08/17/2000	<	0.01000	0
01/22/2001	<	0.01000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1535 Silver, Total in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001	<	0.01000	0
08/20/2001	<	0.01000	0
01/15/2002	<	0.01000	0
04/25/2002	<	0.01000	0
01/21/2003	<	0.01000	0
02/11/2003	<	0.01000	1
02/25/2003	<	0.01000	1
03/11/2003	<	0.01000	0
04/14/2003	<	0.01000	1
05/22/2003	<	0.01000	0
07/22/2003	<	0.01000	0
10/30/2003	<	0.01000	0
01/27/2004	<	0.01000	0
02/18/2004	<	0.01000	1
02/22/2004	<	0.02500	1
03/02/2004	<	0.05000	1
03/23/2004	<	0.01000	0
07/15/2004	<	0.01000	0
10/20/2004	<	0.00120	1
12/28/2004		0.00031	1
01/26/2005	<	0.00062	1
03/30/2005	<	0.00025	0
06/13/2005	<	0.00025	0
02/09/2006	<	0.00025	0
02/27/2006	<	0.00120	1
03/28/2006	<	0.00120	1
04/04/2006	<	0.00120	1
05/30/2006	<	0.00062	0
08/23/2006	<	0.00062	0
12/07/2006	<	0.00025	0
04/20/2007	<	0.00025	1
05/15/2007	<	0.00025	0
09/26/2007	<	0.00025	0
12/07/2007	<	0.00062	1
01/05/2008	<	0.00120	1
01/27/2008	<	0.00025	1
03/20/2008	<	0.00025	0
06/24/2008	<	0.00025	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1535 Silver, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	3	2	0.000			0.000	0.000			0.000	
1991/92	5	5	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1992/93	10	10	7	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1993/94	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1994/95	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1995/96	6	5	3	0.000	0.000	0.000	0.000	0.003	0.000	0.010	0.020	0.65465
1996/97	4	4	1	0.000			0.000	0.000			0.000	
1997/98	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1998/99	5	5	2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
1999/0	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2000/1	3	3	0	0.000			0.000	0.000			0.000	
2001/2	3	3	0	0.000			0.000	0.000			0.000	
2002/3	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2003/4	7	7	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2004/5	6	5	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2005/6	5	5	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2006/7	4	4	1	0.000			0.000	0.000			0.000	
2007/8	6	6	3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Overall	99	97	46	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.020	0.17584

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1536 Simazine in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1540 Sodium in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		60.00000	0
01/03/1991		8.00000	1
02/27/1991		6.00000	1
11/27/1991		60.00000	0
01/03/1992		13.00000	1
02/11/1992		4.00000	1
03/27/1992		27.00000	1
06/23/1992		62.00000	0
12/07/1992		6.00000	1
12/16/1992		112.00000	0
12/30/1992		16.00000	1
01/13/1993		21.00000	1
02/08/1993		11.00000	1
02/19/1993		23.00000	1
03/23/1993		118.00000	0
03/29/1993		34.00000	1
06/07/1993		34.00000	1
06/24/1993		49.00000	0
09/15/1993		61.00000	0
12/22/1993		68.00000	0
01/25/1994		76.00000	1
02/18/1994		6.00000	1
03/21/1994		12.00000	1
03/31/1994		37.00000	0
06/15/1994		47.00000	0
09/06/1994		63.00000	0
11/10/1994		33.00000	1
12/12/1994		57.00000	0
01/04/1995		22.00000	1
01/11/1995		4.00000	1
04/24/1995		59.00000	0
08/14/1995		63.00000	0
12/05/1995		55.00000	0
01/22/1996		53.00000	1
01/31/1996		7.00000	1
02/20/1996		5.00000	1
05/01/1996		64.00000	0
08/14/1996		66.00000	0
11/21/1996		4.00000	1
01/08/1997		75.00000	0
02/11/1997		56.00000	0
08/12/1997		65.00000	0
12/17/1997		110.00000	0
12/17/1997		110.00000	0
01/29/1998		7.00000	1
02/03/1998		4.00000	1
03/25/1998		3.00000	1
05/19/1998		120.00000	0
08/20/1998		71.00000	0
12/10/1998		110.00000	0
01/25/1999		59.00000	1
04/07/1999		53.00000	1
05/12/1999		57.00000	0
08/30/1999		67.00000	0
12/09/1999		61.00000	0
02/12/2000		25.00000	1
02/23/2000		20.00000	1
04/05/2000		94.00000	0
04/18/2000		49.00000	1
08/17/2000		78.00000	0
01/22/2001		100.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1540 Sodium in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		74.00000	0
08/20/2001		73.00000	0
01/15/2002		120.00000	0
04/25/2002		54.00000	0
01/21/2003		120.00000	0
02/11/2003		14.00000	1
02/25/2003		5.70000	1
03/11/2003		66.00000	0
04/14/2003		23.00000	1
05/22/2003		100.00000	0
07/22/2003		64.00000	0
10/30/2003		71.00000	0
01/27/2004		110.00000	0
02/18/2004		15.00000	1
02/22/2004		25.00000	1
03/02/2004		43.00000	1
03/23/2004		110.00000	0
07/15/2004		110.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1540 Sodium in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	6.000			8.000	24.667			60.000	
1991/92	5	0	3	4.000	7.600	13.000	27.000	33.200	60.000	61.200	62.000	0.96607
1992/93	10	0	7	6.000	10.500	16.000	28.500	42.400	49.000	112.600	118.000	0.87968
1993/94	7	0	3	6.000	9.600	24.500	47.000	43.857	64.500	71.200	76.000	0.98410
1994/95	6	0	3	4.000	13.000	22.000	45.000	39.667	59.000	61.000	63.000	0.96316
1995/96	6	0	3	5.000	6.000	7.000	54.000	41.167	63.000	63.500	64.000	0.90102
1996/97	4	0	1	4.000			61.000	50.250			75.000	
1997/98	7	0	3	3.000	3.600	5.500	65.000	59.857	110.000	114.000	120.000	0.94288
1998/99	5	0	2	53.000	54.600	57.000	59.000	70.000	71.000	94.400	110.000	0.86693
1999/0	6	0	3	20.000	22.500	25.000	55.000	52.667	67.000	80.500	94.000	0.98119
2000/1	3	0	0	74.000			78.000	84.000			100.000	
2001/2	3	0	0	54.000			73.000	82.333			120.000	
2002/3	6	0	3	5.700	9.850	14.000	44.500	54.783	100.000	110.000	120.000	0.97219
2003/4	7	0	3	15.000	21.000	34.000	64.000	62.571	90.500	110.000	110.000	0.98258
2004/5	1	0	0	110.000			110.000	110.000			110.000	
Overall	79	0	36	3.000	6.000	20.500	56.000	52.123	71.000	110.000	120.000	0.98127

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1615 Solids, total in mg/l
Raw Data

Date	Flag	Value	Wet
12/05/1995		539.00000	0
01/22/1996		510.00000	1
01/31/1996		590.00000	1
02/20/1996		230.00000	1
05/01/1996		570.00000	0
08/14/1996		640.00000	0
11/21/1996		700.00000	1
01/08/1997		590.00000	0
02/11/1997		460.00000	0
08/12/1997		720.00000	0
12/17/1997		1320.00000	0
12/17/1997		1330.00000	0
01/29/1998		1190.00000	1
02/03/1998		550.00000	1
03/25/1998		470.00000	1
05/19/1998		1320.00000	0
08/20/1998		610.00000	0
12/10/1998		1500.00000	0
01/25/1999		7150.00000	1
04/07/1999		770.00000	1
05/12/1999		760.00000	0
08/30/1999		680.00000	0
12/09/1999		600.00000	0
02/12/2000		770.00000	1
02/23/2000		760.00000	1
04/05/2000		970.00000	0
04/18/2000		1760.00000	1
08/17/2000		750.00000	0
01/22/2001		1190.00000	0
05/09/2001		900.00000	0
08/20/2001		750.00000	0
01/15/2002		870.00000	0
04/25/2002		530.00000	0
01/21/2003		1200.00000	0
02/11/2003		460.00000	1
02/25/2003		430.00000	1
03/11/2003		620.00000	0
04/14/2003		2000.00000	1
05/22/2003		1000.00000	0
07/22/2003		580.00000	0
10/30/2003		690.00000	0
01/27/2004		1600.00000	0
02/18/2004		200.00000	1
02/22/2004		860.00000	1
03/02/2004		2600.00000	1
03/23/2004		1900.00000	0
07/15/2004		1500.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1615 Solids, total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1995/96	5	0	3	230.000	342.000	510.000	539.000	487.800	570.000	582.000	590.000	0.83732
1996/97	4	0	1	460.000			615.000	597.500			700.000	
1997/98	7	0	3	470.000	518.000	635.000	1190.000	985.714	1320.000	1324.000	1330.000	0.93498
1998/99	5	0	2	610.000	670.000	760.000	770.000	2158.000	1500.000	4890.000	7150.000	0.77706
1999/0	6	0	3	600.000	640.000	680.000	765.000	923.333	970.000	1365.000	1760.000	0.83416
2000/1	3	0	0	750.000			900.000	946.667			1190.000	
2001/2	3	0	0	530.000			750.000	716.667			870.000	
2002/3	6	0	3	430.000	445.000	460.000	810.000	951.667	1200.000	1600.000	2000.000	0.93437
2003/4	7	0	3	200.000	428.000	635.000	860.000	1204.286	1750.000	2180.000	2600.000	0.97183
2004/5	1	0	0	1500.000			1500.000	1500.000			1500.000	
Overall	47	0	18	200.000	466.000	585.000	750.000	1035.936	1195.000	1664.000	7150.000	0.63522

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1620 Solids, total dissolved(FdMtr) in mg/l
Raw Data

Date	Flag	Value	Wet
03/23/1993		1030.00000	0
06/24/1993		454.00000	0
12/28/2004		200.00000	1
01/26/2005		390.00000	1
03/30/2005		1000.00000	0
06/13/2005		800.00000	0
08/23/2006		360.00000	0
12/07/2006		290.00000	0
09/26/2007		0.60000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1620 Solids, total dissolved(FdMtr) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1992/93	2	0	0	454.000			742.000	742.000			1030.000	
1993/94	0	0	0									
1994/95	0	0	0									
1995/96	0	0	0									
1996/97	0	0	0									
1997/98	0	0	0									
1998/99	0	0	0									
1999/0	0	0	0									
2000/1	0	0	0									
2001/2	0	0	0									
2002/3	0	0	0									
2003/4	0	0	0									
2004/5	4	0	2	200.000			595.000	597.500			1000.000	
2005/6	0	0	0									
2006/7	2	0	0	290.000			325.000	325.000			360.000	
2007/8	1	0	0	0.600			0.600	0.600			0.600	
Overall	9	0	2	0.600	160.120	290.000	390.000	502.733	800.000	1006.000	1030.000	0.96696

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1625 Solids, total dissolved(resdu) in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		505.00000	0
01/03/1991		160.00000	1
02/27/1991		85.00000	1
11/27/1991		490.00000	0
01/03/1992		145.00000	1
02/11/1992		70.00000	1
03/27/1992		255.00000	1
06/23/1992		650.00000	0
12/07/1992		100.00000	1
12/16/1992		722.00000	0
12/30/1992		160.00000	1
01/13/1993		275.00000	1
02/08/1993		195.00000	1
02/19/1993		245.00000	1
03/23/1993		960.00000	0
03/29/1993		285.00000	1
06/07/1993		330.00000	1
06/24/1993		405.00000	0
09/15/1993		515.00000	0
12/22/1993		645.00000	0
01/25/1994		725.00000	1
02/18/1994		90.00000	1
03/21/1994		125.00000	1
03/31/1994		360.00000	0
06/15/1994		390.00000	0
09/06/1994		550.00000	0
11/10/1994		340.00000	1
12/12/1994		505.00000	0
01/04/1995		230.00000	1
01/11/1995		85.00000	1
04/24/1995		545.00000	0
08/14/1995		570.00000	0
12/05/1995		458.00000	0
01/22/1996		380.00000	1
01/31/1996		95.00000	1
02/20/1996		63.00000	1
05/01/1996		540.00000	0
08/14/1996		560.00000	0
11/21/1996		120.00000	1
01/08/1997		570.00000	0
02/11/1997		440.00000	0
08/12/1997		540.00000	0
12/17/1997		810.00000	0
12/17/1997		810.00000	0
01/29/1998		89.00000	1
02/03/1998		76.00000	1
03/25/1998		42.00000	1
05/19/1998		860.00000	0
08/20/1998		600.00000	0
12/10/1998		790.00000	0
01/25/1999		500.00000	1
04/07/1999		490.00000	1
05/12/1999		500.00000	0
08/30/1999		600.00000	0
12/09/1999		580.00000	0
02/12/2000		250.00000	1
02/23/2000		170.00000	1
04/05/2000		710.00000	0
04/18/2000		440.00000	1
08/17/2000		680.00000	0
01/22/2001		800.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1625 Solids, total dissolved(resdu) in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		700.00000	0
08/20/2001		650.00000	0
01/15/2002		740.00000	0
04/25/2002		480.00000	0
01/21/2003		950.00000	0
02/11/2003		160.00000	1
02/25/2003		84.00000	1
03/11/2003		520.00000	0
04/14/2003		220.00000	1
05/22/2003		780.00000	0
07/22/2003		530.00000	0
10/30/2003		490.00000	0
01/27/2004		800.00000	0
02/18/2004		160.00000	1
02/22/2004		310.00000	1
03/02/2004		410.00000	1
03/23/2004		930.00000	0
07/15/2004		840.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1625 Solids, total dissolved(resdu) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	85.000			160.000	250.000			505.000	
1991/92	5	0	3	70.000	100.000	145.000	255.000	322.000	490.000	586.000	650.000	0.98148
1992/93	10	0	7	100.000	154.000	195.000	280.000	367.700	405.000	745.800	960.000	0.88397
1993/94	7	0	3	90.000	111.000	242.500	390.000	407.143	580.000	677.000	725.000	0.98752
1994/95	6	0	3	85.000	157.500	230.000	422.500	375.833	545.000	547.500	550.000	0.96034
1995/96	6	0	3	63.000	79.000	95.000	419.000	351.000	540.000	555.000	570.000	0.95440
1996/97	4	0	1	120.000			500.000	422.500			570.000	
1997/98	7	0	3	42.000	62.400	82.500	540.000	461.000	810.000	830.000	860.000	0.94006
1998/99	5	0	2	490.000	494.000	500.000	500.000	576.000	600.000	714.000	790.000	0.86611
1999/0	6	0	3	170.000	210.000	250.000	510.000	458.333	600.000	655.000	710.000	0.98001
2000/1	3	0	0	680.000			700.000	726.667			800.000	
2001/2	3	0	0	480.000			650.000	623.333			740.000	
2002/3	6	0	3	84.000	122.000	160.000	370.000	452.333	780.000	865.000	950.000	0.97365
2003/4	7	0	3	160.000	250.000	360.000	490.000	518.571	665.000	852.000	930.000	0.97901
2004/5	1	0	0	840.000			840.000	840.000			840.000	
Overall	79	0	36	42.000	89.800	207.500	490.000	443.405	622.500	800.000	960.000	0.99318

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1630 Solids, total suspended(resdu) in mg/l
Raw Data

Date	Flag	Value	Wet
11/27/1991		25.00000	0
01/03/1992		30.00000	1
02/11/1992		135.00000	1
03/27/1992		1180.00000	1
06/23/1992		30.00000	0
12/07/1992		575.00000	1
12/16/1992		10.00000	0
12/30/1992		610.00000	1
01/13/1993		1850.00000	1
02/08/1993		1590.00000	1
02/19/1993		1070.00000	1
03/23/1993		790.00000	0
03/29/1993		505.00000	1
06/07/1993		590.00000	1
06/24/1993		25.00000	0
09/15/1993		315.00000	0
12/22/1993	<	5.00000	0
01/25/1994		250.00000	1
02/18/1994		210.00000	1
03/21/1994		150.00000	1
03/31/1994		15.00000	0
06/15/1994	<	5.00000	0
09/06/1994	<	5.00000	0
11/10/1994		230.00000	1
12/12/1994		25.00000	0
01/04/1995		460.00000	1
01/11/1995		480.00000	1
04/24/1995		325.00000	0
08/14/1995	<	5.00000	0
12/05/1995		67.00000	0
01/22/1996		110.00000	1
01/31/1996		410.00000	1
02/20/1996		160.00000	1
05/01/1996	<	5.00000	0
08/14/1996		18.00000	0
11/21/1996		590.00000	1
01/08/1997	<	5.00000	0
02/11/1997		7.00000	0
08/12/1997		100.00000	0
12/17/1997		500.00000	0
12/17/1997		500.00000	0
01/29/1998		1100.00000	1
02/03/1998		380.00000	1
03/25/1998		230.00000	1
05/19/1998		250.00000	0
08/20/1998		12.00000	0
12/10/1998		640.00000	0
01/25/1999		4780.00000	1
04/07/1999		260.00000	1
05/12/1999		200.00000	0
08/30/1999		43.00000	0
12/09/1999		27.00000	0
02/12/2000		690.00000	1
02/23/2000		600.00000	1
04/05/2000		240.00000	0
04/18/2000		1510.00000	1
08/17/2000		8.00000	0
01/22/2001		360.00000	0
05/09/2001		180.00000	0
08/20/2001		42.00000	0
01/15/2002		7.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1630 Solids, total suspended(resdu) in mg/l
Raw Data

Date	Flag	Value	Wet
04/25/2002		40.00000	0
01/21/2003		250.00000	0
02/11/2003		310.00000	1
02/25/2003		380.00000	1
03/11/2003		120.00000	0
04/14/2003		2000.00000	1
05/22/2003		170.00000	0
07/22/2003		23.00000	0
10/30/2003		120.00000	0
01/27/2004		690.00000	0
02/18/2004		340.00000	1
02/22/2004		730.00000	1
03/02/2004		3500.00000	1
03/23/2004		1500.00000	0
07/15/2004		670.00000	0
10/20/2004		1500.00000	1
12/28/2004		3500.00000	1
01/26/2005		2100.00000	1
03/30/2005		730.00000	0
06/13/2005		220.00000	0
02/09/2006		430.00000	0
02/27/2006		580.00000	1
03/28/2006		3200.00000	1
04/04/2006		680.00000	1
05/30/2006		260.00000	0
08/23/2006		180.00000	0
12/07/2006	<	5.00000	0
04/20/2007		210.00000	1
05/15/2007		53.00000	0
09/26/2007	<	5.00000	0
12/07/2007		1600.00000	1
01/05/2008		2000.00000	1
01/27/2008		440.00000	1
03/20/2008		150.00000	0
06/24/2008		12.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1630 Solids, total suspended(resdu) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1991/92	5	0	3	25.000	27.000	30.000	30.000	280.000	135.000	762.000	1180.000	0.75578
1992/93	10	0	7	10.000	23.500	505.000	600.000	761.500	1070.000	1616.000	1850.000	0.95006
1993/94	7	2	3	0.000	0.000	7.500	150.000	134.286	230.000	276.000	315.000	0.96891
1994/95	6	1	3	0.000	12.500	25.000	277.500	253.333	460.000	470.000	480.000	0.97707
1995/96	6	2	3	0.000	0.000	0.000	88.500	124.500	160.000	285.000	410.000	0.89798
1996/97	4	1	1	0.000			12.500	153.750			590.000	
1997/98	7	0	3	100.000	178.000	240.000	380.000	437.143	500.000	740.000	1100.000	0.89381
1998/99	5	0	2	12.000	87.200	200.000	260.000	1178.400	640.000	3124.000	4780.000	0.77846
1999/0	6	0	3	27.000	35.000	43.000	420.000	518.333	690.000	1100.000	1510.000	0.92847
2000/1	3	0	0	8.000			180.000	182.667			360.000	
2001/2	3	0	0	7.000			40.000	29.667			42.000	
2002/3	6	0	3	120.000	145.000	170.000	280.000	538.333	380.000	1190.000	2000.000	0.74685
2003/4	7	0	3	23.000	81.200	230.000	690.000	986.143	1115.000	2300.000	3500.000	0.86361
2004/5	6	0	3	220.000	445.000	670.000	1115.000	1453.333	2100.000	2800.000	3500.000	0.95148
2005/6	5	0	3	260.000	328.000	430.000	580.000	1030.000	680.000	2192.000	3200.000	0.79225
2006/7	4	1	1	0.000			116.500	110.750			210.000	
2007/8	6	1	3	0.000	6.000	12.000	295.000	700.333	1600.000	1800.000	2000.000	0.91898
Overall	96	8	44	0.000	7.500	41.000	250.000	564.417	625.000	1550.000	4780.000	0.75264

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1633 Stirofos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1640 Sulfate (SO4) in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		98.00000	0
01/03/1991		16.00000	1
02/27/1991		12.00000	1
11/27/1991		100.00000	0
01/03/1992		16.00000	1
02/11/1992		5.00000	1
03/27/1992		40.00000	1
06/23/1992		110.00000	0
12/07/1992		16.00000	1
12/16/1992		150.00000	0
12/30/1992		24.00000	1
01/13/1993		30.00000	1
02/08/1993		18.00000	1
02/19/1993		37.00000	1
03/23/1993		210.00000	0
03/29/1993		51.00000	1
06/07/1993		67.00000	1
06/24/1993		92.00000	0
09/15/1993		110.00000	0
12/22/1993		130.00000	0
01/25/1994		97.00000	1
02/18/1994		7.00000	1
03/21/1994		22.00000	1
03/31/1994		57.00000	0
06/15/1994		81.00000	0
09/06/1994		110.00000	0
11/10/1994		72.00000	1
12/12/1994		120.00000	0
01/04/1995		37.00000	1
01/11/1995		5.00000	1
04/24/1995		91.00000	0
08/14/1995		83.00000	0
12/05/1995		97.00000	0
01/22/1996		70.00000	1
01/31/1996		8.00000	1
02/20/1996		6.90000	1
05/01/1996		99.00000	0
08/14/1996		93.00000	0
11/21/1996		6.30000	1
01/08/1997		92.00000	0
02/11/1997		77.00000	0
08/12/1997		86.00000	0
12/17/1997		140.00000	0
12/17/1997		140.00000	0
01/29/1998		7.30000	1
02/03/1998		3.80000	1
03/25/1998		4.10000	1
05/19/1998		140.00000	0
08/20/1998		100.00000	0
12/10/1998		120.00000	0
01/25/1999		61.00000	1
04/07/1999		60.00000	1
05/12/1999		68.00000	0
08/30/1999		81.00000	0
12/09/1999		90.00000	0
02/12/2000		28.00000	1
02/23/2000		22.00000	1
04/05/2000		120.00000	0
04/18/2000		67.00000	1
08/17/2000		100.00000	0
01/22/2001		120.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1640 Sulfate (SO4) in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		110.00000	0
08/20/2001		97.00000	0
01/15/2002		140.00000	0
04/25/2002		130.00000	0
01/21/2003		150.00000	0
02/11/2003		18.00000	1
02/25/2003		5.00000	1
03/11/2003		130.00000	0
04/14/2003		23.00000	1
05/22/2003		140.00000	0
07/22/2003		91.00000	0
10/30/2003		94.00000	0
01/27/2004		140.00000	0
02/18/2004		21.00000	1
02/22/2004		30.00000	1
03/02/2004		37.00000	1
03/23/2004		140.00000	0
07/15/2004		110.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1640 Sulfate (SO4) in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	12.000			16.000	42.000			98.000	
1991/92	5	0	3	5.000	9.400	16.000	40.000	54.200	100.000	106.000	110.000	0.96444
1992/93	10	0	7	16.000	17.800	24.000	44.000	69.500	92.000	156.000	210.000	0.89385
1993/94	7	0	3	7.000	16.000	39.500	81.000	72.000	103.500	118.000	130.000	0.99026
1994/95	6	0	3	5.000	21.000	37.000	81.500	72.500	110.000	115.000	120.000	0.98051
1995/96	6	0	3	6.900	7.450	8.000	76.500	60.650	97.000	98.000	99.000	0.93087
1996/97	4	0	1	6.300			84.500	67.075			93.000	
1997/98	7	0	3	3.800	3.980	5.700	86.000	74.457	140.000	140.000	140.000	0.92706
1998/99	5	0	2	60.000	60.400	61.000	68.000	81.800	100.000	112.000	120.000	0.93549
1999/0	6	0	3	22.000	25.000	28.000	74.000	68.000	90.000	105.000	120.000	0.98055
2000/1	3	0	0	100.000			110.000	110.000			120.000	
2001/2	3	0	0	97.000			130.000	122.333			140.000	
2002/3	6	0	3	5.000	11.500	18.000	76.500	77.667	140.000	145.000	150.000	0.93040
2003/4	7	0	3	21.000	26.400	33.500	91.000	79.000	117.000	140.000	140.000	0.96738
2004/5	1	0	0	110.000			110.000	110.000			110.000	
Overall	79	0	36	3.800	7.240	23.500	81.000	73.765	110.000	140.000	210.000	0.98427

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1651 Sulfotepp in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1655 Temperature, field-Centigrade
Raw Data

Date	Flag	Value	Wet
09/06/1994		23.90000	0
12/12/1994		14.40000	0
04/24/1995		20.90000	0
08/14/1995		22.50000	0
12/05/1995		20.70000	0
05/01/1996		19.00000	0
08/14/1996		23.60000	0
01/08/1997		12.80000	0
02/11/1997		13.60000	0
08/12/1997		23.50000	0
12/17/1997		13.20000	0
12/17/1997		13.20000	0
05/12/1999		19.70000	0
08/30/1999		21.00000	0
12/09/1999		17.00000	0
04/05/2000		17.00000	0
08/17/2000		22.30000	0
01/22/2001		12.80000	0
05/09/2001		22.00000	0
05/09/2001		22.00000	0
08/20/2001		22.50000	0
04/14/2003		17.20000	1
05/22/2003		21.30000	0
07/22/2003		23.40000	0
10/30/2003		19.90000	0
01/27/2004		14.20000	0
02/18/2004		14.10000	1
02/22/2004		14.60000	1
03/02/2004		10.70000	1
03/23/2004		19.30000	0
07/15/2004		23.40000	0
12/28/2004		13.50000	1
01/26/2005		16.10000	1
03/30/2005		17.40000	0
06/13/2005		21.80000	0
02/09/2006		13.80000	0
02/27/2006		13.80000	1
03/28/2006		14.40000	1
04/04/2006		16.30000	1
05/30/2006		22.30000	0
08/23/2006		22.00000	0
12/07/2006		14.20000	0
04/20/2007		16.00000	1
05/15/2007		20.00000	0
09/26/2007		21.80000	0
12/07/2007		15.30000	1
01/05/2008		12.50000	1
01/27/2008		12.60000	1
03/20/2008		15.40000	0
06/24/2008		21.50000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1655 Temperature, field-Centigrade

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	3	0	0	14.400			20.900	19.733			23.900	
1995/96	3	0	0	19.000			20.700	20.733			22.500	
1996/97	3	0	0	12.800			13.600	16.667			23.600	
1997/98	3	0	0	13.200			13.200	16.633			23.500	
1998/99	1	0	0	19.700			19.700	19.700			19.700	
1999/0	3	0	0	17.000			17.000	18.333			21.000	
2000/1	4	0	0	12.800			22.000	19.775			22.300	
2001/2	1	0	0	22.500			22.500	22.500			22.500	
2002/3	2	0	1	17.200			19.250	19.250			21.300	
2003/4	7	0	3	10.700	12.740	14.150	14.600	16.600	19.600	21.300	23.400	0.96472
2004/5	5	0	2	13.500	14.540	16.100	17.400	18.440	21.800	22.760	23.400	0.98624
2005/6	5	0	3	13.800	13.800	13.800	14.400	16.120	16.300	19.900	22.300	0.85556
2006/7	4	0	1	14.200			18.000	18.050			22.000	
2007/8	6	0	3	12.500	12.550	12.600	15.350	16.517	21.500	21.650	21.800	0.93956
Overall	50	0	13	10.700	13.160	14.200	17.300	17.928	21.800	22.590	23.900	0.98795

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1660 Temperature, field-Fahrenheit
Raw Data

Date	Flag	Value	Wet
03/23/1993		63.10000	0
06/24/1993		71.00000	0
09/15/1993		71.70000	0
12/22/1993		58.00000	0
03/31/1994		66.00000	0
06/15/1994		68.00000	0
11/21/1996		65.00000	1
01/08/1997		55.00000	0
03/25/1998		56.00000	1
05/19/1998		56.00000	0
08/20/1998		66.00000	0
12/10/1998		46.00000	0
01/25/1999		52.00000	1
04/07/1999		58.00000	1
04/18/2000		62.00000	1
01/15/2002		57.00000	0
04/25/2002		69.80000	0
01/21/2003		59.00000	0
02/11/2003		56.00000	1
02/25/2003		50.00000	1
03/11/2003		69.60000	0
10/20/2004		60.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1660 Temperature, field-Fahrenheit

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1992/93	2	0	0	63.100			67.050	67.050			71.000	
1993/94	4	0	0	58.000			67.000	65.925			71.700	
1994/95	0	0	0									
1995/96	0	0	0									
1996/97	2	0	1	55.000			60.000	60.000			65.000	
1997/98	2	0	1	56.000			56.000	56.000			56.000	
1998/99	4	0	2	46.000			55.000	55.500			66.000	
1999/0	1	0	1	62.000			62.000	62.000			62.000	
2000/1	0	0	0									
2001/2	2	0	0	57.000			63.400	63.400			69.800	
2002/3	4	0	2	50.000			57.500	58.650			69.600	
2003/4	0	0	0									
2004/5	1	0	1	60.000			60.000	60.000			60.000	
Overall	22	0	8	46.000	52.300	56.000	59.500	60.691	66.000	69.780	71.700	0.98558

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1661 Tetrachloroethene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1661 Tetrachloroethene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1662 TEPP in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1663 Terbufos in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1665 Thallium, Total in mg/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.00500	1
02/27/2006	<	0.00500	1
04/20/2007	<	0.00100	1
12/07/2007	<	0.00250	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1665 Thallium, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1671 Toluene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1671 Toluene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1672 Thionazin in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1673 Tokuthion in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1675 Total Anions in me/l
Raw Data

Date	Flag	Value	Wet
08/23/1990		8.30000	0
11/27/1991		8.25000	0
01/03/1992		1.76000	1
06/23/1992		9.79000	0
09/06/1994		9.08000	0
11/10/1994		5.00000	1
12/12/1994		8.65000	0
01/04/1995		3.07000	1
01/11/1995		0.79000	1
04/24/1995		8.94000	0
08/14/1995		8.97000	0
12/05/1995		7.75000	0
01/22/1996		5.99000	1
01/31/1996		1.04000	1
02/20/1996		1.47000	1
05/01/1996		8.59000	0
08/14/1996		9.10000	0
11/21/1996		1.01000	1
01/08/1997		9.07000	0
02/11/1997		7.04000	0
08/12/1997		9.06000	0
12/17/1997		13.70000	0
12/17/1997		13.65000	0
01/29/1998		1.10000	1
02/03/1998		0.67000	1
03/25/1998		0.65000	1
05/19/1998		13.85000	0
08/20/1998		9.25000	0
12/10/1998		13.10000	0
01/25/1999		7.60000	1
04/07/1999		7.38000	1
05/12/1999		7.82000	0
08/30/1999		9.49000	0
12/09/1999		9.53000	0
02/12/2000		2.58000	1
02/23/2000		2.31000	1
04/05/2000		11.71000	0
04/18/2000		6.47000	1
08/17/2000		11.36000	0
01/22/2001		12.48000	0
05/09/2001		10.43000	0
08/20/2001		10.51000	0
01/15/2002		13.52000	0
04/25/2002		8.15000	0
01/21/2003		14.90000	0
02/11/2003		1.88000	1
02/25/2003		0.79000	1
03/11/2003		8.26000	0
04/14/2003		2.70000	1
05/22/2003		13.00000	0
07/22/2003		8.29000	0
10/30/2003		7.97000	0
01/27/2004		13.30000	0
02/18/2004		2.09000	1
02/22/2004		3.22000	1
03/02/2004		4.14000	1
03/23/2004		13.70000	0
07/15/2004	<	0.05000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1675 Total Anions in me/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	1	0	0	8.300			8.300	8.300			8.300	
1991/92	3	0	1	1.760			8.250	6.600			9.790	
1992/93	0	0	0									
1993/94	0	0	0									
1994/95	6	0	3	0.790	1.930	3.070	6.825	5.922	8.940	9.010	9.080	0.95310
1995/96	6	0	3	1.040	1.255	1.470	6.870	5.635	8.590	8.780	8.970	0.94586
1996/97	4	0	1	1.010			8.055	6.555			9.100	
1997/98	7	0	3	0.650	0.662	0.885	9.060	7.526	13.675	13.760	13.850	0.92823
1998/99	5	0	2	7.380	7.468	7.600	7.820	9.030	9.250	11.560	13.100	0.86606
1999/0	6	0	3	2.310	2.445	2.580	7.980	7.015	9.530	10.620	11.710	0.96785
2000/1	3	0	0	10.430			11.360	11.423			12.480	
2001/2	3	0	0	8.150			10.510	10.727			13.520	
2002/3	6	0	3	0.790	1.335	1.880	5.480	6.922	13.000	13.950	14.900	0.96660
2003/4	7	0	3	2.090	2.768	3.680	7.970	7.530	10.795	13.460	13.700	0.97354
2004/5	1	1	0	0.000			0.000	0.000			0.000	
Overall	58	1	22	0.000	1.031	2.700	8.255	7.315	9.790	13.366	14.900	0.98242

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1680 Total Cations
Raw Data

Date	Flag	Value	Wet
08/23/1990		8.55000	0
11/27/1991		8.12000	0
01/03/1992		2.06000	1
06/23/1992		9.88000	0
09/06/1994		9.24000	0
11/10/1994		5.33000	1
12/12/1994		8.19000	0
01/04/1995		3.74000	1
01/11/1995		1.69000	1
04/24/1995		8.78000	0
08/14/1995		8.69000	0
12/05/1995		7.40000	0
01/22/1996		6.34000	1
01/31/1996		1.63000	1
02/20/1996		1.20000	1
05/01/1996		8.67000	0
08/14/1996		8.98000	0
11/21/1996		1.80000	1
01/08/1997		9.12000	0
02/11/1997		6.92000	0
08/12/1997		9.27000	0
12/17/1997		15.03000	0
12/17/1997		15.23000	0
01/29/1998		2.13000	1
02/03/1998		1.41000	1
03/25/1998		1.00000	1
05/19/1998		14.17000	0
08/20/1998		9.35000	0
12/10/1998		14.37000	0
01/25/1999		11.34000	1
08/30/1999		10.09000	0
12/09/1999		9.36000	0
02/12/2000		4.47000	1
02/23/2000		3.85000	1
04/05/2000		11.74000	0
04/18/2000		8.94000	1
08/17/2000		11.69000	0
01/22/2001		13.32000	0
05/09/2001		10.86000	0
08/20/2001		10.66000	0
01/15/2002		14.67000	0
04/25/2002		7.83000	0
01/21/2003		15.50000	0
02/11/2003		2.63000	1
02/25/2003		1.78000	1
03/11/2003		8.20000	0
04/14/2003		6.47000	1
05/22/2003		13.20000	0
07/22/2003		8.39000	0
10/30/2003		8.60000	0
01/27/2004		15.40000	0
02/18/2004		2.45000	1
02/22/2004		5.10000	1
03/02/2004		13.80000	1
03/23/2004		15.90000	0
07/15/2004		13.40000	0
04/07/1999		8.11000	1
05/12/1999		8.34000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1680 Total Cations

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	1	0	0	8.550			8.550	8.550			8.550	
1991/92	3	0	1	2.060			8.120	6.687			9.880	
1992/93	0	0	0									
1993/94	0	0	0									
1994/95	6	0	3	1.690	2.715	3.740	6.760	6.162	8.780	9.010	9.240	0.97163
1995/96	6	0	3	1.200	1.415	1.630	6.870	5.655	8.670	8.680	8.690	0.93694
1996/97	4	0	1	1.800			7.950	6.705			9.120	
1997/98	7	0	3	1.000	1.246	1.770	9.270	8.320	14.600	15.110	15.230	0.94706
1998/99	5	0	2	8.110	8.202	8.340	9.350	10.302	11.340	13.158	14.370	0.94127
1999/0	6	0	3	3.850	4.160	4.470	9.150	8.075	10.090	10.915	11.740	0.95191
2000/1	3	0	0	10.860			11.690	11.957			13.320	
2001/2	3	0	0	7.830			10.660	11.053			14.670	
2002/3	6	0	3	1.780	2.205	2.630	7.335	7.963	13.200	14.350	15.500	0.98539
2003/4	7	0	3	2.450	4.040	6.745	8.600	9.949	14.600	15.600	15.900	0.97941
2004/5	1	0	0	13.400			13.400	13.400			13.400	
Overall	58	0	22	1.000	1.794	5.100	8.635	8.351	11.340	14.460	15.900	0.98317

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1681 Toxaphene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1681 Toxaphene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1682 Trans-1,2-dichloroethene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1682 Trans-1,2-dichloroethene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1684 Trichloroethene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1684 Trichloroethene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1687 Trichlorfon in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1688 Trichloronate in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1690 Turbidity, field
Raw Data

Date	Flag	Value	Wet
04/24/1995		150.00000	0
08/14/1995		13.00000	0
12/05/1995		40.00000	0
05/01/1996		2.00000	0
08/14/1996		11.00000	0
02/11/1997		18.00000	0
08/12/1997		62.00000	0
12/17/1997		786.00000	0
12/17/1997		884.00000	0
05/12/1999		85.00000	0
08/30/1999		25.00000	0
12/09/1999		16.00000	0
04/05/2000		320.00000	0
08/17/2000		19.00000	0
01/22/2001		598.00000	0
05/09/2001		175.00000	0
05/09/2001		175.00000	0
08/20/2001		10.00000	0
04/14/2003		540.00000	1
05/22/2003		220.00000	0
07/22/2003		22.00000	0
10/30/2003		170.00000	0
01/27/2004		380.00000	0
02/18/2004		220.00000	1
02/22/2004		880.00000	1
03/02/2004	>	990.00000	1
03/23/2004		680.00000	0
07/15/2004		970.00000	0
12/28/2004	>	999.00000	1
01/26/2005		304.00000	1
03/30/2005		287.00000	0
06/13/2005		163.00000	0
08/23/2006		185.00000	0
12/07/2006		85.70000	0
09/26/2007		14.50000	0
06/24/2008		10.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1690 Turbidity, field

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	1	0	0	150.000			150.000	150.000			150.000	
1995/96	3	0	0	2.000			13.000	18.333			40.000	
1996/97	2	0	0	11.000			14.500	14.500			18.000	
1997/98	3	0	0	62.000			786.000	577.333			884.000	
1998/99	1	0	0	85.000			85.000	85.000			85.000	
1999/0	3	0	0	16.000			25.000	120.333			320.000	
2000/1	4	0	0	19.000			175.000	241.750			598.000	
2001/2	1	0	0	10.000			10.000	10.000			10.000	
2002/3	2	0	1	220.000			380.000	380.000			540.000	
2003/4	7	0	3	22.000	110.800	195.000	380.000	477.429	780.000	924.000	990.000	0.98439
2004/5	5	0	2	163.000	212.600	287.000	304.000	544.600	970.000	987.400	999.000	0.91856
2005/6	0	0	0									
2006/7	2	0	0	85.700			135.350	135.350			185.000	
2007/8	2	0	0	10.000			12.250	12.250			14.500	
Overall	36	0	6	2.000	12.000	20.500	172.500	291.922	460.000	882.000	999.000	0.90401

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1695 Turbidity, lab in Ntu
Raw Data

Date	Flag	Value	Wet
09/06/1994		1.10000	0
11/10/1994		84.00000	1
12/12/1994		5.80000	0
01/04/1995		92.00000	1
01/11/1995		300.00000	1
04/24/1995		55.00000	0
08/14/1995		2.90000	0
12/05/1995		3.60000	0
01/22/1996		140.00000	1
01/31/1996		150.00000	1
02/20/1996		83.00000	1
05/01/1996		0.85000	0
08/14/1996		6.50000	0
11/21/1996		160.00000	1
01/08/1997		3.20000	0
02/11/1997		12.00000	0
08/12/1997		42.00000	0
12/17/1997		370.00000	0
12/17/1997		380.00000	0
01/29/1998		400.00000	1
02/03/1998		290.00000	1
03/25/1998		78.00000	1
05/19/1998		400.00000	0
08/20/1998		18.00000	0
12/10/1998		570.00000	0
01/25/1999		2800.00000	1
04/07/1999		120.00000	1
05/12/1999		50.00000	0
08/30/1999		11.00000	0
12/09/1999		6.10000	0
02/12/2000		270.00000	1
02/23/2000		250.00000	1
04/05/2000		140.00000	0
04/18/2000		530.00000	1
08/17/2000		7.70000	0
01/22/2001		270.00000	0
05/09/2001		79.00000	0
08/20/2001		8.90000	0
01/15/2002		3.20000	0
04/25/2002		7.20000	0
01/21/2003		130.00000	0
02/11/2003		190.00000	1
02/25/2003		240.00000	1
03/11/2003		66.00000	0
04/14/2003		620.00000	1
05/22/2003		150.00000	0
07/22/2003		8.90000	0
02/18/2004		110.00000	1
10/30/2003		100.00000	0
01/27/2004		360.00000	0
02/22/2004		1400.00000	1
03/02/2004		4000.00000	1
03/23/2004		370.00000	0
07/15/2004		350.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1695 Turbidity, lab in Ntu

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1994/95	6	0	3	1.100	3.450	5.800	69.500	89.650	92.000	196.000	300.000	0.86700
1995/96	6	0	3	0.850	1.875	2.900	43.300	63.392	140.000	145.000	150.000	0.93654
1996/97	4	0	1	3.200			9.250	45.425			160.000	
1997/98	7	0	3	42.000	63.600	184.000	370.000	280.000	390.000	400.000	400.000	0.89901
1998/99	5	0	2	18.000	30.800	50.000	120.000	711.600	570.000	1908.000	2800.000	0.80939
1999/0	6	0	3	6.100	8.550	11.000	195.000	201.183	270.000	400.000	530.000	0.95348
2000/1	3	0	0	7.700			79.000	118.900			270.000	
2001/2	3	0	0	3.200			7.200	6.433			8.900	
2002/3	6	0	3	66.000	98.000	130.000	170.000	232.667	240.000	430.000	620.000	0.84545
2003/4	7	0	3	8.900	63.560	105.000	360.000	906.986	885.000	2440.000	4000.000	0.79318
2004/5	1	0	0	350.000			350.000	350.000			350.000	
Overall	54	0	21	0.850	4.260	11.000	115.000	301.777	300.000	491.000	4000.000	0.56530

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1698 Vinyl Chloride in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1698 Vinyl Chloride in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1700 Zinc, Total in mg/l
Raw Data

Date	Flag	Value	Wet
08/23/1990	<	0.01000	0
01/03/1991		0.18000	1
02/27/1991		0.12000	1
11/27/1991	<	0.01000	0
01/03/1992		0.10000	1
02/11/1992		0.10000	1
03/27/1992		0.14000	1
06/23/1992		0.01000	0
12/07/1992		0.17000	1
12/16/1992	<	0.01000	0
12/30/1992		0.14000	1
01/13/1993		0.36000	1
02/08/1993		0.26000	1
02/19/1993		0.19000	1
03/23/1993		0.14000	0
03/29/1993		0.13000	1
06/07/1993		0.17000	1
06/24/1993	<	0.01000	0
09/15/1993	<	0.01000	0
12/22/1993		0.03000	0
01/25/1994		0.08000	1
02/18/1994		0.08000	1
03/21/1994		0.10000	1
03/31/1994	<	0.01000	0
06/15/1994		0.01000	0
09/06/1994	<	0.01000	0
11/10/1994		0.21000	1
12/12/1994	<	0.01000	0
01/04/1995		0.17000	1
01/11/1995		0.25000	1
04/24/1995		0.02000	0
08/14/1995	<	0.01000	0
12/05/1995		0.02000	0
01/22/1996		0.04000	1
01/31/1996		0.20000	1
02/20/1996		0.10000	1
05/01/1996	<	0.01000	0
08/14/1996		0.05000	0
11/21/1996		0.41000	1
01/08/1997		0.01000	0
02/11/1997		0.01000	0
08/12/1997		0.05000	0
12/17/1997		0.09000	0
12/17/1997		0.07000	0
01/29/1998		0.16000	1
02/03/1998		0.14000	1
03/25/1998		0.12000	1
05/19/1998		0.06000	0
08/20/1998	<	0.01000	0
12/10/1998		0.09000	0
01/25/1999		0.24000	1
04/07/1999		0.06000	1
05/12/1999		0.03000	0
08/30/1999		0.02000	0
12/09/1999	<	0.01000	0
02/12/2000		0.11000	1
02/23/2000		0.14000	1
04/05/2000		0.04000	0
04/18/2000		0.17000	1
08/17/2000	<	0.01000	0
01/22/2001		0.05000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1700 Zinc, Total in mg/l
Raw Data

Date	Flag	Value	Wet
05/09/2001		0.02000	0
08/20/2001	<	0.01000	0
01/15/2002		0.03000	0
04/25/2002	<	0.01000	0
01/21/2003		0.04000	0
02/11/2003		0.12000	1
02/25/2003		0.11000	1
03/11/2003		0.03200	0
04/14/2003		0.28000	1
05/22/2003		0.03200	0
07/22/2003	<	0.01000	0
10/30/2003		0.02300	0
01/27/2004		0.06600	0
02/18/2004		0.10000	1
02/22/2004		0.27000	1
03/02/2004		0.48000	1
03/23/2004		0.08900	0
07/15/2004		0.01600	0
10/20/2004		0.27000	1
12/28/2004		0.26000	1
01/26/2005		0.28000	1
03/30/2005		0.05000	0
06/13/2005		0.02800	0
02/09/2006		0.03200	0
02/27/2006		0.14000	1
03/28/2006		0.31000	1
04/04/2006		0.19000	1
05/30/2006		0.03900	0
08/23/2006		0.02500	0
12/07/2006		0.02100	0
04/20/2007		0.09200	1
05/15/2007		0.01700	0
09/26/2007		0.00580	0
12/07/2007		0.15000	1
01/05/2008		0.21000	1
01/27/2008		0.08500	1
03/20/2008		0.02400	0
06/24/2008		0.00350	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1700 Zinc, Total in mg/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	1	2	0.000			0.120	0.100			0.180	
1991/92	5	1	3	0.000	0.004	0.010	0.100	0.070	0.100	0.124	0.140	0.94903
1992/93	10	2	7	0.000	0.000	0.130	0.155	0.156	0.190	0.270	0.360	0.93614
1993/94	7	2	3	0.000	0.000	0.005	0.030	0.043	0.080	0.088	0.100	0.95748
1994/95	6	2	3	0.000	0.000	0.000	0.095	0.108	0.210	0.230	0.250	0.94816
1995/96	6	2	3	0.000	0.000	0.000	0.030	0.060	0.100	0.150	0.200	0.90487
1996/97	4	0	1	0.010			0.030	0.120			0.410	
1997/98	7	0	3	0.050	0.056	0.065	0.090	0.099	0.130	0.148	0.160	0.98722
1998/99	5	1	2	0.000	0.012	0.030	0.060	0.084	0.090	0.180	0.240	0.91381
1999/0	6	1	3	0.000	0.010	0.020	0.075	0.080	0.140	0.155	0.170	0.98345
2000/1	3	1	0	0.000			0.020	0.023			0.050	
2001/2	3	2	0	0.000			0.000	0.010			0.030	
2002/3	6	0	3	0.032	0.032	0.032	0.075	0.102	0.120	0.200	0.280	0.87988
2003/4	7	1	3	0.000	0.014	0.045	0.089	0.147	0.185	0.354	0.480	0.88870
2004/5	6	0	3	0.016	0.022	0.028	0.155	0.151	0.270	0.275	0.280	0.91821
2005/6	5	0	3	0.032	0.035	0.039	0.140	0.142	0.190	0.262	0.310	0.96894
2006/7	4	0	1	0.017			0.023	0.039			0.092	
2007/8	6	0	3	0.004	0.005	0.006	0.055	0.080	0.150	0.180	0.210	0.95713
Overall	99	16	46	0.000	0.000	0.020	0.066	0.097	0.140	0.252	0.480	0.91143

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1705 pH, field
Raw Data

Date	Flag	Value	Wet
03/23/1993		9.07000	0
06/24/1993		8.06000	0
09/15/1993		7.90000	0
12/22/1993		8.50000	0
03/31/1994		8.60000	0
06/15/1994		8.50000	0
09/06/1994		8.40000	0
12/12/1994		8.40000	0
04/24/1995		8.88000	0
08/14/1995		7.88000	0
12/05/1995		9.19000	0
05/01/1996		8.50000	0
08/14/1996		8.63000	0
02/11/1997		7.71000	0
08/12/1997		8.52000	0
12/17/1997		8.37000	0
12/17/1997		8.38000	0
05/12/1999		8.84000	0
08/30/1999		8.80000	0
12/09/1999		9.40000	0
04/05/2000		8.50000	0
04/18/2000		7.00000	1
08/17/2000		7.23000	0
01/22/2001		8.53000	0
05/09/2001		8.98000	0
05/09/2001		8.98000	0
08/20/2001		8.19000	0
01/15/2002		8.60000	0
04/25/2002		8.40000	0
01/21/2003		8.70000	0
02/11/2003		8.60000	1
02/25/2003		9.10000	1
03/11/2003		8.90000	0
04/14/2003		8.30000	1
05/22/2003		8.70000	0
07/22/2003		8.40000	0
10/30/2003		8.70000	0
01/27/2004		8.60000	0
02/18/2004		8.30000	1
02/22/2004		8.30000	1
03/02/2004		8.40000	1
03/23/2004		7.10000	0
07/15/2004		8.20000	0
12/28/2004		8.32000	1
01/26/2005		8.52000	1
03/30/2005		8.37000	0
06/13/2005		8.24000	0
02/09/2006		8.57000	0
02/27/2006		8.20000	1
03/28/2006		8.45000	1
04/04/2006		8.10000	1
05/30/2006		8.14000	0
08/23/2006		8.70000	0
12/07/2006		7.90000	0
04/20/2007		6.33000	1
05/15/2007		8.20000	0
09/26/2007		8.60000	0
12/07/2007		8.25000	1
01/05/2008		7.86000	1
01/27/2008		8.36000	1
03/20/2008		9.06000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1705 pH, field
Raw Data

Date	Flag	Value	Wet
06/24/2008		8.80000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1705 pH, field

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1992/93	2	0	0	8.060			8.565	8.565			9.070	
1993/94	4	0	0	7.900			8.500	8.375			8.600	
1994/95	3	0	0	8.400			8.400	8.560			8.880	
1995/96	3	0	0	7.880			8.500	8.523			9.190	
1996/97	2	0	0	7.710			8.170	8.170			8.630	
1997/98	3	0	0	8.370			8.380	8.423			8.520	
1998/99	1	0	0	8.840			8.840	8.840			8.840	
1999/0	4	0	1	7.000			8.650	8.425			9.400	
2000/1	4	0	0	7.230			8.755	8.430			8.980	
2001/2	3	0	0	8.190			8.400	8.397			8.600	
2002/3	6	0	3	8.300	8.450	8.600	8.700	8.717	8.900	9.000	9.100	0.96500
2003/4	7	0	3	7.100	7.820	8.300	8.400	8.257	8.500	8.640	8.700	0.79786
2004/5	5	0	2	8.200	8.216	8.240	8.320	8.330	8.370	8.460	8.520	0.97165
2005/6	5	0	3	8.100	8.116	8.140	8.200	8.292	8.450	8.522	8.570	0.95679
2006/7	4	0	1	6.330			8.050	7.783			8.700	
2007/8	6	0	3	7.860	8.055	8.250	8.480	8.488	8.800	8.930	9.060	0.99158
Overall	62	0	16	6.330	7.882	8.200	8.425	8.390	8.700	8.972	9.400	0.88449

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1710 pH, lab in Units
Raw Data

Date	Flag	Value	Wet
08/23/1990		8.50000	0
01/03/1991		6.90000	1
02/27/1991		7.30000	1
11/27/1991		8.40000	0
01/03/1992		6.60000	1
02/11/1992		7.00000	1
03/27/1992		7.80000	1
06/23/1992		8.40000	0
12/07/1992		7.40000	1
12/16/1992		8.50000	0
12/30/1992		7.30000	1
01/13/1993		8.00000	1
02/08/1993		7.80000	1
02/19/1993		7.60000	1
03/23/1993		8.40000	0
03/29/1993		7.40000	1
06/07/1993		7.40000	1
06/24/1993		8.40000	0
09/15/1993		8.60000	0
12/22/1993		8.40000	0
01/25/1994		8.20000	1
02/18/1994		7.10000	1
03/21/1994		7.30000	1
03/31/1994		8.50000	0
06/15/1994		8.30000	0
09/06/1994		8.50000	0
11/10/1994		7.00000	1
12/12/1994		8.30000	0
01/04/1995		7.60000	1
01/11/1995		7.30000	1
04/24/1995		8.30000	0
08/14/1995		8.60000	0
12/05/1995		8.30000	0
01/22/1996		8.10000	1
01/31/1996		7.40000	1
02/20/1996		7.20000	1
05/01/1996		8.40000	0
08/14/1996		8.40000	0
11/21/1996		7.40000	1
01/08/1997		8.60000	0
02/11/1997		8.20000	0
08/12/1997		8.60000	0
12/17/1997		8.50000	0
12/17/1997		8.50000	0
01/29/1998		8.10000	1
02/03/1998		7.90000	1
03/25/1998		7.40000	1
05/19/1998		8.60000	0
08/20/1998		8.60000	0
12/10/1998		8.40000	0
01/25/1999		7.90000	1
04/07/1999		8.40000	1
05/12/1999		8.40000	0
08/30/1999		8.40000	0
12/09/1999		8.60000	0
02/12/2000		7.50000	1
02/23/2000		7.90000	1
04/05/2000		8.50000	0
04/18/2000		8.10000	1
08/17/2000		8.30000	0
01/22/2001		8.40000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1710 pH, lab in Units
Raw Data

Date	Flag	Value	Wet
05/09/2001		8.10000	0
08/20/2001		7.60000	0
01/15/2002		8.50000	0
04/25/2002		8.30000	0
01/21/2003		8.50000	0
02/11/2003		7.70000	1
02/25/2003		7.60000	1
03/11/2003		8.40000	0
04/14/2003		7.50000	1
05/22/2003		8.30000	0
07/22/2003		8.10000	0
10/30/2003		8.20000	0
01/27/2004		8.20000	0
02/18/2004		7.70000	1
02/22/2004		7.80000	1
03/02/2004		8.00000	1
03/23/2004		8.50000	0
07/15/2004		8.60000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 1710 pH, lab in Units

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	6.900			7.300	7.567			8.500	
1991/92	5	0	3	6.600	6.760	7.000	7.800	7.640	8.400	8.400	8.400	0.96728
1992/93	10	0	7	7.300	7.390	7.400	7.700	7.820	8.400	8.410	8.500	0.96150
1993/94	7	0	3	7.100	7.220	7.750	8.300	8.057	8.450	8.540	8.600	0.90936
1994/95	6	0	3	7.000	7.150	7.300	7.950	7.833	8.300	8.400	8.500	0.96777
1995/96	6	0	3	7.200	7.300	7.400	8.200	8.000	8.400	8.500	8.600	0.95784
1996/97	4	0	1	7.400			8.300	8.150			8.600	
1997/98	7	0	3	7.400	7.700	8.000	8.500	8.229	8.550	8.600	8.600	0.91856
1998/99	5	0	2	7.900	8.100	8.400	8.400	8.340	8.400	8.520	8.600	0.84887
1999/0	6	0	3	7.500	7.700	7.900	8.250	8.167	8.500	8.550	8.600	0.97202
2000/1	3	0	0	8.100			8.300	8.267			8.400	
2001/2	3	0	0	7.600			8.300	8.133			8.500	
2002/3	6	0	3	7.500	7.550	7.600	8.000	8.000	8.400	8.450	8.500	0.95618
2003/4	7	0	3	7.700	7.760	7.900	8.100	8.071	8.200	8.320	8.500	0.97502
2004/5	1	0	0	8.600			8.600	8.600			8.600	
Overall	79	0	36	6.600	7.300	7.600	8.200	8.022	8.400	8.520	8.600	0.95465

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 1715 Diazinon in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	4.00000	1
12/28/2004	<	4.00000	1
01/26/2005	<	4.00000	1
03/30/2005	<	4.00000	0
06/13/2005	<	4.00000	0
02/09/2006	<	4.00000	0
02/27/2006	<	4.00000	1
03/28/2006	<	0.80000	1
04/04/2006	<	4.00000	1
05/30/2006	<	4.00000	0
08/23/2006	<	4.00000	0
12/07/2006	<	4.00000	0
04/20/2007	<	4.00000	1
05/15/2007	<	4.00000	0
09/26/2007	<	4.00000	0
12/07/2007	<	4.00000	1
01/05/2008	<	4.00000	1
01/27/2008	<	4.00000	1
03/20/2008	<	4.00000	0
06/24/2008	<	4.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2000 1,1,1-trichloroethane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2000 1,1,1-trichloroethane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2005 1,1,2,2-tetrachloroethane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2005 1,1,2,2-tetrachloroethane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2010 1,1,2-trichloroethane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2010 1,1,2-trichloroethane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2015 1,1-dichloroethane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2015 1,1-dichloroethane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2020 1,1-dichloroethene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2020 1,1-dichloroethene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2025 1,2,4-trichlorobenzene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2025 1,2,4-trichlorobenzene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2030 1,2-dichlorobenzene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2030 1,2-dichlorobenzene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2035 1,2-dichlorobenzene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	2.00000	1
02/27/2006	<	2.00000	1
04/20/2007	<	2.00000	1
12/07/2007	<	2.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2035 1,2-dichlorobenzene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2040 1,2-dichloroethane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2040 1,2-dichloroethane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2045 1,2-dichloropropane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2045 1,2-dichloropropane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2050 1,2-diphenylhydrazine in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2050 1,2-diphenylhydrazine in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2055 1,3-dichlorobenzene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2060 1,4-dichlorobenzene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2063 2,4,5-tp silvex in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
12/28/2004	<	1.00000	1
01/26/2005	<	1.00000	1
03/30/2005	<	1.00000	0
06/13/2005	<	1.00000	0
02/09/2006	<	1.00000	0
02/27/2006	<	1.00000	1
03/28/2006	<	1.00000	1
04/04/2006	<	1.00000	1
05/30/2006	<	1.00000	0
08/23/2006	<	1.00000	0
12/07/2006	<	1.00000	0
04/20/2007	<	1.00000	1
05/15/2007	<	1.00000	0
09/26/2007	<	1.00000	0
12/07/2007	<	1.00000	1
01/05/2008	<	1.00000	1
01/27/2008	<	1.00000	1
03/20/2008	<	1.00000	0
06/24/2008	<	1.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2066 2,4,5-t in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	2.00000	1
12/28/2004	<	2.00000	1
01/26/2005	<	2.00000	1
03/30/2005	<	2.00000	0
06/13/2005	<	2.00000	0
02/09/2006	<	2.00000	0
02/27/2006	<	2.00000	1
03/28/2006	<	2.00000	1
04/04/2006	<	2.00000	1
05/30/2006	<	2.00000	0
08/23/2006	<	2.00000	0
12/07/2006	<	2.00000	0
04/20/2007	<	2.00000	1
05/15/2007	<	2.00000	0
09/26/2007	<	2.00000	0
12/07/2007	<	2.00000	1
01/05/2008	<	2.00000	1
01/27/2008	<	2.00000	1
03/20/2008	<	2.00000	0
06/24/2008	<	2.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2070 2,4,6-trichlorophenol in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	10.00000	1
02/27/2006	<	10.00000	1
04/20/2007	<	10.00000	1
12/07/2007	<	10.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2070 2,4,6-trichlorophenol in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2071 2,4-db in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
12/28/2004	<	5.00000	1
01/26/2005	<	5.00000	1
03/30/2005	<	5.00000	0
06/13/2005	<	5.00000	0
02/09/2006	<	5.00000	0
02/27/2006	<	5.00000	1
03/28/2006	<	5.00000	1
04/04/2006	<	5.00000	1
05/30/2006	<	5.00000	0
08/23/2006	<	5.00000	0
12/07/2006	<	5.00000	0
04/20/2007	<	5.00000	1
05/15/2007	<	5.00000	0
09/26/2007	<	5.00000	0
12/07/2007	<	5.00000	1
01/05/2008	<	5.00000	1
01/27/2008	<	5.00000	1
03/20/2008	<	5.00000	0
06/24/2008	<	5.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2072 2,4-d in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	10.00000	1
12/28/2004	<	10.00000	1
01/26/2005	<	10.00000	1
03/30/2005	<	10.00000	0
06/13/2005	<	10.00000	0
02/09/2006	<	10.00000	0
02/27/2006	<	10.00000	1
03/28/2006	<	10.00000	1
04/04/2006	<	10.00000	1
05/30/2006	<	10.00000	0
08/23/2006	<	10.00000	0
12/07/2006	<	10.00000	0
04/20/2007	<	10.00000	1
05/15/2007	<	10.00000	0
09/26/2007	<	10.00000	0
12/07/2007	<	10.00000	1
01/05/2008	<	10.00000	1
01/27/2008	<	10.00000	1
03/20/2008	<	10.00000	0
06/24/2008	<	10.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2075 2,4-dichlorophenol in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2075 2,4-dichlorophenol in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2080 2,4-dimethylphenol in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2080 2,4-dimethylphenol in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2085 2,4-dinitrophenol in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2085 2,4-dinitrophenol in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2090 2,4-dinitrotoluene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2090 2,4-dinitrotoluene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2100 2,6-dinitrotoluene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2100 2,6-dinitrotoluene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2105 2-chloroethylvinyl ether in ug/l
Raw Data

Date	Flag	Value	Wet
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2105 2-chloroethylvinyl ether in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	3	3	3	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2110 2-chloronaphthalene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	10.00000	1
02/27/2006	<	10.00000	1
04/20/2007	<	10.00000	1
12/07/2007	<	10.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2110 2-chloronaphthalene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2115 2-chlorophenol in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	2.00000	1
02/27/2006	<	2.00000	1
04/20/2007	<	2.00000	1
12/07/2007	<	2.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2115 2-chlorophenol in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2120 2-methyl-4,6-dinitrophenol in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2120 2-methyl-4,6-dinitrophenol in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2125 2-nitrophenol in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	10.00000	1
02/27/2006	<	10.00000	1
04/20/2007	<	10.00000	1
12/07/2007	<	10.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2125 2-nitrophenol in ug/l

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2130 3,3'-dichlorobenzidine in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2130 3,3'-dichlorobenzidine in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2135 4,4'-ddd in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.05000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2135 4,4'-ddd in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2140 4,4'-dde in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.05000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2140 4,4'-dde in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2145 4,4'-ddt in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.01000	1
02/27/2006		0.01100	1
04/20/2007	<	0.01000	1
12/07/2007	<	0.01000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2145 4,4'-ddt in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	0	1	0.011			0.011	0.011			0.011	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	3	4	0.000			0.000	0.003			0.011	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2150 4-bromophenyl phenyl ether in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2150 4-bromophenyl phenyl ether in ug/l

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2155 4-chloro-3-methylphenol in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2155 4-chloro-3-methylphenol in ug/l

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2160 4-chlorophenyl phenyl ether in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2160 4-chlorophenyl phenyl ether in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2165 4-nitrophenol in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2165 4-nitrophenol in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2170 a-bhc in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.01000	1
02/27/2006	<	0.01000	1
04/20/2007	<	0.01000	1
12/07/2007	<	0.01000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2170 a-bhc in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2175 aroclor 1016 in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2175 aroclor 1016 in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2180 aroclor 1221 in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2180 aroclor 1221 in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2185 aroclor 1232 in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2185 aroclor 1232 in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2190 aroclor 1242 in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2190 aroclor 1242 in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2195 aroclor 1248 in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2195 aroclor 1248 in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2200 aroclor 1254 in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2200 aroclor 1254 in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2205 aroclor 1260 in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2205 aroclor 1260 in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2210 b-bhc in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.00500	1
02/27/2006	<	0.00500	1
04/20/2007	<	0.00500	1
12/07/2007	<	0.00500	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2210 b-bhc in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2215 chlordanes in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.10000	1
02/27/2006	<	0.10000	1
04/20/2007	<	0.10000	1
12/07/2007	<	0.10000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2215 chlordane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2220 chlorobenzene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2220 chlorobenzene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2225 chloroethane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2225 chloroethane in ug/l

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2230 chloroform in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2230 chloroform in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2235 chloromethane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2235 chloromethane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2240 chrysene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004		0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2240 chrysene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	0	1	0.050			0.050	0.050			0.050	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	3	4	0.000			0.000	0.013			0.050	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2246 1,3-dichloropropene Total in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2246 1,3-dichloropropene Total in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2250 d-bhc in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.00500	1
02/27/2006	<	0.00500	1
04/20/2007	<	0.00500	1
12/07/2007	<	0.00500	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2250 d-bhc in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2255 di-n-butylphthalate in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	10.00000	1
02/27/2006	<	10.00000	1
04/20/2007	<	10.00000	1
12/07/2007	<	10.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2255 di-n-butylphthalate in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2260 di-n-octylphthalate in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	10.00000	1
02/27/2006	<	10.00000	1
04/20/2007	<	10.00000	1
12/07/2007	<	10.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2260 di-n-octylphthalate in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2265 endosulfan ii in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.01000	1
02/27/2006	<	0.01000	1
04/20/2007	<	0.01000	1
12/07/2007	<	0.01000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2265 endosulfan ii in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2270 endosulfan i in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.02000	1
02/27/2006	<	0.02000	1
04/20/2007	<	0.02000	1
12/07/2007	<	0.02000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2270 endosulfan i in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2275 endosulfan sulfate in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.05000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2275 endosulfan sulfate in ug/l

Statistics by Fiscal Year
Years start Jul 1
Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2280 endrin aldehyde in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.01000	1
02/27/2006	<	0.01000	1
04/20/2007	<	0.01000	1
12/07/2007	<	0.01000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2280 endrin aldehyde in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2285 endrin in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.01000	1
02/27/2006	<	0.01000	1
04/20/2007	<	0.01000	1
12/07/2007	<	0.01000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2285 endrin in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2290 ethylbenzene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.50000	1
02/27/2006	<	0.50000	1
04/20/2007	<	0.50000	1
12/07/2007	<	0.50000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2290 ethylbenzene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2305 heptachlor epoxide in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.01000	1
02/27/2006	<	0.01000	1
04/20/2007	<	0.01000	1
12/07/2007	<	0.01000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2305 heptachlor epoxide in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2310 heptachlor in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.01000	1
02/27/2006	<	0.01000	1
04/20/2007	<	0.01000	1
12/07/2007	<	0.01000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2310 heptachlor in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2315 hexachlorobenzene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2315 hexachlorobenzene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2320 hexachlorobutadiene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2320 hexachlorobutadiene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2325 hexachlorocyclopentadiene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2325 hexachlorocyclopentadiene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2330 hexachloroethane in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2330 hexachloroethane in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2335 indeno(1,2,3-cd)pyrene in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	0.05000	1
02/27/2006	<	0.05000	1
04/20/2007	<	0.06000	1
12/07/2007	<	0.05000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2335 indeno(1,2,3-cd)pyrene in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2340 isophorone in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2340 isophorone in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2350 n-nitrosodi-n-propylamine in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2350 n-nitrosodi-n-propylamine in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2355 n-nitrosodimethylamine in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	5.00000	1
02/27/2006	<	5.00000	1
04/20/2007	<	5.00000	1
12/07/2007	<	5.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2355 n-nitrosodimethylamine in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2360 n-nitrosodiphenylamine in ug/l
Raw Data

Date	Flag	Value	Wet
10/20/2004	<	1.00000	1
02/27/2006	<	1.00000	1
04/20/2007	<	1.00000	1
12/07/2007	<	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2360 n-nitrosodiphenylamine in ug/l

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	1	1	0.000			0.000	0.000			0.000	
2005/6	1	1	1	0.000			0.000	0.000			0.000	
2006/7	1	1	1	0.000			0.000	0.000			0.000	
2007/8	1	1	1	0.000			0.000	0.000			0.000	
Overall	4	4	4	0.000			0.000	0.000			0.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2400 Toxicity, Acute Hyallela Azteca in TUa
Raw Data

Date	Flag	Value	Wet
12/28/2004	>	1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2400 Toxicity, Acute Hyallela Azteca in TUa

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	1	0	1	1.000			1.000	1.000			1.000	
Overall	1	0	1	1.000			1.000	1.000			1.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2401 Toxicity, Acute. Fathead Minnow in TUa
Raw Data

Date	Flag	Value	Wet
10/20/2004		0.00000	1
01/26/2005		0.00000	1
02/27/2006	<	0.41000	1
03/28/2006		0.41000	1
04/04/2006	<	0.41000	1
01/05/2008		0.00000	1
01/27/2008		0.87000	1
04/20/2007		0.00000	1
12/07/2007		0.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2401 Toxicity, Acute. Fathead Minnow in TUa

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	2	0	2	0.000			0.000	0.000			0.000	
2005/6	3	2	3	0.000			0.000	0.137			0.410	
2006/7	1	0	1	0.000			0.000	0.000			0.000	
2007/8	3	0	3	0.000			0.000	0.290			0.870	
Overall	9	2	9	0.000	0.000	0.000	0.000	0.142	0.000	0.502	0.870	0.70545

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2402 Toxicity, Acute Ceriodaphnia in TUA
Raw Data

Date	Flag	Value	Wet
10/20/2004		0.00000	1
12/28/2004		0.00000	1
01/26/2005		0.00000	1
02/27/2006	<	0.41000	1
03/28/2006		0.41000	1
04/04/2006	<	0.41000	1
04/20/2007		0.00000	1
12/07/2007		0.59000	1
01/05/2008		0.41000	1
01/27/2008		0.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 2402 Toxicity, Acute Ceriodaphnia in TUA

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2004/5	3	0	3	0.000			0.000	0.000			0.000	
2005/6	3	2	3	0.000			0.000	0.137			0.410	
2006/7	1	0	1	0.000			0.000	0.000			0.000	
2007/8	3	0	3	0.000			0.410	0.333			0.590	
Overall	10	2	10	0.000	0.000	0.000	0.000	0.141	0.410	0.428	0.590	0.80822

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 2403 Toxicity, Chronic Selenastrum in TUC
Raw Data

Date	Flag	Value	Wet
10/20/2004		1.00000	1
12/28/2004		1.00000	1
01/26/2005		1.00000	1
02/27/2006		1.00000	1
03/28/2006		1.00000	1
04/04/2006		1.00000	1
01/05/2008		1.00000	1
01/27/2008		1.00000	1
04/20/2007		1.00000	1
12/07/2007		1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 8999 Visited - No Sample Taken in days
Raw Data

Date	Flag	Value	Wet
06/12/2002		1.00000	0
08/24/2005		1.00000	0
02/11/2007		1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 8999 Visited - No Sample Taken in days

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
2001/2	1	0	0	1.000			1.000	1.000			1.000	
2002/3	0	0	0									
2003/4	0	0	0									
2004/5	0	0	0									
2005/6	1	0	0	1.000			1.000	1.000			1.000	
2006/7	1	0	1	1.000			1.000	1.000			1.000	
Overall	3	0	1	1.000			1.000	1.000			1.000	

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 9000 Weather Dry/Wet in 0=Dry, 1=Wet
Raw Data

Date	Flag	Value	Wet
08/23/1990		0.00000	0
01/03/1991		1.00000	1
02/27/1991		1.00000	1
11/27/1991		0.00000	0
01/03/1992		1.00000	1
02/11/1992		1.00000	1
03/27/1992		1.00000	1
06/23/1992		0.00000	0
12/07/1992		1.00000	1
12/16/1992		0.00000	0
12/30/1992		1.00000	1
01/13/1993		1.00000	1
02/08/1993		1.00000	1
02/19/1993		1.00000	1
03/23/1993		0.00000	0
03/29/1993		1.00000	1
06/07/1993		1.00000	1
06/24/1993		0.00000	0
09/15/1993		0.00000	0
12/22/1993		0.00000	0
01/25/1994		1.00000	1
02/18/1994		1.00000	1
03/21/1994		1.00000	1
03/31/1994		0.00000	0
06/15/1994		0.00000	0
09/06/1994		0.00000	0
11/10/1994		1.00000	1
12/12/1994		0.00000	0
01/04/1995		1.00000	1
01/11/1995		1.00000	1
04/24/1995		0.00000	0
08/14/1995		0.00000	0
12/05/1995		0.00000	0
01/22/1996		1.00000	1
01/31/1996		1.00000	1
02/20/1996		1.00000	1
02/22/1996		1.00000	1
05/01/1996		0.00000	0
08/14/1996		0.00000	0
11/21/1996		1.00000	1
01/08/1997		0.00000	0
02/11/1997		0.00000	0
08/12/1997		0.00000	0
12/17/1997		0.00000	0
12/17/1997		0.00000	0
01/29/1998		1.00000	1
02/03/1998		1.00000	1
03/25/1998		1.00000	1
05/19/1998		0.00000	0
01/25/1999		1.00000	1
04/07/1999		1.00000	1
02/12/2000		1.00000	1
02/23/2000		56.00000	1
04/18/2000		1.00000	1
08/20/2001		0.00000	0
01/15/2002		0.00000	0
04/25/2002		0.00000	0
06/12/2002		0.00000	0
01/21/2003		0.00000	0
02/11/2003		1.00000	1
02/25/2003		1.00000	1

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
Variable 9000 Weather Dry/Wet in 0=Dry, 1=Wet
Raw Data

Date	Flag	Value	Wet
03/11/2003		0.00000	0
04/14/2003		1.00000	1
05/22/2003		0.00000	0
07/22/2003		0.00000	0
10/30/2003		0.00000	0
01/27/2004		0.00000	0
02/18/2004		1.00000	1
02/22/2004		1.00000	1
03/02/2004		1.00000	1
03/23/2004		0.00000	0
07/15/2004		0.00000	0
10/20/2004		1.00000	1
12/28/2004		1.00000	1
01/26/2005		1.00000	1
03/30/2005		0.00000	0
06/13/2005		0.00000	0
08/24/2005		0.00000	0
02/09/2006		0.00000	0
02/27/2006		1.00000	1
03/28/2006		1.00000	1
04/04/2006		1.00000	1
05/30/2006		0.00000	0
08/23/2006		0.00000	0
12/07/2006		0.00000	0
02/11/2007		1.00000	1
04/20/2007		1.00000	1
05/15/2007		0.00000	0
09/26/2007		0.00000	0
12/07/2007		1.00000	1
01/05/2008		1.00000	1
01/05/2008		1.00000	1
01/05/2008		1.00000	1
01/05/2008		1.00000	1
01/27/2008		1.00000	1
01/27/2008		1.00000	1
03/20/2008		0.00000	0
03/20/2008		0.00000	0
03/20/2008		0.00000	0
06/24/2008		0.00000	0
06/24/2008		0.00000	0
06/24/2008		0.00000	0

Site 364 Magnolia Center NPDES -Storm Drain Outlet @ SARiv
 Variable 9000 Weather Dry/Wet in 0=Dry, 1=Wet

Statistics by Fiscal Year
 Years start Jul 1
 Values < D.L. treated as 0.0

Year	#Pts	#ND	#Wet	Min	10%ile	25%ile	Median	Avg	75%ile	90%ile	Max	PPCC
1990/91	3	0	2	0.000			1.000	0.667			1.000	
1991/92	5	0	3	0.000	0.000	0.000	1.000	0.600	1.000	1.000	1.000	0.86603
1992/93	10	0	7	0.000	0.000	0.000	1.000	0.700	1.000	1.000	1.000	0.79772
1993/94	7	0	3	0.000	0.000	0.000	0.000	0.429	1.000	1.000	1.000	0.86603
1994/95	6	0	3	0.000	0.000	0.000	0.500	0.500	1.000	1.000	1.000	0.87831
1995/96	7	0	4	0.000	0.000	0.000	1.000	0.571	1.000	1.000	1.000	0.86603
1996/97	4	0	1	0.000			0.000	0.250			1.000	
1997/98	7	0	3	0.000	0.000	0.000	0.000	0.429	1.000	1.000	1.000	0.86603
1998/99	2	0	2	1.000			1.000	1.000			1.000	
1999/0	3	0	3	1.000			1.000	19.333			56.000	
2000/1	0	0	0									
2001/2	4	0	0	0.000			0.000	0.000			0.000	
2002/3	6	0	3	0.000	0.000	0.000	0.500	0.500	1.000	1.000	1.000	0.87831
2003/4	7	0	3	0.000	0.000	0.000	0.000	0.429	1.000	1.000	1.000	0.86603
2004/5	6	0	3	0.000	0.000	0.000	0.500	0.500	1.000	1.000	1.000	0.87831
2005/6	6	0	3	0.000	0.000	0.000	0.500	0.500	1.000	1.000	1.000	0.87831
2006/7	5	0	2	0.000	0.000	0.000	0.000	0.400	1.000	1.000	1.000	0.86603
2007/8	14	0	7	0.000	0.000	0.000	0.500	0.500	1.000	1.000	1.000	0.86824
Overall	102	0	52	0.000	0.000	0.000	1.000	1.049	1.000	1.000	56.000	0.24729