

RIVERSIDE COUNTY FLOOD CONTROL
AND WATER CONSERVATION DISTRICT

STANDARD DRAWINGS



Jason E. Uhley
General Manager - Chief Engineer

INDEX TO STANDARD DRAWINGS

CATCH BASIN AND APPURTENANCES

CB100	CATCH BASIN NO. 1	(W=7'; 14'; 21', ETC.)
CB101	CATCH BASIN NO. 4	(SIDE OPENING WITH TWO OR MORE GRATING)
CB102	CATCH BASIN NO. 6	(SIDE OPENING WITH GRATE)
CB103	CATCH BASIN	FRAME AND COVER (MANHOLE)
CB104	CATCH BASIN	FRAME AND GRATING
CB105	CATCH BASIN	DETAIL OF OPENING SHT 1 INSTALLATION DETAILS
CB105	CATCH BASIN	SHEET 2 – REMOVABLE PROTECTION BAR
CB106	CATCH BASIN	REINFORCEMENT
CB107	INLET TYPE IX	(CHECKERED COVER PLATE)
CB108	INLET TYPE X	(GRATE)
CB109	SPECIAL CONNECTIONS TO CATCH BASIN	
CB110	CONCRETE DROP INLET	

LOCAL DEPRESSIONS

LD201	LOCAL DEPRESSION NO. 2
LD202	LOCAL DEPRESSION NO. 3

JUNCTION STRUCTURES

JS226	JUNCTION STRUCTURE NO. 1	(33" OR LARGER SIDE INLET TO BOX)
JS227	JUNCTION STRUCTURE NO. 2	(30" OR LARGER SIDE INLET TO PIPE)
JS228	JUNCTION STRUCTURE NO. 3	(30" OR SMALLER SIDE INLET TO BOX)
JS229	JUNCTION STRUCTURE NO. 4	(24" OR SMALLER SIDE INLET TO PIPE)
JS230	JUNCTION STRUCTURE NO. 5	(BOX INLET TO BOX)
JS231	JUNCTION STRUCTURE NO. 6	(SIDE INLET TO TRAPEZOIDAL CHANNEL)
JS232	JUNCTION STRUCTURE NO. 7	(24" OR SMALLER SIDE INLET TO EXISTING TRAPEZOIDAL CHANNEL)
JS233	JUNCTION STRUCTURE NO. 8	(SOFT-BOTTOM CHANNEL)

MANHOLES

MH251	MANHOLE NO. 1	(PIPES, 33" OR SMALLER)
MH252	MANHOLE NO. 2	(PIPES, 36" OR LARGER)
MH253	MANHOLE NO. 3	(BOX)
MH254	MANHOLE NO. 4	(PIPES, 36" OR LARGER, LARGE SIDE INLET)
MH255	MANHOLE FRAME AND COVER	(NON-ROCKING) (REPLACED BY MH 260)
MH256	MANHOLE FRAME AND COVER	(PRESSURE)
MH257	MANHOLE SHAFT	
MH258	MANHOLE SHAFT (PRESSURE)	
MH259	STANDARD DROP STEP	
MH260	24" MANHOLE FRAME AND COVER (SUPERSEDE MH255)	
MH261	MANHOLE SHAFT SAFETY LEDGE	

TRANSITION STRUCTURES

TS301	TRANSITION STRUCTURE NO. 1	(SINGLE PIPE TO SINGLE BOX)
TS302	TRANSITION STRUCTURE NO. 2	(SINGLE BOX TO SINGLE BOX)
TS303	TRANSITION STRUCTURE NO. 3	(PIPE TO PIPE WITH PIPE JUNCTION)
TS304	TRANSITION STRUCTURE NO. 4	(SINGLE BOX TO DOUBLE BOX)

CHANNELS

CH323 CONCRETE LINED SOFT BOTTOM CHANNEL
CH324 UNLINED CHANNEL
CH325 ROCK LINED CHANNEL
CH326 TRAPEZOIDAL CHANNEL (DETAILED)
CH327 RECTANGULAR CHANNEL (STRUCTURAL DETAILS)
CH328 RECTANGULAR CHANNEL ("L" AND "U" STRUCTURAL DETAILS)
CH329 TRANSITION STRUCTURAL DETAILS (TRAPEZOIDAL TO BOX)
CH330 MAINTENANCE RAMP FOR TRAPEZOIDAL CHANNEL
CH331 MAINTENANCE RAMP FOR RECTANGULAR CHANNEL
CH332 SUBDRAIN DETAILS
CH333 DRAINAGE APRON FOR ACCESS ROAD
CH334 MAINTENANCE RAMP FOR UNLINED CHANNEL
CH335 MAINTENANCE RAMP FOR ROCK LINED CHANNEL

BOXES

BX401 SINGLE CELL REINFORCED CONCRETE BOX (STRUCTURAL DETAILS)
BX402 DOUBLE CELL RINFORCED CONCRETE BOX (STRUCTURAL DETAILS) (DELETED)
BX403 TRIPLE CELL REINFORCED CONCRETE BOX (STRUCTURAL DETAILS) (DELETED)

MISCELLANEOUS

M801 CHAIN LINK FENCE DETAILS
M802 SEE M815 (DELETED)
M803 CONCRETE COLLAR FOR PIPES 12" THROUGH 66"
M804 TIMBER BULKHEADS FOR PIPE (DELETED)
M805 TIMBER BULKHEADS FOR BOX (DELETED)
M806 PIPE SUPPORTS ACROSS TRENCHES (DELETED)
M807 SANITARY SEWER PROTECTION
M808 REMODELING OF SANITARY SEWER HOUSE CONNECTIONS – SHEET 1
M808 REMODELING OF SANITARY SEWER HOUSE CONNECTIONS – SHEET 2
M809 CONSTRUCTION BARRICADES (DELETED)
M810 CONSTRUCTION SIGNS (DELETED)
M811 SIGNS AND MARKERS (DELETED)
M812 SEE M815 (DELETED)
M813 CURB AND GUTTER (DELETED)
M814 ABBREVIATIONS AND SYMBOLS
M815 EXCAVATION AND BACKFILL PAY LINES
M816 CONCRETE BULKHEAD
M817 RAIL AND WIRE REVETMENT
M818 WIRE FENCE
M819 MAXIMUM CHORD LENGTHS FOR CURVED SECTIONS
M820 PIPE SWING GATE
M821 CONNECTOR PIPE COLLAR (DELETED)
M822 METAL BEAM BRIDGE RAILING (DELETED)
M823 SPIRAL RIB PIPE (INVERT PAVING)
M824 SPIRAL RIB PIPE (SADDLE BRANCH JUNCTION)
M825 SPIRAL RIB PIPE (BANDING DETAIL)
M826 CABLE FENCE DETAIL
M827 VEHICULAR TURN AROUND AREA

P8\86470

Revised 07/10/19


REVISION LOG

<u>STANDARD DRAWING NUMBER</u>	<u>ORIGINAL DATE</u>	<u>EFFECTIVE DATE</u>
CB100	11-1971	01-2005
CB101	06-1971	04-2004
CB102	05-1972	04-2004
CB103	11-1971	04-2004
CB104	06-1971	04-2004
CB105	05-1986	04-2004
CB106	06-1971	04-2004
CB107	06-1971	04-2004
CB108	06-1971	04-2004
CB109	06-1971	04-2004
CB110	10-1973	04-2004
LD201	11-1971	04-2004
LD202	06-1971	04-2004
JS226	06-1971	06-2018
JS227	06-1971	06-2018
JS228	06-1971	06-2018
JS229	11-1971	06-2018
JS230	11-1971	07-2020
JS231	11-1980	06-2018
JS232	06-1986	06-2018
JS233	10-2009	06-2018
MH251	06-1971	01-2011
MH252	06-1971	01-2011
MH253	06-1971	01-2011
MH254	06-1971	01-2011
MH255	(DELETED)	04-2004
MH256	05-1972	04-2004
MH257	06-1971	04-2004
MH258	05-1972	04-2004
MH259	06-1971	04-2004
MH260	09-2016	09-2016
MH261	04-2004	04-2004
TS301	06-1971	01-2011
TS302	05-1972	01-2011
TS303	05-1972	01-2011
TS304	05-1972	01-2011
CH323	10-2009	03-2024
CH324	10-2009	03-2024
CH325	10-2009	03-2024
CH326	09-1971	03-2024
CH327	07-1976	04-2004
CH328	11-1971	04-2004
CH329	09-1976	01-2005
CH330	05-1972	03-2024
CH331	05-1972	03-2024
CH332	11-1971	04-2004


CH333		05-1984	04-2004
CH334		10-2009	10-2009
CH335		10-2009	10-2009
BX401		07-1976	04-2004
BX402	(DELETED)	05-1972	04-2004
BX403	(DELETED)	05-1972	04-2004
M801		02-1995	01-2005
M802	(DELETED)		
M803		06-1971	04-2004
M804	(DELETED)	11-1971	04-2004
M805	(DELETED)	05-1972	04-2004
M806	(DELETED)	06-1971	04-2004
M807		06-1971	04-2004
M808		06-1971	04-2004
M809	(DELETED)	06-1971	04-2004
M810	(DELETED)	06-1971	04-2004
M811	(DELETED)	06-1971	04-2004
M812	(DELETED)		
M813	(DELETED)	05-1972	04-2004
M814		07-1974	04-2004
M815		10-1975	09-2017
M816		10-1975	04-2004
M817		10-1975	04-2004
M818		03-1982	04-2004
M819		08-1977	04-2004
M820		04-1981	04-2004
M821	(DELETED)	10-1982	04-2004
M822	(DELETED)	11-1982	04-2004
M823		06-1988	04-2004
M824		06-1988	04-2004
M825		06-1988	04-2004
M826		11-1991	04-2004
M827		04-2004	04-2004

P8\125355
Revised 04/02/24

SEE STANDARD CB NO. 103
MANHOLE FRAME AND COVER FOR CATCH BASIN



PERSPECTIVE OF
CATCH BASIN NO.1



SECTION A-A

NOTES

- DIMENSIONS: UNLESS OTHERWISE SPECIFIED
 $V = 6'' @ W = 7', 9'' @ W = 14', 12'' @ W = 21'$
 $V =$ SHALL BE SHOWN ON THE PLANS.
 $W =$ SHALL BE SHOWN ON THE PLANS
 (7 FOOT MIN.)
 $T = 6''$ IF V IS 4' OR LESS.
 $T = 8''$ IF V IS LESS THAN 8'.
 $T = 10''$ IF V IS 8' OR MORE.
 $D = 18''$ UNLESS OTHERWISE SPECIFIED.
 $A' = 38''$ UNLESS OTHERWISE SPECIFIED.
- STRUCTURAL CONCRETE SHALL BE CLASS "A" P.C.C. (6 SACK)
- THE REINFORCING STEEL SHALL BE NUMBER 4 DEFORMED BARS. CLEARANCE SHALL BE 1/2" FROM THE BOTTOM OF THE SLAB. SEE NOTE 7.
- THE SURFACE OF ALL EXPOSED CONCRETE SHALL CONFORM TO SLOPE, GRADE, COLOR, FINISH AND SCORING IN THE EXISTING OR PROPOSED CURB & WALK ADJACENT TO THE BASIN. THE BASIN FLOOR SHALL BE GIVEN A TIGHT WOOD FLOAT FINISH. CURVATURE OF THE LIP AND SIDEWALLS AT THE GUTTER OPENING SHALL NOT BE MADE BY PLASTERING. THE OUTLET PIPE SHALL BE TRIMMED TO FINAL SHAPE AND LENGTH BEFORE THE CONCRETE IS POURED.
- STEPS:
 3/4" PLAIN ROUND GALVANIZED STEEL STEPS SHALL BE INSTALLED 16" APART WHEN V EXCEEDS 4'-6". THE TOP STEP SHALL BE 6" BELOW THE TOP SURFACE AND SHALL BE 2 1/2" CLEAR FROM THE WALL.
 ALL OTHER STEPS SHALL BE 4" CLEAR FROM THE WALL. ONLY ONE STEP 12" FROM THE BOTTOM SHALL BE INSTALLED IF V IS 4'-6" OR LESS. ALL STEPS SHALL BE ANCHORED NOT LESS THAN 4" INTO THE WALL OF THE BASIN.
- CURB, GUTTER AND LOCAL DEPRESSIONS SHALL BE CLASS "B" CONCRETE.
- SEE STANDARD DRAWING CB106 FOR WALL & FLOOR STEEL REINFORCING.


L.A.C.F.C.D. No. 2-D162, 2-D163



RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	
APPROVED BY: <i>Warren D. Williams</i>	
CHIEF ENGINEER	
DATE: JAN. 10, 2005	R.E. NO. 32336

CATCH BASIN
NO.1

STANDARD DRAWING NUMBER CB100




SEE STANDARD DRAWING No. LD202
NOTE 1(a) FOR APPROPRIATE LOCAL
DEPRESSION.

See Notes for
placement of
connection pipe.




DETAIL OF DOWEL



SECTION-AA

See Standard Drawing No. CB 105
For Detail of Angle & Anchor.

For frame and grating
details and anchorage
See Standard Drawing
No. C B 104




DETAIL OF
END WALL

STEEL LIST					
No. of gratings	3/4" Dia. bars 11" long	5/16" x 10" Face Plate	Dowels	Anchors	3/4" Galv. steel steps
1	5	3'-11"	2	2	See notes
2	12	7'-4"	2	3	
3	19	10'-10"	2	4	

A'	GRATE TYPE
34"	R.C.F.C. STD. CB104
32"	CALTRANS STD. D77-B

CITY OF RIV. STD. NO. 406
CITY OF L.A. STD. NO. B-1536



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
APPROVED BY:
Warren D. Williams
CHIEF ENGINEER
DATE: April 5, 2004 R.C.E. NO. 32336

CATCH BASIN
NO. 4
STANDARD DRAWING NUMBER CB101
SHEET 1 OF 2

NOTES FOR CATCH BASIN NO. 4

1. Dimensions: Unless otherwise specified.

V = 3.5 feet.

T = 6 inches, if V is 4 feet or less.

T = 8 inches, if V is between 4 feet and 8 feet.

T = 10 inches, if V is 8 feet or over.

W = 2 feet, 11-3/8 inches for one grating.

Add 3 feet, 5-3/8 inches for each additional grating.

Hike-up shall be parallel to plane of gutter - slope 3/4 inch to 1 foot.

Slope of floor parallel with curb shall be 1 in 12.

S = 1 1/2 inches.

R = 3/4 inch.

2. Concrete shall be Class "A" Portland Cement Concrete (6.0 Sack).
3. The reinforcing steel shall be Number 4 deformed bars. Clearance shall be 1-1/2 inches from top of slab. See standard drawing CB106 and note 3.
4. The surface of all exposed concrete shall conform to slope, grade, color, finish, and scoring in the existing of proposed curb and walk adjacent to the basin. The basin floor shall be given a tight wood float finish. Curvature of the lip and sidewalls at the gutter opening shall not be made by plastering. The outlet pipe shall be trimmed to final shape and length before the concrete is poured.
5. Steps: 3/4 inch plain round galvanized steel steps are required as follows:

If V is 4.5 feet or less, no steps are required.

If V is more than 4.5 feet, and not more than 5.0 feet, install one step 12 inches above floor of basin.

If V is more than 5.0 feet, install steps 16 inches apart, with the top step 6 inches below the top of grating.

All steps shall be 4 inches clear from the wall, and anchored not less than 4 inches in wall of basin.

CITY OF RIV. STD. NO. 406
CITY OF L.A. STD. NO. B-1536



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

APPROVED BY:


CHIEF ENGINEER

DATE: April 5, 2004

R.C.E. NO. 32336


CATCH BASIN
NO. 4

STANDARD DRAWING NUMBER CB101
SHEET 2 OF 2




PLAN

SECTION A-A



SECTION B-B



NOTES

1. DIMENSIONS: UNLESS OTHERWISE SPECIFIED V = 4.5 FEET. W = 7.0 FEET
T = 6 INCHES IF V IS 5 FEET OR LESS. T = 8 INCHES IF V IS BETWEEN 5 FT. & 8 FEET.
T = 10 INCHES IF V IS 8 FEET OR MORE. Y = 2 FEET 3 INCHES
2. CONCRETE SHALL BE CLASS "A" PORTLAND CEMENT CONCRETE (6.0 SACK).
3. THE REINFORCING STEEL SHALL BE NUMBER 4 DEFORMED BARS. CLEARANCE SHALL BE 1 1/2" FROM THE BOTTOM OF THE SLAB. SEE STANDARD DRAWING CB106-NOTE 3
4. THE SURFACE OF ALL EXPOSED CONCRETE SHALL CONFORM TO SLOPE, GRADE, COLOR, FINISH, AND SCORING IN THE EXISTING OR PROPOSED CURB AND WALK ADJACENT TO THE BASIN. THE BASIN FLOOR SHALL BE GIVEN A TIGHT WOOD FLOAT FINISH. CURVATURE OF THE LIP AND SIDEWALLS AT THE GUTTER OPENING SHALL NOT BE MADE BY PLASTERING. THE OUTLET PIPE SHALL BE TRIMMED TO FINAL SHAPE AND LENGTH BEFORE THE CONCRETE IS POURED.
5. STEPS: 3/4 INCH PLAIN ROUND GALVANIZED STEEL STEPS SHALL BE INSTALLED 16 INCHES APART WHEN V EXCEEDS 4 FEET 6 INCHES. THE TOP STEP SHALL BE 6 INCHES BELOW THE TOP SURFACE AND SHALL BE 2 1/2 INCHES CLEAR FROM THE WALL. ALL OTHER STEPS SHALL BE 4 INCHES CLEAR FROM THE WALL. ONLY ONE STEP 12 INCHES FROM THE BOTTOM SHALL BE INSTALLED IF V IS 4 FEET 6 INCHES OR LESS. ALL STEPS SHALL BE ANCHORED NOT LESS THAN 4 INCHES INTO THE WALL OF THE BASIN.



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

APPROVED BY:



CHIEF ENGINEER

DATE: April 5, 2004

CATCH BASIN
NO. 6

STANDARD DRAWING NUMBER CB102



R.C.E. NO. 32338



TOP OF MANHOLE FRAME & COVER


BOTTOM OF MANHOLE COVER

TOTAL WT. = 130 lbs.



CROSS SECTION THRU FRAME & COVER

CROSS SECTION THRU RIB AT MID RADIUS



CROSS SECTION THRU RIM

NOTES

1. Frame and cover shall be gray cast iron conforming to the latest A.S.T.M. standard A48, class 30 or better. Galvanize per A.S.T.M. A385.
2. Install two 3/4" x 3/4" Allen socket set screws, 90° to pick hole, in holes drilled and tapped 1" in depth. Galvanize per A.S.T.M. 153.
3. Frame and cover shall be tested for accuracy of fit and shall be marked in sets before delivery. Retap frame as required to suit set screws.

CITY OF RIV. STD. NO. B-2189
L.A.C.F.C.D. STD. NO. 2-D156



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT


APPROVED BY:
Warren D. Williams
CHIEF ENGINEER

DATE: April 5, 2004

MANHOLE FRAME & COVER FOR CATCH BASINS


STANDARD DRAWING NUMBER CB103

CITY OF RIV. STD. NO. 406
 CITY OF L.A. STD. NO. B-3656
 L.A.C.F.C.D. STD. NO. 2-D227



- NOTES**
- 1- CENTER SUPPORT ASSEMBLY SHALL BE USED WHEN TWO OR MORE GRATINGS ARE SPECIFIED.
 - 2- ALL BOLTS USED IN CENTER SUPPORT SHALL BE 1/2\".
 - 3- FRAME MAY BE RIVETED OR WELDED.
 - 4- BOLTS (NOT RIVETS OR WELDS) SHALL BE USED TO JOIN TWO OR MORE FRAMES TOGETHER AND TO THE "H" BEAM.
 - 5- DETAIL OF END SPACERS SHOWS FINISHED DIMENSIONS.
 - 6- ALL PARTS SHALL BE OF STRUCTURAL GRADE STEEL, EXCEPT END SPACERS, WHICH MAY BE OF EITHER CAST IRON OR STEEL.
 - 7- ALL EXPOSED METAL PARTS SHALL BE GALVANIZED PRIOR TO ASSEMBLY. WELDING, MACHINING, AND DRILLING SHALL BE DONE BEFORE GALVANIZING. ALL DIMENSIONS ARE FINISHED DIMENSIONS AND INCLUDE GALVANIZING.
 - 8- TOTAL WEIGHT = 580 LBS. FOR GRATE SHOWN

44\" LONG FOR CATCH BASIN - NO. 4 WITH GRATE AS SHOWN. 3
 42\" LONG FOR CATCH BASIN - NO. 4 WITH CALTRANS GRATE.



CENTER SPACER

W	GRATE TYPE
25 1/2"	AS SHOWN ABOVE
24"	CALTRANS STD. D77-B




RIVERSIDE COUNTY FLOOD CONTROL
 AND
 WATER CONSERVATION DISTRICT
 APPROVED BY: *Warren D. Williams*
 CHIEF ENGINEER
 DATE: April 5, 2004


CATCH BASIN GRATE
 STANDARD DRAWING NUMBER CB104

NOTES

- SUPPORT BOLT ANGLE SHALL VARY TO CONFORM WITH BATTER OF ADJOINING CURB.
- PROTECTION BAR SHALL BE INSTALLED AND SUPPORT BOLTS SPACED, ACCORDING TO SHEET 2 OF 2.
- SUPPORT BOLTS SHALL BE EQUAL IN LENGTH TO CURB FACE + 4" ± FOR ALL CURB BATTERS.
- ALL EXPOSED METAL PARTS SHALL GALVANIZED AFTER FABRICATION
- PROTECTION BAR SPACING PROTECTION BAR "S" SHALL BE INSTALLED WHEN THE MINIMUM CLEAR OPENING OF THE CATCH BASIN EXCEEDS 6" BAR "S" SHALL BE PLACED SUCH THAT NO MINIMUM CLEAR OPENING EXCEED 6".
 - (A) WHEN ONE BAR IS REQUIRED "S" SHALL BE 6 7/8" HOWEVER THIS SHALL BE REDUCED IF NECESSARY SO THAT THE CENTER OF THE PROTECTION BAR IS NOT LESS THAN 2 1/4" FROM THE ROLLED PLATE.
 - (B) WHEN TWO OR MORE BARS ARE REQUIRED "S" SHALL BE 6 7/8" WITH REMAINING BARS SPACED AT 6 5/8" cc. THE SPACING OF TOP BAR SHALL BE REDUCED IF NECESSARY SO THAT THE CENTER OF THE BAR IS NOT LESS THAN 2 1/2" FROM THE ROLLED PLATE.
- WHERE CATCH BASIN ARE TO BE CONSTRUCTED ON CURVES, THE MAXIMUM CHORD LENGTH FOR FACE PLATE SHALL BE SUCH THAT THE MAXIMUM DIMENSION FROM SAID CHORD (MEASURED PERPENDICULAR THERETO) TO THE TRUE CURVE WILL NOT EXCEED ONE INCH. WHERE MORE THAN ONE CHORD IS REQUIRED, CHORD LENGTH SHALL BE EQUAL.
- WHERE LENGTH OF FACE PLATE IS BETWEEN 22" AND 43", TWO SECTIONS MAY BE USED WHEN LENGTH EXCEEDS 43", THREE SECTIONS MAY BE USED. SECTIONS SHALL BE SPLICED ACCORDING TO THE SPLICE DETAIL. SPLICE SHALL BE PLACED ONE FOOT FROM SUPPORT BOLT SEE SHEET 2 OF 2.
- LENGTH OF FACE PLATE IS W + 12" FOR ALL CATCH BASINS EXCEPT THE DRIVEWAY CATCH BASIN.
- CATCH BASIN OPENING = NORMAL CURB FACE + 4" INCHES UNLESS OTHERWISE SPECIFIED.
- SPACING OF ALL ANCHORAGE
 - a. SET END ANCHORS 3" FROM ENDS OF FACE PLATE.
 - b. PLACE ONE ANCHOR AT EACH SIDE OF ANY AND ALL SPLICE JOINTS AND WITHIN 6" THEREOF.




ADJUSTABLE PROTECTION BAR STIRRUP




NOTE: "S" is the shortest distance between the sill of the Catch Basin and the center of the nearest protection bar. See Note 5.

DETAIL OF CATCH BASIN OPENING



FACE PLATE END & SPLICE DETAILS




NOTE: Reinforcing Steel and Splice not shown Above Details. Space Anchors approximately evenly at 15" max. cc. between end anchors and anchors at splice joints except omit of B anchor location. Space B anchors at approximately 45" max. between end anchors.

ALTERNATE METHODS FOR FACE PLATE ANCHORAGE



REVERSE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
 APPROVED BY: [Signature]
 CIVIL ENGINEER
 REG. NO. 32338
 STATE OF CALIFORNIA
 DATE: APRIL 2004
 REG. NO. 32338
 SHEET NO. 1 OF 2


DETAIL OF CATCH BASIN OPENING & INSTALLATION DETAILS
 STANDARD DRAWING NUMBER CB105



SECTION SHOWING LOCATION OF ANCHOR AT WALL OF CATCH BASIN


"W" (incl)	NUMBER OF SUPPORT BOLTS	NUMBER OF "X" LENGTHS
5' to 10'	1	2
10' to 15'	2	3
15' to 20'	3	4
20' to 25'	4	5
25' to 30'	5	6

DETAIL OF ANCHOR



NOTES:

- All bars shall be 3/4" Galv, hot-rolled steel per A.S.T.M Designation A-36. Bar lengths shall not exceed 21', and shall be cut to fit in field. When "W" is over 21', protection bar shall consist of two or more sections depending upon length of basin. Location of special support bars and additional socket set screw shall be determined by the Engineer in the field.
- Install coupling at downstream end of catch basin opening.




RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
 APPROVED BY: *Warren D. Williams*
 CHIEF ENGINEER
 DATE: April 5, 2004

REMOVABLE PROTECTION BAR FOR CATCH BASINS
 STANDARD DRAWING NUMBER CB105
 SHEET NO. 2 OF 2


NOTES

1. Wall & floor reinforcing shown hereon shall be used with Catch Basin Standard Drawings.
2. Reinforcing steel shown hereon shall be used in all Catch Basins on State Highways regardless of basin length or depth.
3. Provide wall & floor steel reinforcing when the following V depths are equal or exceeded.
 Basin length = W
 To 7.0' 10'
 7' To 14.0' 7'
 14' To 21.0' 6'
 Over 21.0' All Depths

Reinforcing steel shown hereon shall be used in all catch basins when excavation or soil conditions require both sides of the walls to be formed regardless of basin length or depth.



SECTION 1
CATCH BASIN REINFORCEMENT - "W" TO 14' (Incl.)
 Top Slab Steel, See Catch Basin Standards




SECTION 2
WALL AND FLOOR STEEL

W OF C.B.	FRONT WALL STEEL		REAR WALL STEEL		REAR END WALLS & FLOOR STEEL	
	V (ft.) From (incl.)	Hor.	Vert.	Each Way	Each Way	Each Way
to 7'	4	#3 @ 6"	#3 @ 6"	#3 @ 6"	#3 @ 6"	#3 @ 6"
to 7'	4	#4 @ 12"	#4 @ 12"	#4 @ 12"	#4 @ 12"	#4 @ 12"
to 7'	8	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"
to 7'	10	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"
to 7'	12	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"
to 7'	14	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"
to 7'	16	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"
to 7'	18	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"
to 7'	20	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"	#4 @ 10"


WALL AND FLOOR STEEL

V (ft.) From (incl.)	FRONT WALL STEEL		REAR WALL STEEL		END WALL STEEL	
	Bars A & B	Bars C	Bars D	Bars E	Hor.	Vert.
4	#3 @ 24"	#3 @ 12"	#3 @ 12"	#3 @ 12"	#4 @ 24"	#3 @ 18"
5	#3 @ 20"	#3 @ 12"	#3 @ 12"	#3 @ 12"	#4 @ 24"	#3 @ 14"
6	#3 @ 17"	#3 @ 12"	#3 @ 12"	#3 @ 12"	#4 @ 24"	#3 @ 14"
7	#4 @ 13"	#3 @ 12"	#3 @ 12"	#3 @ 12"	#4 @ 24"	#3 @ 14"
8	#4 @ 15"	#3 @ 12"	#3 @ 12"	#3 @ 12"	#4 @ 20"	#3 @ 11"
9	#4 @ 12"	#4 @ 12"	#4 @ 12"	#4 @ 12"	#4 @ 20"	#3 @ 11"
10	#4 @ 15"	#4 @ 12"	#4 @ 12"	#4 @ 12"	#4 @ 11"	#4 @ 13"
11	#4 @ 18"	#4 @ 12"	#4 @ 12"	#4 @ 12"	#4 @ 9"	#4 @ 13"
12	#4 @ 18"	#4 @ 12"	#4 @ 12"	#4 @ 12"	#4 @ 9"	#4 @ 13"
X = (V+1) - (CF+H+4 1/2')					Y = (X-2) + 15 dia. - 2"	

WALL AND FLOOR STEEL




FLOOR REINFORCEMENT SECTION 2





GRATING BASIN REINFORCEMENT

V (ft.) From (incl.)	SIDE & END WALL STEEL	
	Bars G	Bars G
4	#3 @ 6"	#3 @ 6"
8	#4 @ 6"	#4 @ 6"
12	#5 @ 6"	#5 @ 6"



RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
 APPROVED BY: *[Signature]*
 CHIEF ENGINEER
 DATE: April 15, 2004
 R.C.E. NO. 32336

CATCH BASIN REINFORCEMENT



DETAIL "B"

NOTES

$\frac{3}{8}$ " x $1\frac{1}{2}$ " GALVANIZED BOLTS WITH HEX NUTS. FIELD WELD EACH NUT TO ANGLE.

DRILL HOLE $\frac{7}{16}$ " MATCHED 4 PLACES AS SHOWN IN PLAN.

PLATE AND ANGLE ASSEMBLY SHALL BE GALVANIZED.



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

APPROVED BY: *Warren D. Willits*

CHIEF ENGINEER


DATE: April 5, 2004

**INLET TYPE IX
(CHECKERED PLATE)
FOR TEMPORARY USE ONLY**


STANDARD DRAWING NUMBER CB107

R.C.E. NO. 32338


GRATE (or checkered \square optional) See Standard Drawing CB 107



PLAN



DETAIL "B"



SECTION A-A

NOTES:

1. PLACE GRATE BARS PARALLEL TO FLOW.
2. GRATE AND FRAME SHALL BE GALVANIZED.



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT


APPROVED BY:
Warren D. Willits
CHIEF ENGINEER

DATE: April 5, 2004


**INLET TYPE X
(GRATE DETAILS)
FOR TEMPORARY USE ONLY**

STANDARD DRAWING NUMBER CB108

R.C.E. NO. 32338




**PLAN
CORNER CONNECTION**



SECTION A-A

NOTES

1. Reinforcing steel shall be $1\frac{1}{2}$ " clear from inside face of concrete unless otherwise shown.
2. Reinforcing steel for inside face of Catch Basin wall shall be cut at center of opening and bent into walls of monolithic connection. Reinforcing steel for outside face of Catch Basin wall shall be cut 2" clear of opening.
3. Connection shall be poured monolithic with Catch Basin. The rounded edge of outlet shall be constructed by pouring concrete against a curved form with a radius of 3."
4. Floor of structure shall be steel-troweled to spring line.
5. Connections shall be constructed where
 - (a). Pipes, 12 inches through 72 inches in diameter, inlet or outlet through corner of Catch Basin at an angle less than 40°
 - (b). Angle A, for pipes 24 inches through 30 inches in diameter, is less than 45° .



**PLAN
SIDE CONNECTION**

B	T	C bars	D & E bars	B	T	C bars	D & E bars
12"	4"	#4 @ 6	#5	42"	7 1/2"	#5 @ 6	#6
15"	4 1/4"			45"	7 3/4"		
18"	4 1/2"			48"	8"		
21"	5"			51"	8 1/2"		
24"	5 1/2"			54"	9"		
27"	5 3/4"			57"	9 1/4"		
30"	6"			60"	9 1/2"		
33"	6 1/4"			63"	10"		
36"	6 1/2"			66"	10 1/4"		
39"	7"			69"	10 3/4"		
				72"	11"		

L.A.C.F.C.D. STD. NO. 2-D224





RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
APPROVED BY: *Warren D. Willits*
CHIEF ENGINEER
DATE: April 5, 2004


**SPECIAL CONNECTIONS
TO CATCH BASIN**

STANDARD DRAWING NUMBER CB109

R.C.E. NO. 32338



SECTION A



SECTION B

1. DIMENSIONS:
 H= 9" OR AS NOTED ON PLANS
 V= SHALL BE SHOWN ON THE PLANS (8' MAX.)
 W= SHALL BE 36" OR AS NOTED ON PLANS.
 T= 6" IF V IS 4' OR LESS.
 T= 8" IF V IS 8' OR LESS
 D= 18" UNLESS OTHERWISE SPECIFIED.
 A= 36" UNLESS OTHERWISE SPECIFIED.
2. SEE STANDARD DRAWING CB 106 FOR WALL AND FLOOR STEEL REINFORCING
3. STRUCTURAL CONCRETE SHALL BE CLASS "A".
4. REINFORCING STEEL SHALL BE NO. 4 DEFORMED BARS. CLEARANCE SHALL BE 1/2" FROM BOTTOM OF SLAB.
5. THE BASIN FLOOR SHALL BE GIVEN A TIGHT WOOD FLOAT FINISH. CURVATURE OF THE LIP & SIDEWALLS AT THE SIDE OPENING SHALL NOT BE MADE BY PLASTERING. THE OUTLET PIPE SHALL BE TRIMMED TO FINAL SHAPE & LENGTH BEFORE THE CONCRETE IS POURED.
6. STEPS: 3/2" PLAN ROUND GALVANIZED STEEL STEPS SHALL BE INSTALLED 16" APART WHEN V EXCEEDS 4'-6". THE TOP STEP SHALL BE 6" BELOW THE TOP SURFACE & SHALL BE 2 1/2" CLEAR FROM THE WALL ALL OTHER STEPS SHALL BE 4" CLEAR FROM THE WALL ONLY ONE STEP 12" FROM THE BOTTOM SHALL BE ANCHORED NOT LESS THAN 4" INTO THE WALL OF THE BASIN.
7. PROTECTION BARS ARE PLAIN ROUND STEEL BARS 1" DIAMETER AND SHALL BE INSTALLED WITH ENDS EMBEDDED 6".
8. ALL EXPOSED METAL PARTS SHALL BE GALVANIZED.
9. SLOPE BOTTOM TO OUTLET FROM ALL DIRECTIONS.



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT





APPROVED BY:
Warren D. Williams
CHIEF ENGINEER

DATE: April 15, 2004

CONCRETE
DROP INLET


STANDARD DRAWING NUMBER CB110

R.C.E. NO. 32336



NOTES

1. LOCAL DEPRESSION SHALL BE CASE B OTHERWISE SPECIFIED ON GENERAL PLAN.
2. ELEVATIONS AT OUTER CORNERS SHOWN ON GENERAL PLAN. IF NO ELEVATIONS ARE SPECIFIED, THE OUTER EDGE OF LOCAL DEPRESSION SHALL CONFORM TO FINISHED STREET SURFACE.
3. A = 4' UNLESS OTHERWISE SPECIFIED.
T = SEE STANDARD DRAWING CB-100, NOTE 1.
W = SEE STANDARD DRAWING CB-100, NOTE 1.
4. WHERE NO CURB EXIST, CURBS SHALL BE CONSTRUCTED BETWEEN ENDS OF LOCAL DEPRESSION. CURB SECTION SHALL CONFORM TO THAT OF CONTROLLING AGENCY.
5. DEPRESSION SHALL BE CLASS "B" CONCRETE




RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

APPROVED BY: *[Signature]*
CHIEF ENGINEER


DATE: April 5, 2004

R.C.E. NO. 32336


**LOCAL DEPRESSION
NO. 2**




CASE A



CASE B




SECTION



CASE C

NOTES

1. LOCAL DEPRESSION SHALL BE:
 - (A) CASE "A" FOR CATCH BASIN NO. 4 (SEE STANDARD DRAWING CB 101) UNLESS OTHERWISE SPECIFIED.
 - (B) CASE "B" FOR CATCH BASIN NO. 6 (SEE STANDARD DRAWING CB 102) UNLESS OTHERWISE SPECIFIED.
2. ELEVATIONS AT OUTER CORNERS SHOWN ON PROJECT DRAWINGS. IF NO ELEVATIONS ARE SPECIFIED, THE OUTER EDGE OF LOCAL DEPRESSION SHALL CONFORM TO FINISHED STREET SURFACE.
3. A= 4' UNLESS OTHERWISE SPECIFIED.
T= SEE STANDARD DRAWING CB101 OR CB102
W= SEE STANDARD DRAWING CB101 OR CB102
4. WHERE NO CURB EXIST, CURBS SHALL BE CONSTRUCTED BETWEEN ENDS OF LOCAL DEPRESSION. CURB SECTION SHALL CONFORM TO THAT OF CONTROLLING AGENCY.
5. DEPRESSION SHALL BE CLASS "B" CONCRETE



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
APPROVED BY: *[Signature]*
DATE: April 5, 2004
R.C.E. NO. 32336
CHIEF ENGINEER


LOCAL DEPRESSION NO. 3

TABLES FOR DIMENSIONS AND BAR SIZES

B (INCHES)	T (INCHES)	P (INCHES)	B (INCHES)	T (INCHES)	P (INCHES)	B (INCHES)	T (INCHES)	P (INCHES)
12	5	5	42	7 1/2		90	13 1/4	5
15	5	5	45	7 3/4		96	14	
18	5	5	48	8		102	15 1/2	
21	5	5	51	8 1/2		108	16	
24	5 1/4	5	54	9		114	16 1/2	
27	5 1/2	5	57	9 1/4		120	17	
30	6	5	60	9 1/2	5	126	17	8
33	6 1/4	5	63	10		132	17 1/2	
36	6 1/2	5	66	10 1/4		138	17 1/2	
39	7	5	69	10 3/4		144	18	
#5						#7		
#4 @ 6"			D.E.H AND G BARS			#6 @ 6"		
			F BARS			D.E.H AND G BARS		
			#6			F BARS		
			#5 @ 6"			#6 @ 6"		


NOTES

1. FOR NEW CAST-IN-PLACE CONSTRUCTION, JUNCTION STRUCTURE SHALL BE POURED MONOLITHICALLY WITH MAIN LINE STORM DRAIN, MANHOLE, OR TRANSITION.
2. THE NEED FOR AN EDGE BEAM AND/OR ADDITIONAL REINFORCEMENT SHALL BE INVESTIGATED BY THE ENGINEER FOR ANY ONE OF THE FOLLOWING CONDITIONS:
 - a. ANGLE A IS LESS THAN 30°
 - b. TOP OF INLET PIPE IS LESS THAN 6" BELOW THE SOFFIT.
 - c. FLOW LINE OF INLET PIPE IS LESS THAN 7" ABOVE THE FLOOR OF THE MAIN LINE AT THE INSIDE FACE.
3. VALUES FOR A, B, C, ELEV. R, AND ELEV. S SHALL BE SPECIFIED ON PROJECT DRAWINGS. VALUES FOR T ARE SHOWN IN TABLES HEREIN.
4. STATIONS SPECIFIED ON DRAWINGS APPLY AT THE INTERSECTION OF CENTER LINES OF MAIN LINE AND LATERALS; UNLESS OTHERWISE NOTED.
5. UNLESS OTHERWISE SHOWN, ALL REINFORCING STEEL SHALL BE NEW STRAIGHT, DEFORMED STEEL BARS AND SHALL BE KEPT 1 1/2" CLEAR FROM INSIDE FACE OF CONCRETE.
6. WHERE DESIGN VELOCITIES EXCEED 20 FT/SEC, CONCRETE COVER ON THE INSIDE FACE SHALL BE INCREASED TO PROVIDE ADDITIONAL COVER OVER THE REINFORCED STEEL AS SPECIFIED ON THE PROJECT DRAWINGS.
7. FLOOR OF STRUCTURE SHALL BE STEEL-TROWELED TO THE SPRING LINE.
8. PLACE CLASS B CONCRETE OR COMPACT SOIL UNDER STRUCTURE TO RELATIVE DENSITY REQUIRED BY SPECIFICATIONS. FILL MAY BE OMITTED IF STRUCTURE IS LAID ON UNDISTURBED EARTH TO MAIN LINE WALL.
9. W BARS ARE MAIN LINE WALL STEEL (INTERIOR CURTAIN), AND SHALL BE CUT IN CENTER OF OPENING AND BENT INTO TOP AND BOTTOM OF JUNCTION STRUCTURE.
- * LIMITS OF EXISTING CONSTRUCTION REMOVAL.




SECTION G

#4 @ 18" E.W. WHEN B IS 60" OR MORE



SECTION P



APPROVED BY: *[Signature]*
 GENERAL SUPERVISOR
 DATE: 7-2-2018

RIVERSIDE COUNTY FLOOD CONTROL
 AND
 WATER CONSERVATION DISTRICT
 APPROVED BY: *[Signature]*
 PEAK REGISTERED PROFESSIONAL ENGINEER
 DATE: 7-2-2018


R.C.C. NO. 19795 DATE: 7-2-2018
 R.C.C. NO. 70355

**JUNCTION STRUCTURE
 NO. 1**

STANDARD DRAWING NUMBER JS226
 SHEET 1 OF 1


TABLE OF VALUES FOR DIMENSIONS

B (INCHES)	T (INCHES)
8	5
12	5
15	5
18	5
21	5
24	5 1/2
27	5 1/2
30	6
33	6 1/2
36	6 1/2
39	7




NOTES


- THIS JUNCTION STRUCTURE SHALL BE USED WHEN THE OUTSIDE DIAMETER OF THE LATERAL IS GREATER THAN 1/2 THE DIAMETER D OF THE MAIN LINE OR WHEN THE INSIDE DIAMETER B OF THE LATERAL IS GREATER THAN 24". B SHALL NOT EXCEED 0.75 D OR 39".
- VALUES FOR A, B, C, D, E, F, G, L, ELEV. R, AND ELEV. S SHALL BE SPECIFIED ON PROJECT DRAWINGS. LINE J=(7/12)D+6"
- RECTANGULAR OPENING IN MAIN LINE PIPE SHALL BE CUT WITHIN LIMITS NORMAL TO PIPE SURFACE (DIMENSION L) WITHOUT DAMAGING STEEL.
- UNLESS OTHERWISE SHOWN, ALL REINFORCING STEEL SHALL BE NEW, STRAIGHT, DEFORMED STEEL BARS AND SHALL BE KEPT 1/2" CLEAR FROM INSIDE FACE OF CONCRETE.
- WHERE DESIGN VELOCITIES EXCEED 20 FT/SEC, CONCRETE COVER ON THE INSIDE FACE SHALL BE INCREASED TO PROVIDE ADDITIONAL COVER OVER THE REINFORCED STEEL AS SPECIFIED ON THE PROJECT DRAWINGS.
- FLOOR OF STRUCTURE SHALL BE STEEL-TROWELED TO SPRING LINE.
- NO MORE THAN ONE OPENING SHALL BE MADE IN ANY ONE SECTION OF PIPE, AND SHALL NOT BE MADE WITHIN 12" OF A MAIN LINE JOINT.
- STATIONS SPECIFIED ON DRAWINGS APPLY AT THE INTERSECTION OF CENTERLINES OF MAIN LINE AND LATERALS, UNLESS OTHERWISE NOTED.
- PIPE SHALL BE CRADLED IN CLASS B CONCRETE EXTENDING LONGITUDINALLY TO POINTS 1 FT. BEYOND THE LIMITS OF L. MINIMUM H SHALL BE H/2. OUTSIDE PIPE DIAMETER + 4 INCHES. CRADLE SHALL BE PLACED ON THE OPPOSITE LATERAL INLET WHEN CONSTRUCTED IN CONNECTION WITH EXISTING PIPE STORM DRAIN.
- MAIN LINE REINFORCEMENT IN PIPE SHALL BE CUT IN CENTER OF OPENING AND BENT TO UNIFORM DISTANCE FROM TOP AND BOTTOM OF JUNCTION STRUCTURE.



PLAN




SECTION Z-Z




APPROVED BY: *[Signature]*
 GENERAL MANAGER OF DISTRICT
 DATE: 7-2-2009
 R.C.E. NO. 39795
 R.C.E. NO. 70355
 RIVERSIDE COUNTY FLOOD CONTROL
 WATER CONSERVATION DISTRICT
 APPROVED BY: *[Signature]*
 ENGINEER OF DISTRICT
 DATE: 7-2-2009
 R.C.E. NO. 70355


JUNCTION STRUCTURE NO. 2
 STANDARD DRAWING NUMBER JS227
 SHEET 1 OF 1




PLAN BOX WALL ENTRANCE COLUMN SUPPORT




TOP SLAB ENTRANCE RCB REINFORCEMENT OMITTED FOR CLARITY



SECTION B




SECTION A



SECTION C


BOX WALL ENTRANCE COLUMN SUPPORT

- NOTES**
- LATERAL SIZE "B" = 30" OR LESS (USE JS NO.1 FOR B x 30").
 - APPLICABLE FOR NEW OR EXISTING CAST-IN-PLACE RCB MAIN LINE CONSTRUCTION. SPECIAL DESIGN REQUIRED FOR ALL CONNECTIONS INTO TRIGGS.
 - ANGLE A SHALL BE BETWEEN 45° AND 90°.
 - ELEV. S SHALL BE SPECIFIED ON PROJECT DRAWINGS.
 - NO MORE THAN ONE OPENING SHALL BE MADE IN ANY 10-FOOT LENGTH OF MAIN LINE RCB WITHOUT A SPECIAL STRUCTURAL DESIGN.
 - MAIN LINE REINFORCING STEEL SHALL BE CUT TO 2" CLEAR OF PIPE OPENING.
 - LATERAL OPENING SHALL NOT BE MADE WITHIN 24" OF A MAIN LINE JOINT.




RIVERSIDE COUNTY FLOOD CONTROL WATER CONSERVATION DISTRICT
 APPROVED BY: [Signature]
 GENERAL MANAGER / ENGINEER
 DATE: 7-2-2009
 R.C.E. NO. 59795
 R.C.E. NO. 70355
 PROJECT: TRIGGS (05-03000005)
 SHEET: 2-2-209

JUNCTION STRUCTURE NO. 3
 STANDARD DRAWING NUMBER JS228
 SHEET 1 OF 1



**PLAN
PIPE WALL COLUMN SUPPORT**




SECTION A


**CASE 1
(VERTICAL \angle 45° OR LESS)**

NOTES: CASES 1 & 2

1. B SHALL BE 24" OR LESS, AND IN NO CASE SHALL THE OUTSIDE DIAMETER OF THE INLET PIPE EXCEED ONE-HALF THE INSIDE DIAMETER OF THE MAIN LINE. IF VERTICAL \angle IS 45° OR GREATER, USE CASE 2. IF VERTICAL \angle IS GREATER THAN 45°, USE CASE 2.
2. ϕ OF INLET SHALL BE RADIAL TO THE MAIN STORM DRAIN EXCEPT WHEN ELEVATION "S" IS SHOWN ON PROJECT DRAWING PROFILE.
3. THE MINIMUM OPENING INTO THE EXISTING STORM DRAIN SHALL BE THE OUTSIDE DIAMETER OF THE CONNECTING PIPE PLUS 1 INCH.
4. STATION POINT AS SHOWN ON PROJECT DRAWING PLAN VIEW.
5. NO MORE THAN ONE OPENING SHALL BE MADE IN ANY ONE SECTION OF PIPE, AND SHALL NOT BE MADE WITHIN 12" OF A MAIN LINE JOINT.




**CASE 3
SADDLE CONNECTION PLAN
(MAIN LINE PIPE 21" DIAMETER OR LESS)**



**CASE 3
SADDLE CONNECTION DETAIL**

NOTES: CASE 3


1. CONNECTIONS TO MAIN LINE PIPES 21" OR LESS IN DIAMETER WITHOUT JUNCTION STRUCTURES OR PRECAST Y BRANCHES SHALL BE MADE WITH SADDLES.
2. TRIM OR CUT LATERAL PIPE TO CREATE SADDLE CONNECTION THAT FITS SNUGLY OVER THE OUTSIDE OF THE MAIN LINE PIPE. SADDLE ALIGNMENT SHALL MATCH LATERAL ALIGNMENT LINE.
3. THE OPENING INTO THE MAIN LINE PIPE SHALL BE CUT AND TRIMMED TO MATCH THE INSIDE DIMENSIONS OF THE LATERAL PIPE.





**CASE 2
CATCH BASIN ABOVE STORM DRAIN
(VERTICAL \angle > 45°)**

NOTE: CASE 2

1. ALL CONNECTOR PIPES (WITHIN THE VERTICAL ANGLES SPECIFIED FOR CASE 2) SHALL BE ENCASED WHEN LAD WITHIN WHICH HAS NOT BEEN DENSIFIED.




APPROVED BY:  E. UNLEY
GENERAL ENGINEER
DATE: 7-2-2018
R.C.E. NO. 59795

APPROVED BY:  J. W. HARRIS
GENERAL ENGINEER
DATE: 7-2-2018
R.C.E. NO. 70355

RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

**JUNCTION STRUCTURE
NO. 4**

STANDARD DRAWING NUMBER JS229
SHEET 1 OF 1




PLAN
NTS

NOTES:


1. FOR INSTRUCTION ON USE OF THIS STANDARD, GENERAL NOTES AND DESIGN TABLES, SEE SHEET 3. VARIABLES B, H, N AND S PROVIDED IN TABLES A, B, OR C ON SHEET 3. DESIGN CASE SHALL BE SHOWN ON PLANS.
2. PROTECT EXISTING REINFORCING. NOT ALL REINFORCING SHOWN. ANY BARS EXPOSED SHALL HAVE CONCRETE REMOVED TO 1". CONTINUE EXISTING LONGITUDINAL WALL STEEL THROUGH LAP LENGTH SHOWN.
3. ROUGHEN SURFACE TO APPROXIMATE 1/4" AMPLITUDE. SURFACE SHALL BE CLEANED AND FREE OF LAITANCE.
4. CUT LATERAL REINFORCING WHERE INTERSECTS WITH INSIDE OF MAINLINE RCB WALL. MAINTAIN 1/2" CLEAR FROM INSIDE FACE.
5. ABBREVIATIONS SHALL BE AS DEFINED:
ML MAIN LINE
LAT LATERAL
T1 DECK THICKNESS PER CALTRANS STANDARD PLANS OR PROJECT DRAWINGS
T3 INVERT THICKNESS PER CALTRANS STANDARD PLANS OR PROJECT DRAWINGS

LAP SCHEDULE


BAR SIZE	ALL BARS
#3	1'-1"
#4	1'-6"
#5	1'-9"
#6	2'-2"
#7	2'-10"
#8	3'-8"
#9	4'-8"
#10	5'-11"
#11	7'-3"



DETAIL 3
OBTUSE WALL CORNER
NTS









DETAIL 4
ACUTE WALL CORNER
NTS



SECTION A
NTS



APPROVED BY: *[Signature]*
 DATE: 06/2006
 R.C.E. NO. 5233
 ENGINEER-IN-CHARGE
 RIVERHSE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
 PROJECT: *[Signature]*
 DATE: 06/2006
 R.C.E. NO. 5233



TYPICAL SECTION 1
BEAM SECTION
SEE NOTE 5
NTS

TYPICAL SECTION 2
BEAM SECTION
SEE NOTE 5
NTS

TYPICAL SECTION 3
BEAM SECTION
SEE NOTE 5
NTS

TYPICAL SECTION 4
BEAM SECTION
SEE NOTE 5
NTS

TYPICAL SECTION 5
BEAM SECTION
SEE NOTE 5
NTS

NOTES:

1. VARIABLES B, H, N AND S PROVIDED IN TABLES A, B OR C ON SHEET 3. N IS THE BAR CONFIGURATION PER DETAIL 2 HEREON, THE SIZE OF BARS IS PER THE TABLES ON SHEET 3.
2. DEPTH OF THICKENED SLAB SHALL MATCH THE MAIN LINE DECK OR INVERT, WHICHEVER IS GREATER.
3. CUT LATERAL REINFORCING OF MAINLINE RCB WALL TO MAINTAIN 1/2" CLEAR FROM INSIDE FACE.
4. OMIT HORIZONTAL TIES AND BARS WHERE TIE IS WITHIN LATERAL SLAB, INVERT OR THICKENED EDGE.
5. SAMPLE CONFIGURATIONS OF LATERAL MAIN LINE AND JUNCTION STRUCTURE GEOMETRIES ARE SHOWN. PLEASE NOTE THE POSITION OF THE LATERAL TO THE MAINLINE MAY VARY, SUCH AS MATCHING OR OFFSET INVERT ELEVATIONS, AND MATCHING OR OFFSET TOP SLAB ELEVATIONS. REINFORCING STEEL SHOP DRAWINGS SHOWING SPECIFIC GEOMETRY AND REINFORCING SHALL BE SUBMITTED TO THE DISTRICT FOR REVIEW AND APPROVAL.
6. ABBREVIATIONS SHALL BE AS DEFINED:
ML MAIN LINE
LAT LATERAL
T1 T1 DECK THICKNESS PER CALTRANS STANDARD PLANS OR PROJECT DRAWINGS
T3 T3 INVERT THICKNESS PER CALTRANS STANDARD PLANS OR PROJECT DRAWINGS
7. "X" BAR, SEE TABLE ON SHEET 3 AND DETAIL 1.

DETAIL 1
THICKENED DECK/INVERT
NTS

DETAIL 2
BEAM REINFORCEMENT DETAILING
NTS

<p>REVISIONS</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>NO.</th> <th>DATE</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7/2023</td> <td>CORRECT TYPO AND TEXT TO MATCH CON SHEET 2 OF 3</td> </tr> </tbody> </table>	NO.	DATE	DESCRIPTION	1	7/2023	CORRECT TYPO AND TEXT TO MATCH CON SHEET 2 OF 3	<p>APPROVED BY: REGISTERED PROFESSIONAL ENGINEER No. 58335 STATE OF CALIFORNIA</p> <p>DATE: 06/20/23</p>	<p>RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT</p> <p>APPROVED BY: DISTRICT ENGINEER</p> <p>DATE: 06/20/23</p>
NO.	DATE	DESCRIPTION						
1	7/2023	CORRECT TYPO AND TEXT TO MATCH CON SHEET 2 OF 3						
<p>JUNCTION STRUCTURE NO. 5</p>								
<p>STANDARD DRAWING NUMBER JS230 SHEET 2 OF 3</p>								

DESIGN NOTES

DESIGN SPECIFICATIONS:
AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS,
2012 (SIXTH EDITION) WITH CALIFORNIA
AMENDMENTS (AASHTO-CA B05-6)

LOADING:
LIVE LOAD: (AASHTO LRFD 3.6.1.2)
HL-93 CONSISTS OF DESIGN TRUCK OR
DESIGN TANDEM AND DESIGN LANE LOAD.
IMPACT FACTORS: (APPLY TO ROOF SLAB ONLY)
 $IM = 33.1(1.0 - 0.25DE) = 33$ or 2-FT Fill, 0 OTHERWISE
DE = MINIMUM DEPTH OF EARTH COVER

EARTH LOAD:
VERTICAL EARTH PRESSURE: 140 psf

LOAD FACTORS:
AASHTO LRFD TABLE 3.4.1.1 & TABLE 3.4.1.2
STRENGTH I: $U = 1.35(OC+EV) + 1.75(LL+IM+LS)$
STRENGTH IV: $U = 1.30(OC+EV)$

STRENGTH REDUCTION FACTORS:
 $\phi = 0.90$ SHEAR & MOMENT

UNIT STRESSES:
 $f_c = 3,100 \text{ psi}$
 $f_y = 60,000 \text{ psi}$

SHEAR:
 $V_e \leq 0.067b\sqrt{f_c} + 4.6 \frac{A_s}{b} \sqrt{f_c}$
 $V_e \leq 0.126\sqrt{f_c} b x d_e$ (Kips)

$V_e \leq 0.126\sqrt{f_c} b x d_e$ (Kips)


$V_e \leq 0.0948\sqrt{f_c} b x d_e$
FOR FRAME MEMBERS AND $0.0791\sqrt{f_c} b x d_e$
FOR SIMPLY SUPPORTED MEMBERS.

STRUCTURAL GENERAL NOTES

1. VERIFY ALL DIMENSIONS AND JOB SITE CONDITIONS PRIOR TO THE FABRICATION OF ANY MATERIAL.
2. THESE NOTES AND DETAILS ARE INTENDED TO WORK WITH CALTRANS (C&G) AND OTHER DESIGN DOCUMENTS. BE SURE TO CHECK THE PROJECT REG. DESIGNS AND GEOMETRIES UPON APPROVAL FROM THE PROJECT ENGINEER OF RECORD, AND AS REFERENCED BY PROJECT DRAWINGS.
3. THE PROJECT ENGINEER OF RECORD IS RESPONSIBLE FOR CHECKING THE PROPOSED IMPROVEMENTS ARE WITHIN THE DESIGN LIMITATIONS AND VARIABLES PRESENTED HEREIN.

STANDARD DRAWINGS NOTES FOR DESIGN TABLES

1. FOR DEFINITION OF LATERAL SPAN ("L") AND SKEW ("A") AS USED IN THE FOLLOWING NOMOGRAPH, SEE PLAN ON SHEET 1 HERON.
2. THE ENGINEER SHALL SPECIFY THE CONSTRUCTION CONDITION BY DESIGN OPENING SPAN ("P"), MAIN LINE SPAN ("M"), LATERAL SPAN ("L") AND SKEW ("A").
EXAMPLE:
MAIN LINE SPAN ("M")=9'-0", EARTH COVER=8'-0",
OPENING SPAN ("P")=7'-8", LATERAL SPAN ("L")=6'-6" WITH 60° SKEW WOULD SPECIFY:
"CONSTRUCT JS NO.5 PER DISTRICT STD. JS230 DESIGN CASE BM10P8".
3. TO ESTIMATE OPENING SPAN BASED ON LATERAL SPAN AND SKEW, SEE "NOMOGRAPH FOR OPENING SPAN" BELOW.
4. BEAM WIDTH SHALL BE AS SPECIFIED OR MATCH MAIN LINE WALL WIDTH, WHICHEVER IS LARGER.
5. BEAM DEPTH SHALL BE AS SPECIFIED OR MATCH MAIN LINE DECK OR INVERT THICKNESS, WHICHEVER IS LARGER.



EQUATION
 $P = L / \sin(A)$

"P" SPAN NOMOGRAPH

TABLE A

DESIGN CASE	EARTH COVER = 0' TO 2'-0"			S	"X" BAR
	B (ft)	H (ft)	N/BAR SIZE		
AM4P2	12	2	6	6/2	N/A
AM4P4	12	16	2	6	4/2
AM4P6	12	18	2	7	6/2
AM5P2	12	2	6	6/2	N/A
AM5P4	12	16	2	6	4/2
AM5P6	12	18	2	7	5
AM5P8	12	20	2	8	7
AM6P3	12	14	2	6	4
AM6P4	12	16	2	6	4/2
AM6P6	12	18	2	7	5
AM6P8	12	20	2	8	5/2
AM6P9	12	22	2	8	7
AM7P3	12	14	2	6	4
AM7P4	12	16	2	6	4/2
AM7P6	12	18	2	7	5
AM7P8	12	20	2	8	5/2
AM7P10	12	24	3	7	10/2
AM8P4	12	16	2	6	4/2
AM8P6	12	18	2	7	5
AM8P8	12	20	2	8	5/2
AM8P10	12	24	3	7	10/2
AM8P12	12	28	3	7	10/2
AM10P4	8 1/2	28	2	6	11/2
AM10P6	12	18	2	5	#7 @ 10"
AM10P8	12	20	2	8	5/2
AM10P10	12	24	2	8	6/2
AM10P12	18	18	4	9	5
AM10P14	18	20	4	9	5/2
AM10P15	18	22	4	9	6
AM12P4	12	16	3	6	4/2
AM12P6	12	18	3	7	4/2
AM12P8	12	18	3	8	5
AM12P10	12	18	3	8	5
AM12P12	18	18	4	9	5
AM12P14	18	20	4	9	5/2
AM12P15	18	22	4	9	6
AM14P4	12	16	3	6	4/2
AM14P6	12	18	3	7	4/2
AM14P8	12	18	3	8	5
AM14P10	12	20	3	9	5/2
AM14P12	18	18	4	9	5
AM14P14	18	22	4	9	6
AM14P15	18	24	4	9	9/2

NOTES:
1. N=MAIN LINE SPAN
2. P=OPENING SPAN

TABLE C

DESIGN CASE	EARTH COVER = 10'-1" TO 20'-0"			S	"X" BAR
	B (ft)	H (ft)	N/BAR SIZE		
CM4P2	6	10	1	6	N/A
CM4P4	12	10	2	6	5/2
CM4P6	12	14	2	6	7/2
CM5P2	6	10	1	6	5/2
CM5P4	12	12	2	6	6/2
CM5P6	12	14	2	7	4
CM5P8	12	20	2	7	5/2
CM6P3	7	12	1	6	3
CM6P4	12	12	2	6	6/2
CM6P6	12	16	2	7	4/2
CM6P8	12	22	2	7	6/2
CM6P9	12	26	2	7	6/2
CM7P3	7	12	1	6	3
CM7P4	12	12	2	6	3
CM7P6	12	18	2	6	7
CM7P8	12	24	2	7	6/2
CM8P4	12	14	2	8	5
CM8P6	12	20	2	8	8
CM8P8	12	26	2	8	8
CM8P10	12	34	3	6	10
CM8P12	18	20	4	9	5
CM10P4	12	14	2	7	6/2
CM10P6	12	22	2	7	6/2
CM10P8	12	30	2	7	6/2
CM10P10	12	38	3	7	9/2
CM10P12	18	22	4	9	4/2
CM10P14	24	26	5	9	6
CM10P15	24	28	5	9	6
CM12P4	12	14	2	7	4
CM12P6	12	16	3	7	4/2
CM12P8	12	20	3	8	4/2
CM12P10	12	24	3	9	4
CM12P12	18	24	4	10	4/2
CM12P14	24	26	5	10	5/2
CM12P15	24	28	5	10	5/2
CM14P4	12	14	2	7	4
CM14P6	12	18	3	8	5
CM14P8	12	20	3	9	4
CM14P10	12	24	3	11	3/2
CM14P12	18	24	4	10	4
CM14P14	24	26	5	10	4/2
CM14P15	24	28	5	10	4/2

TABLE B


DESIGN CASE	EARTH COVER = 2'-1" TO 10'-0"			S	"X" BAR
	B (ft)	H (ft)	N/BAR SIZE		
BM4P2	6	9	1	6	N/A
BM4P4	8	10	1	6	N/A
BM4P6	12	12	2	6	6/2
BM5P2	6	9	1	6	N/A
BM5P4	6	10	1	6	5/2
BM5P6	12	12	2	6	6/2
BM5P8	12	14	2	7	8
BM6P3	6 1/2	9	1	6	N/A
BM6P4	6 1/2	10	1	7	5/2
BM6P6	12	12	2	7	6/2
BM6P8	12	14	2	8	N/A
BM6P9	12	14 1/2	2	8	N/A
BM7P3	6 1/2	9	1	6	N/A
BM7P4	6 1/2	12	1	7	6/2
BM7P6	12	12	2	7	6/2
BM7P8	12	14	2	8	N/A
BM7P10	12	17	2	9	9/2
BM8P4	6 1/2	12	1	7	6/2
BM8P6	12	14	2	8	N/A
BM8P8	12	16	2	8	N/A
BM8P10	12	18	2	9	10
BM8P12	18	18	4	8	10
BM10P4	12	12	2	6	6/2
BM10P6	12	2	7	8	#7 @ 10"
BM10P8	12	16	3	7	9
BM10P10	18	18	4	7	10
BM10P12	18	20	4	8	11/2
BM10P14	18	22	4	9	11/2
BM10P15	18	24	4	9	11/2
BM12P4	12	12	2	6	6/2
BM12P6	12	14	3	7	8
BM12P8	12	18	3	7	10
BM12P10	18	20	4	7	11/2
BM12P12	18	22	4	8	11/2
BM12P14	18	24	4	9	11/2
BM12P15	18	26	4	9	11/2
BM14P4	12	14	2	6	8
BM14P6	12	14	3	7	8
BM14P8	12	18	3	8	10
BM14P10	18	20	4	8	11/2
BM14P12	18	22	4	9	11/2
BM14P14	18	24	4	10	11/2
BM14P15	18	26	4	10	11/2




APPROVED BY: [Signature]
REGISTERED PROFESSIONAL ENGINEER
DATE: 08/2006
R.C.E. NO. 5233
R.C.E. NO. 52336
DATE: 08/2006

TABLE
FOR DIMENSIONS & BAR SIZES
D=18"-84"


D (IN)	T (IN)	'c' BARS
18	9	NONE
24	9	NONE
30	9	NONE
36	8	NONE
42	8	NONE
48	8	NONE
54	9	# 4 @ 12"
60	10	NONE
66	11	NONE
72	11	NONE
84	13	NONE




TRANSVERSE JOINT CONNECTION DETAIL 1
(EXISTING CHANNEL)
NTS



TRANSVERSE JOINT CONNECTION DETAIL 2
(EXISTING CHANNEL)
NTS





PLAN
NTS






SECTION A
NTS

- NOTES**
1. **A SHALL BE BETWEEN 45° AND 90°**
 2. VALUES FOR D, L, C, EL, R, EL, S, ANGLE A & STATION "X" ARE SHALL BE SPECIFIED ON PROJECT DRAWINGS.
 3. REINFORCING BARS SHALL BE PLACED 2" CLEAR FROM FACE OF CONCRETE, TYPICAL UNLESS OTHERWISE NOTED.
 4. CONCRETE SHALL BE CLASS "A".
 5. REINFORCEMENT SHALL BE PROVIDED IN ALL PORTIONS OF THE JUNCTION STRUCTURE AS INDICATED ON DRAWINGS REGARDLESS OF BAR LENGTH MODIFICATION REQUIRED TO ACHIEVE PROPER CLEARANCES.
 6. INSTALLATION OF LATERAL PIPE SHALL BE IN CONFORMANCE TO DISTRICT STD M815.
 7. UNLESS OTHERWISE SPECIFIED, REMOVE AND REPLACE CHANNEL SLOPE PANEL PER STD CH326 (INCLUDING SLOPE THICKNESS, REINFORCING STEEL, WEEPHOLES, AND TRANSVERSE JOINTS).
 8. TRANSVERSE JOINT CONNECTION SHALL BE CONSTRUCTED PER DETAIL THEREIN FOR EXISTING CHANNELS.





RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
APPROVED BY: _____
GENERAL MANAGER
DATE: 7-2-2009
R.C.C. NO. 59795
R.C.E. NO. 70355





NOTES

1. APPLICABLE TO EXISTING TRAPEZOIDAL CHANNEL ONLY UPON CASE BY CASE APPROVAL BY DISTRICT OTHERWISE USE JS231.
2. HORIZONTAL ANGLE OF CONFLUENCE, "A", MUST BE BETWEEN 60° AND 90°.
3. "D" SHALL NOT EXCEED 24".
4. SIDE SLOPE, "Z", SHALL NOT BE FLATTER THAN 2:1.
5. CONTRACTOR SHALL UTILIZE CASE 1 FOR EXISTING UNREINFORCED CHANNELS AND CASE 2 FOR EXISTING REINFORCED CHANNELS.
6. VALUES FOR D, Z, ANGLE A, C, EL. "S", AND STATION "X", SHALL BE SPECIFIED ON PROJECT DRAWINGS.
7. ALL CONCRETE SHALL BE CLASS A.
8. JOINT CONNECTION SHALL BE CONSTRUCTED PER DETAIL 1 HEREIN FOR EXISTING CHANNELS.
9. RECONSTRUCTION OF CHANNEL SLOPE PAVING SHALL BE PER STD DWG CH326 AND AS SHOWN HEREON.

JOINT CONNECTION DETAIL 1 (EXISTING CHANNEL) NTS





APPROVED BY: GENERAL MANAGER DATE: 7-2-2019	RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT APPROVED BY: FISCAL OFFICER DATE: 7-2-2019	R.C.E. NO. 59795	R.C.E. NO. 70355
STANDARD DRAWING NUMBER JS232		JUNCTION STRUCTURE NO. 7	
SHEET 1 OF 1		STANDARD DRAWING NUMBER JS232	



UNLINED CHANNEL CONDITION
NTS



ROCK LINED CHANNEL CONDITION
NTS



- LEGEND**
- D = INSIDE PIPE DIAMETER (FT)
 - A = JUNCTION ANGLE TO BE DETERMINED BY ENGINEER
 - Z = HORIZONTAL COMPONENT FOR SLOPE RATIO
 - E = $\frac{Z(D-Z)}{\sin A}$ NOT TO EXCEED TOP OF CHANNEL

NOTES

1. 1/4 TON CONCRETE ROCK SLOPE PROTECTION PER CALTRANS STANDARD SPECIFICATION SECTION 72, CURRENT EDITION, NO. **ROCK ENERGY DISSIPATOR REQUIRED WHEN LATERAL O IS LESS THAN 10 CFS.**
2. CONCRETE MAY EXTEND TO TOP OF SLOPE FOR ROCK LINED CHANNEL.
3. IF "Y" IS GREATER THAN OR EQUAL TO B/2, EXTEND CONCRETED ROCK SLOPE PROTECTION ACROSS ENTIRE BASE WIDTH OF CHANNEL AND 4 FEET UP THE OPPOSITE SLOPE, OR AS APPROVED BY THE ENGINEER.
4. SEE STANDARD CH326 FOR SLOPE PAVING AND CUTOFF WALL (REIN.) DETAILS.



ROCK ENERGY DISSIPATOR
(ANGLED JUNCTION)
NTS

ROCK ENERGY DISSIPATOR
(PERPENDICULAR JUNCTION)
NTS


RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

APPROVED BY: No. 59395
GENERAL SURVEYOR/ENGINEER State of California

DATE: 7-2-2009


R.C.C. NO. 39795 DATE: 7-2-2009 R.C.E. NO. 70385

JUNCTION STRUCTURE
NO. 8
(SOFT-BOTTOM CHANNEL)
STANDARD DRAWING NUMBER JS233
SHEET 1 OF 1




DETAIL N PLAN


(SHAFT NOT SHOWN, SEE NOTE 3)




SECTION B-B



PLAN
(SHAFT NOT SHOWN)



SECTION A-A





SECTION C-C

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT APPROVED BY: <i>[Signature]</i> CHIEF ENGINEER DATE: JANUARY 2011 R.E. No. 44684 DATE: JANUARY 2011 R.C.E. NO. 32356	MANHOLE NO. 1 STANDARD DRAWING NUMBER MH251 SHEET 1 OF 2
---	--

NOTES

1. HEIGHT H SHALL BE NOT LESS THAN 4'-0" BUT MAY BE INCREASED AT OPTION OF CONTRACTOR PROVIDED THAT THE VALUE OF M SHALL NOT BE LESS THAN THE MINIMUM SPECIFIED AND THAT THE REDUCER SHALL BE USED. FOR H (IN SEC. C-C) SEE NOTE 4.
2. LENGTH L SHALL BE 4' UNLESS OTHERWISE SHOWN ON IMPROVEMENT PLAN. L MAY BE INCREASED OR LOCATION OF MANHOLE SHIFTED TO MEET PIPE ENDS, AT THE OPTION OF CONTRACTOR, EXCEPT THAT ANY CHANGE IN LOCATION OF MANHOLE MUST BE APPROVED BY THE ENGINEER.
3. SHAFT SHALL BE CONSTRUCTED AS PER SECTION C-C AND DETAIL N WHEN DEPTH M FROM STREET GRADE TO TOP OF BOX IS LESS THAN 2'-10 1/2" FOR PAVED STREETS OR 3'-6" FOR UNPAVED STREETS.
4. DEPTH P MAY BE REDUCED TO AN ABSOLUTE LIMIT OF 6" WHEN LARGER VALUES OF P WOULD REDUCE H (IN SECTION C-C) TO BE 3'-6" OR LESS.
5. T SHALL BE 8" FOR VALUES OF H UP TO AND INCLUDING 8'.
T SHALL BE 10" FOR VALUES OF H OVER 8'.
6. STEPS SHALL BE 3/4" ROUND, GALVANIZED STEEL AND ANCHORED NOT LESS THAN 4" IN THE WALLS OF STRUCTURES. UNLESS OTHERWISE SHOWN, STEPS SHALL BE SPACED 16" ON CENTER. THE LOWEST STEP SHALL BE NOT MORE THAN 2' ABOVE THE INVERT.
7. REINFORCING STEEL SHALL BE ROUND, DEFORMED, BARS, NO. 4 AND 1 1/2" CLEAR FROM INSIDE FACE OF CONCRETE.
8. STATIONS REFER TO PLAN AND PROFILE SHEETS. ELEVATIONS AT ϵ AND PROLONGED INVERT GRADE LINE. SEE NOTE 2 FOR SHIFTING LOCATION.
9. RINGS, REDUCER AND PIPE FOR ACCESS SHAFT SHALL BE SEATED IN CEMENT MORTAR AND NEATLY POINTED OR WIPED INSIDE SHAFT.
10. FLOOR OF MANHOLE SHALL BE STEEL TROWELED TO SPRINGLINE.
11. CONCRETE SHALL BE CLASS "A".
12. WHERE PRESSURE MANHOLE NO. 1 IS SPECIFIED ON PLANS SEE STD DWG MH256 AND MH258.

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT		MANHOLE NO. 1
RECOMMENDED FOR APPROVAL BY:  CHIEF, DESIGN & CONSTRUCTION DATE: <u>JANUARY 2011</u>	APPROVED BY:  CHIEF ENGINEER DATE: <u>JANUARY 2011</u>	STANDARD DRAWING NUMBER MH251 SHEET 2 OF 2
R.E. No. 44684	R.C.E. NO. 32336	








TABLE OF VALUES FOR "F"

x D ₂ , D ₁	F	x D ₂ , D ₁	F
36"	6 1/2"	78"	11 3/4"
39"	7"	84"	12 1/2"
42"	7 1/2"	90"	13 1/4"
45"	7 3/4"	96"	14"
48"	8"	102"	15 1/2"
51"	8 1/2"	108"	16"
54"	9"	114"	16 1/2"
57"	9 1/4"	120"	17"
60"	9 1/2"	126"	17"
63"	10"	132"	17 1/2"
66"	10 1/4"	138"	17 1/2"
69"	10 3/4"	144"	18"
72"	11"		

x USE D₂ OR D₁ WHICHEVER IS GREATER

REVERSE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

RECOMMENDED FOR APPROVAL BY: *[Signature]*
APPROVED BY: *[Signature]*

CHEF, DESIGN & CONSTRUCTION
DATE: JANUARY, 2011



R.E. No. 44684
DATE: JANUARY, 2011


R.C.E. NO. 32336

MANHOLE NO. 2
STANDARD DRAWING NUMBER MH252
SHEET 1 OF 2

NOTES


1. TABLE OF VALUES FOR F ARE ON PLAN SHEET 1.
2. CENTER OF MANHOLE SHAFT SHALL BE LOCATED OVER CENTER LINE OF STORM DRAIN WHEN DIAMETER D_1 IS 48" OR LESS, IN WHICH CASE PLACE E BARS SYMETRICALLY AROUND SHAFT AT 45° WITH CENTERLINE AND OMIT J BARS.
3. DETAIL M WHEN DEPTH OF MANHOLE FROM STREET GRADE TO TOP OF BOX IS LESS THAN 2'-10 1/2" FOR PAVED STREET OR 3'-6" FOR UNPAVED STREET, CONSTRUCT MONOLITHIC SHAFT AS PER DETAIL M. SHAFT FOR ANY DEPTH OF MANHOLE MAY BE CONSTRUCTED AS PER DETAIL M. WHEN DIAMETER D_1 IS 48" OR LESS, CENTER OF SHAFT MAY BE LOCATED AS PER NOTE 2.
4. THICKNESS OF DECK SHALL VARY WHEN NECESSARY TO PROVIDE LEVEL PIPE SEAT, BUT SHALL NOT BE LESS THAN TABULAR VALUES FOR F SHOWN ON PLAN SHEET 1.
5. REINFORCING STEEL SHALL BE ROUND, DEFORMED, STRAIGHT BARS, 1 1/2" CLEAR FROM INSIDE FACE OF CONCRETE UNLESS OTHERWISE SHOWN.
6. STEPS SHALL BE 3/4" ROUND, GALVANIZED STEEL AND ANCHORED NOT LESS THAN 4" IN THE WALLS OF STRUCTURE UNLESS OTHERWISE SHOWN THE SPACING SHALL BE 16". THE LOWEST STEP SHALL BE NOT MORE THAN 2'-0" ABOVE THE INVERT. SEE STD DWG MH259.
7. RINGS, REDUCER AND PIPE FOR ACCESS SHAFT BE SEATED IN CEMENT MORTAR AND NEATLY POINTED OR WIPED INSIDE SHAFT.
8. STATIONS OF MANHOLES SHOWN ON PLAN APPLY AT CENTER OF SHAFT ELEVATIONS SHOWN AT STATIONS REFER TO PROLONGED INVERT GRADE LINES.
9. FLOOR OF MANHOLE SHALL BE STEEL TROWELED TO SPRINGLINE.
10. BODY OF MANHOLE SHALL BE POURED IN ONE CONTINUOUS OPERATION, EXCEPT THAT THE CONSTRUCTION JOINT WITH A LONGITUDINAL KEYWAY MAY BE PLACED AT THE SPRINGLINE.
11. LENGTH L AND EMBEDMENT P SHALL HAVE THE FOLLOWING VALUES, UNLESS OTHERWISE SHOWN ON THE PLAN
 FOR $D_2 = 96"$ OR LESS, $L = 5'-6"$, $P = 5'$
 $D_2 = \text{OVER } 96"$, $L = 6'-0"$, $P = 8'$
 L MAY BE INCREASED OR LOCATION OF MANHOLE SHIFTED TO MEET PIPE ENDS WHEN L IS GREATER THAN THAT SHOWN ABOVE IS SPECIFIED D BARS SHALL BE CONTINUED 6" O.C.
12. D BARS SHALL BE #4 FOR $D_2 = 39"$ OR LESS #5 FOR $D_2 42"$ TO 84" INCLUSIVE AND #6 FOR $D_2 = 90"$ OR OVER TIE BARS SHALL BE #4 BARS.
13. STRUCTURAL CONCRETE SHALL BE CLASS "A".
14. CENTERLINE OF INLET PIPE TO INTERSECT INSIDE FACE OF CONE AT SPRINGLINE UNLESS SHOWN OTHERWISE.
15. WHERE PRESSURE MANHOLE NO. 2 IS SPECIFIED ON PLANS SEE STD DWG MH256 AND MH258.

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT		MANHOLE NO. 2
RECOMMENDED FOR APPROVAL BY:  CHIEF, DESIGN & CONSTRUCTION DATE: <u>JANUARY 2011</u>	APPROVED BY:  CHIEF ENGINEER DATE: <u>JANUARY 2011</u>	STANDARD DRAWING NUMBER MH252 SHEET 2 OF 2
R.E. No. 44684	R.C.E. NO. 32336	




PLAN
(SHAFT NOT SHOWN)
NTS

- NOTE**
1. DEPTH P: WHEN DEPTH P FROM STREET GRADE TO TOP OF PIPE SEAT IS LESS THAN 2' - 10 1/2" IN PAVED STREETS OR 3' - 6" IN UNPAVED STREETS, CONSTRUCT 2' DIAMETER SHAFT, USING CONCRETE RINGS AS PER STANDARD PLAN FOR CONCRETE RINGS; OTHERWISE, CONSTRUCT 3' SHAFT AS SHOWN ON THIS PLAN.
 2. STATIONS SHOWN ON IMPROVEMENT PLANS REFER TO CENTER LINE OF SHAFT.
 3. STEPS SHALL BE 3/4" ROUND GALVANIZED STEEL ANCHORED NOT LESS THAN 4" IN WALLS OF STRUCTURE AND UNLESS OTHERWISE SHOWN SHALL BE SPACED 16" ON CENTERS. THE LOWEST STEP SHALL BE NOT MORE THAN 2' ABOVE THE FLOOR.
 4. WHERE PRESSURE MANHOLE NO. 3 IS SPECIFIED ON PLANS SEE STD DWG MH256 AND MH258.




SECTION A-A
NTS




SECTION B-B
MANHOLE FOR BOX
SECTION STORM DRAIN
NTS

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT		MANHOLE NO. 3	
RECOMMENDED FOR APPROVAL BY:	APPROVED BY:	STANDARD DRAWING NUMBER MH253	
CHEF DESIGN & CONSTRUCTION	CHEF ENGINEER	R.C.C.D. NO. 32338	
DATE: JANUARY, 2011	DATE: JANUARY, 2011	R.C.E. No. 44684	



PLAN
(RINGS AND COVER NOT SHOWN)



MANHOLE FRAME AND COVER
SEE STD. DWG. MH260

CONCRETE RINGS AND REDUCER
SEE STD. DWG. MH257

3/4" Ø GALV. STEEL STEPS 16" O.C.
SEE STD. DWGS. MH254-2 AND
MH259 ALSO NOTE 8

5" x 2" PIPE SEAT

36" RCP

F BARS

TIE BARS

A BARS

ELEV. R


B BARS

TIE BARS

#4 @ 12" O.C. BOTHWAYS
TO BE USED WHEN B
IS 60" OR GREATER

#4 @ 12" O.C. BOTHWAYS
TO BE USED WHEN D₂
IS 60" OR GREATER

SECTION P



SECTION G

3 #4 BAR 4'-8" @ 3" O.C.
CONTINUE ADDITIONAL BARS 6 O.C.
TO INSIDE EDGE OF STRUCTURE

#4 @ 12" O.C. BOTHWAYS
TO BE USED WHEN B
IS 60" OR GREATER

ANGLE A

#4 E BARS
(2' 4" O.C.)

Or 3/8" RCP

5" x 2" PIPE SEAT

(3) D BARS 3" O.C.

TIE BARS

F BARS

A & B BARS

SECTION P

5" x 2" PIPE SEAT

D BARS (3)

TIE BARS

F BARS

ROUND EDGES
TO 3" RADIUS

5" x 2" PIPE SEAT

D BARS (3)

TIE BARS

F BARS


SECTION P

#4 BARS @ 12" O.C. BOTHWAYS TO
BE USED WHEN D₂ IS 60" OR GREATER

LONGITUDINAL SECTION

TABLE OF BAR SIZES	
X D ₂ , D ₁ OR B	A & B BARS
12" - 39"	#5 @ 3"
42" - 84"	#6 @ 3"
90" - 144"	#7 @ 3"
	#4 @ 6"
	#5 @ 6"
	#6 @ 6"

X USE D₂, OR D₁, WHICHEVER IS GREATER, OR B



DETAIL M
(SEE NOTE 5)

RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

RECOMMENDED FOR APPROVAL BY: *[Signature]*
DATE: JANUARY 2011

CHEF DESIGN & CONSTRUCTION
DATE: JANUARY 2011

APPROVED BY: *[Signature]*
DATE: JANUARY 2011

R.C.E. NO. 32336

MANHOLE NO. 4
STANDARD DRAWING NUMBER MH254
SHEET 1 OF 2



PLAN
(SHAFT NOT SHOWN)

NOTES


1. VALUES FOR A, B, C, D₁, D₂, ELEVATION R AND ELEVATION S ARE SHOWN ON THE IMPROVEMENT PLAN TABLE OF VALUES FOR F AND T HEREON.
2. LATERALS: IF LATERALS ENTER ON BOTH SIDES OF MANHOLE, ACCESS SHAFT SHALL BE LOCATED ON SIDE RECEIVING THE SMALLER LATERAL.
3. CENTER OF MANHOLE SHAFT SHALL BE LOCATED OVER CENTER LINE OF STORM DRAIN WHEN D₁ IS 48" OR LESS, IN WHICH CASE PLACE 8 E BARS SYMMETRICALLY AROUND SHAFT AT 45° WITH CENTER LINE
4. LENGTH L MAY BE INCREASED AT OPTION OF CONTRACTOR TO MEET PIPE ENDS, BUT ANY CHANGE IN LOCATION OF SPUR MUST BE APPROVED BY THE ENGINEER.
5. DETAIL M: WHEN DEPTH OF MANHOLE FROM STREET GRADE TO TOP OF BOX IS LESS THAN 2'-10 1/2" FOR PAVED STREETS OR 3'-6" FOR UNPAVED STREETS, CONSTRUCT MONOLITHIC SHAFT AS PER DETAIL M. THE CONTRACTOR SHALL HAVE THE OPTION OF CONSTRUCTING SHAFT AS PER DETAIL M FOR ANY DEPTH OF MANHOLE WHEN DIAMETER D₁ IS 48" OR LESS, CENTER OF SHAFT SHALL BE LOCATED AS PER NOTE 3.
6. REINFORCING STEEL SHALL BE ROUND, DEFORMED, STRAIGHT BARS, 1 1/2" CLEAR FROM INSIDE FACE UNLESS OTHERWISE SHOWN. TIE BARS SHALL BE NO. 4 AND SPACED 18" ON CENTERS OR CLOSER.
7. CONCRETE SHALL BE CLASS A, 1 1/2" AGGREGATE.
8. STEPS SHALL BE 3/4" ROUND, GALVANIZED STEEL AND ANCHORED NOT LESS THAN 6" IN THE WALLS OF STRUCTURE UNLESS OTHERWISE SHOWN THE SPACING SHALL BE 16" ON CENTERS. THE LOWEST STEP SHALL BE NOT MORE THAN 2' ABOVE THE INVERT.
9. RINGS, REDUCER AND PIPE FOR ACCESS SHAFT SHALL BE SEATED IN CEMENT MORTAR AND NEATLY POINTED OR WIPED INSIDE SHAFT.
10. FLOOR OF MANHOLE SHALL BE STEEL TROWELED TO SPRINGLINE.
11. BODY OF MANHOLE, INCLUDING SPUR, SHALL BE POURED IN ONE CONTINUOUS OPERATION, EXCEPT THAT THE CONTRACTOR SHALL HAVE THE OPTION OF PLACING AT THE SPRINGLINE A CONSTRUCTION JOINT WITH LONGITUDINAL KEYWAY AND REBAR DOWELS.
12. THE MAXIMUM COVER ABOVE THIS STRUCTURE SHALL BE 25'. IF THE COVER EXCEEDS 25' A SPECIAL STRUCTURE SHALL BE DESIGNED FOR THE COVER AND DETAILED ON THE PROJECT DRAWING.
13. P SHALL BE 5" UNLESS DIAMETER EXCEEDS 96" THEN P= 8".
14. WHERE PRESSURE MANHOLE NO. 4 IS SPECIFIED ON PLANS SEE STD DWG MH256 AND MH258.

** TABLE OF VALUES FOR F AND T


* D ₂ , D ₁	F	* D ₂ , D ₁	F	B	T	B	T
12"	4"	63"	10"	12"	4"	63"	10"
15"	4 1/4"	66"	10 1/4"	15"	4 1/4"	66"	10 1/4"
18"	4 1/2"	69"	10 3/4"	18"	4 1/2"	69"	10 3/4"
21"	5"	72"	11"	21"	5"	72"	11"
24"	5 1/4"	78"	11 3/4"	24"	5 1/4"	78"	11 3/4"
27"	5 1/2"	84"	12 1/2"	27"	5 1/2"	84"	12 1/2"
30"	6"	90"	13 1/4"	30"	6"	90"	13 1/4"
33"	6 1/4"	96"	14"	33"	6 1/4"	96"	14"
36"	6 1/2"	102"	15 1/2"	36"	6 1/2"	102"	15 1/2"
39"	7"	108"	16"	39"	7"	108"	16"
42"	7 1/2"	114"	16 1/2"	42"	7 1/2"	114"	16 1/2"
45"	7 3/4"	120"	17"	45"	7 3/4"	120"	17"
48"	8"	126"	17"	48"	8"	126"	17"
51"	8 1/2"	132"	17 1/2"	51"	8 1/2"	132"	17 1/2"
54"	9"	138"	17 1/2"	54"	9"	138"	17 1/2"
57"	9 1/4"	144"	18"	57"	9 1/4"	144"	18"
60"	9 1/2"			60"	9 1/2"		

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	
RECOMMENDED FOR APPROVAL BY:  CHIEF, DESIGN & CONSTRUCTION DATE: <u>JANUARY 2011</u>	APPROVED BY:  CHIEF ENGINEER DATE: <u>JANUARY 2011</u>
R.E. NO. 44684	R.C.E. NO. 32336


MANHOLE NO. 4
STANDARD DRAWING NUMBER MH254 SHEET 2 OF 2




SECTION OF MANHOLE FRAME & COVER
3"=1'-0"



SECTION A-A
Half Size




SECTION B-B
Half Size




LETTER DETAIL (3"=1'-0")




DETAIL "Y-Z"
Half Size




DETAIL "X-Y"
Half Size




FRAME-PLAN
Weight 196 Lbs



COVER-BOTTOM
Weight 262 Lbs
3/4"=1'-0"




COVER-TOP
Weight 262 Lbs
3/4"=1'-0"



PRESSURE PLATE
Weight 42 Lbs


NOTES:

- 1 Manhole Frame and Cover shall be made of gray cast iron conforming to the latest ASTM standard A48, class 30 or Better Pressure Plate shall be steel
- 2 All parts of the Manhole Frame and Cover except machined surfaces shall be coated with asphaltum paint
- 3 Manhole Frame and Cover shall be tested for accuracy of fit and shall be marked in sets before delivery. The Cover shall fit the Frame snugly but not tightly
- 4 Weights of Frame, Cover, and Pressure Plate shall not vary more than two percent from those given hereon.
- 5 This structure shall be used with Standard Pressure Manhole Shaft, See Standard Drawing MH258. It may be used for hydrostatic heads up to 25' above steel plate.




RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
APPROVED BY: *Warren D. Williams*
CHIEF ENGINEER
DATE: April 5, 2004

MANHOLE FRAME & COVER PRESSURE TYPE
STANDARD DRAWING NUMBER MH256




**VERTICAL SECTION
OF PLAIN CONCRETE
ECCENTRIC MANHOLE SHAFT**

2 1/2 inch rings shall be reinforced with two 1/4 inch round steel hoops; 6 inch and 8 inch rings shall be reinforced with four hoops, tied with No. 14 A.S. & W. gauge wire 8 inches on centers.



**CROSS SECTION
OF REINFORCED
CONCRETE RING**



**VERTICAL SECTION
OF REINFORCED CONCRETE
ECCENTRIC MANHOLE SHAFT**

NOTES

1. ALL JOINTS shall be filled with 1-2 mortar and neatly pointed or wiped on inside of shaft.
2. COLLAR of 1-2 mortar around cover frame shall be omitted in rock and oil streets and in paved streets.

3. STEPS shall be 3/4 inch round galvanized steel. Top step shall be placed directly beneath the manhole cover frame.

Width of all steps shall be 14 inches between leg centers. Except where shown otherwise, spacing of steps in shaft shall be 16 inches on center.

4. ECCENTRIC MANHOLE shaft, reducer, and rings may be plain concrete. For unreinforced sections, the minimum thickness shall be 6 inches. The concrete used shall be Class "A".


L.A.C.F.C.D. STD. No. 2-D107




RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	
APPROVED BY:	<i>Warren D. Willits</i>
CHIEF ENGINEER	
DATE: April 5, 2004	R.C.E. NO. 32336

**MANHOLE SHAFT FOR
CAST PIPE**


STANDARD DRAWING NUMBER MH257



SECTION A-A



PLAN



#4 HOOP BARS

Where H is more than 4'-0" D=3'-1 1/4" for topmost hoop in shaft; each lower hoop in succession increases 3/4" in diameter to a max of 4'-0" in the vertical portion of the shaft.

NOTES:

1. If "H" is less than 1'-6", W=2'-0"
 If "H" is between 1'-6" and 2'-6", W= 2'-6"
 If "H" is 2'-6" or more, W= 3'-0"
 If "H" is more than 4'-0 1/2", bring walls vertically to 4'-0 1/2" below surface and taper from 3'-0" to 2'-0" as shown.
2. This structure shall be used with Standard Pressure Manhole Frame and Cover, See Standard Drawing MH 256. It may be used for hydrostatic heads up to 25' above the steel plate.
3. Concrete shall be Class "A"



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT


APPROVED BY:
Warren D. Williams
CHIEF ENGINEER

DATE: April 5, 2004

**STANDARD PRESSURE
MANHOLE SHAFT**


STANDARD DRAWING NUMBER MH258

R.C.E. NO. 32336




PLAN VIEW

Note
 ▲ = When steel forms are used eliminate hook and use upset end.



FRONT ELEVATION



**SECTION A-A
 GALVANIZE AFTER BENDING**





NOTE:
 THIS DETAIL SHALL BE
 USED WHEREVER STEPS
 ARE REQUIRED.

L.A.C.F.C.D. STD. NO. 2-D86



RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	
APPROVED BY:	<i>Warren D. Willits</i>
CHIEF ENGINEER	
DATE: April 5, 2004	R.C.E. NO. 32338


**STANDARD
 DROP STEP**
 STANDARD DRAWING NUMBER MH259




- NOTES**
1. THE CAST IRON USED SHALL CONFORM WITH ASTM A-48 CLASS 35B.
 2. THE FRAME AND COVER SHALL BE COATED WITH ASPHALTUM OR BITUMINOUS PAINT AFTER TESTING AND INSPECTION.
 3. COVERS SHALL BE CAST WITH THE LETTERS "D" AND "PCFC8WCD"; THE LETTER "D" SHALL BE APPROXIMATELY 2 1/2" HIGH WITH 1/2" LINE WIDTH AND PLACED IN THE CENTER OF THE COVER. ALL LETTERS SHALL BE FLUSH WITH THE FINISHED SURFACE OF THE COVER.
 4. FOUNDRY IDENTIFYING MARK, HEAT AND DATE SHALL BE CAST ON THE BOTTOM OF THE COVER AND ON THE INSIDE OF THE FRAME.
 5. IMPORTED COVERS AND FRAMES SHALL HAVE THE COUNTRY OF ORIGIN MARKING IN COMPLIANCE WITH FEDERAL REGULATIONS.
 6. WEIGHT OF FRAME SHALL BE 265 POUNDS. WEIGHT OF COVER SHALL BE 175 POUNDS. ACTUAL WEIGHTS SHALL BE WITHIN A RANGE OF 95% TO 104%.
 7. THE MANHOLE FRAME AND COVER SHALL BE INSPECTED BY THE ENGINEER PRIOR TO SHIPMENT TO THE JOB SITE. ACCEPTANCE WILL BE INDICATED BY THE AGENCY'S MARK.
 8. THE PROOF LOAD FOR TEST METHOD B OF THE STANDARD SPECIFICATION IS 40,700 POUNDS.
 9. ALL COVERS SHALL BE PROVIDED WITH SOCKET SET SCREW LOCKING DEVICES. DRILL AND TAP TWO HOLES, TO A DEPTH OF ONE INCH AT 90 DEGREES TO PICK HOLE AND INSTALL 7/8" INCH X 3/4" INCH STAINLESS STEEL SOCKET SET SCREWS WITH 3/8" INCH RECESSED HEX HEAD. ALL THREADS SHALL BE N.C.

BOTTOM PLAN OF COVER
NTS

COVER FOR 24" CLEAR OPENING FRAME
NTS



SECTION A-A
NTS




24-INCH MANHOLE FRAME AND COVER
STANDARD DRAWING NUMBER MH260
SHEET 1 OF 1

RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT


APPROVED BY: *[Signature]*
GENERAL MANAGER & FOREMAN

APPROVED BY: *[Signature]*
DISTRICT MANAGER & CONSTRUCTION


R.C.C. NO. 59795 DATE: 08-22-2008 R.C.C. NO. 44684




VERTICAL SECTION



SECTION A-A



DETAIL "A"
ROTATED 90°



SECTION B-B
REINFORCEMENT DETAILS
FOR FLOOR AND ROOF SLABS



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

APPROVED BY:
Warren D. Williams
CHIEF ENGINEER

DATE: April 5, 2004

R.C.E. NO. 32336

**MANHOLE SHAFT
SAFETY LEDGE**

STANDARD DRAWING NUMBER MH261
SHEET 1 OF 2

NOTES




1. MANHOLE SHAFT SAFETY LEDGE WILL BE NOTED ON THE PROJECT DRAWINGS WHEN REQUIRED. IT IS TO BE CONSTRUCTED IN DEEP MANHOLE SHAFTS 20' OR GREATER IN DEPTH.
2. A SAFETY LEDGE SHALL NOT BE USED IF A PRESSURE MANHOLE IS REQUIRED.
3. STEPS SHALL CONFORM TO STANDARD DRAWING MH259 AND SHALL BE ANCHORED 4" IN THE WALL OF THE STRUCTURE. STEPS SHALL BE PLACED TO MATCH THE SPACING OF THE MANHOLE SHAFT.
4. REINFORCEMENT SHALL BE PER ASTM A 615, GRADE 40 AND SHALL TERMINATE 2" CLEAR OF CONCRETE SURFACES UNLESS OTHERWISE SHOWN.
5. GROUT HOLES, PIPE AND FITTINGS SHALL BE PROVIDED IN THE FLOOR SLAB. PRESSURE GROUTING SHALL BE USED TO FILL VOIDS AND TO SECURE UNIFORM BEARING. THE GROUT SHALL BE NEAT CEMENT GROUT AND GROUTING PRESSURES SHALL BE AS DETERMINED IN THE FIELD BY THE ENGINEER.
6. PIPE RAIL SHALL BE FABRICATED OF 1 1/4" STANDARD GALVANIZED PIPE COMPOSED OF TWO SECTIONS 7'-6" & 18" IN LENGTH JOINED BY A GALVANIZED COUPLING. THE COUPLING SHALL BE THREADED A MINIMUM OF 2" ON EACH PIPE LENGTH.
7. ROOF AND FLOOR SLABS SHALL BE PRECAST AND KEYED FOR REINFORCED CONCRETE PIPE SECTIONS AS SHOWN. ALL JOINTS SHALL BE FILLED WITH CLASS C MORTAR AND NEATLY POINTED OR WIPED ON THE INSIDE.
8. 72" RCP SHALL BE PROVIDED WITH TWO CIRCULAR CAGES OF REINFORCEMENT.

APWA STD PLAN 330-1





RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	
APPROVED BY:	
CHIEF ENGINEER	
DATE: April 5, 2004	R.C.E. NO. 32336




MANHOLE SHAFT SAFETY LEDGE
STANDARD DRAWING NUMBER MH261 SHEET 2 OF 2



NOTES



1. THE HORIZONTAL ANGLE OF DIVERGENCE OR CONVERGENCE, θ , SHALL NOT EXCEED $5^{\circ} 45'$.
2. REINFORCING STEEL BAR SIZES, SPACING PATTERN AND COVER OVER THE STEEL SHALL BE THAT OF THE BOX SECTION. THE BAR LENGTHS SHALL VARY UNIFORMLY THROUGHOUT THE TRANSITION.
3. THE CONCRETE THICKNESS SHALL BE THAT OF THE BOX SECTION UNLESS THE WALL THICKNESS OF THE PIPE PLUS 4" IS GREATER, IN WHICH CASE THE CONCRETE THICKNESS SHALL VARY UNIFORMLY FROM THAT OF THE BOX SECTION TO THAT OF THE PIPE WALL PLUS 4".
4. THE INTERIOR SURFACE SHALL BE SMOOTH AND VARY UNIFORMLY BETWEEN THE TWO ADJOINING SECTIONS.
5. AT PIPE JUNCTURE, EMBEDMENT P SHALL BE 5" FOR PIPE SIZES OF 96" OR LESS AND 8" FOR PIPE OVER 96".
6. CONSTRUCTION JOINTS OF THE SAME DIMENSIONS AS THOSE OF THE BOX MAY BE CARRIED THROUGH THE TRANSITION STRUCTURE AT CONTRACTOR'S OPTION. SEE SECTION B ABOVE.
7. THE TRANSITION STRUCTURE SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE GENERAL STRUCTURAL NOTES APPLYING TO BOX AS SHOWN ON THE PROJECT DRAWINGS.
8. STRUCTURAL CONCRETE SHALL BE CLASS "A".

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT		TRANSITION STRUCTURE NO. 1	
RECOMMENDED FOR APPROVAL BY:  CHIEF, DESIGN & CONSTRUCTION DATE: JANUARY 2011	APPROVED BY:  CHIEF ENGINEER DATE: JANUARY 2011	STANDARD DRAWING NUMBER TS301	
R.E. No. 44684		R.C.E. NO. 32336	



NOTES

1. THE HORIZONTAL ANGLE OF DIVERGENCE OR CONVERGENCE, θ , SHALL NOT EXCEED $5^\circ 45'$.
2. DETAILS OF CONSTRUCTION JOINTS SHALL BE AS SHOWN ON THE PROJECT DRAWINGS FOR SINGLE BARREL BOX STRUCTURE.
3. THE REINFORCING STEEL BAR SIZES, SPACING AND COVER OVER THE STEEL OF STRAIGHT TRANSVERSE BARS IN TOP OR BOTTOM SLABS, OF L-BARS IN TOP OR BOTTOM CORNERS, OF STRAIGHT VERTICAL BARS IN SIDE WALLS AND OF LONGITUDINAL DISTRIBUTION AND TIE BARS IN TOP OR BOTTOM SLABS OR SIDE WALLS SHALL BE THOSE OF WHICHEVER ADJOINING BOX SECTION PROVIDES THE GREATER STEEL AREA FOR EACH TYPE OF BAR. THE BAR LENGTHS SHALL VARY UNIFORMLY THROUGHOUT THE TRANSITION.
4. THE THICKNESS OF THE WALL AND SLABS SHALL BE THOSE OF THE ADJOINING BOX SECTION AT EACH END OF THE TRANSITION AND SHALL VARY UNIFORMLY BETWEEN THE TWO ENDS.
5. STRUCTURAL CONCRETE SHALL BE CLASS "A".
6. THE TRANSITION STRUCTURE SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE GENERAL STRUCTURAL NOTES APPLYING TO BOX STRUCTURES, AS SHOWN ON THE PROJECT DRAWINGS.

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	
RECOMMENDED FOR APPROVAL BY:  CHIEF, DESIGN & CONSTRUCTION DATE: JANUARY 2011	APPROVED BY:  CHIEF ENGINEER DATE: JANUARY 2011
R.E. No. 44684	R.C.E. NO. 32336

**TRANSITION STRUCTURE
NO. 2**

STANDARD DRAWING NUMBER TS302


TABLE

x, D, D ₁ , 2, 1, OR B	F OR T	A OR B BARS	D OR T BARS	d
12	4			
18	4 1/2			
24	5 1/4			
30	6			
36	6 1/2			
42	7 1/2			
48	8			
54	9			
60	9 1/2			
66	10 1/4			
72	11			
84	12 1/2			
90	13 1/4			
96	14			
102	15 1/2			
108	16			
114	16 1/2			
120	17			
126	17			
132	17 1/2			
138	17 1/2			
144	18			


x USE D₂ OR D₁,
WHICHEVER
IS GREATER, OR B

NOTES


1. NUMBER OF A&B BARS SHOWN IS REPRESENTATIONAL. SEE TABLE FOR SPACING & BAR COUNT.
2. VALUES FOR A, B, C, D₁, D₂, ELEV. R AND ELEV. S ARE SHOWN ON IMPROVEMENT PLAN. LENGTH OF THE STRUCTURE MAY BE INCREASED TO MEET PIPE ENDS USING D BARS IN EXTENDED PORTION OF SAME DIMENSION AND SPACING AS SPECIFIED.
3. CONCRETE SHALL BE CLASS "A". FLOOR OF THE STRUCTURE SHALL BE STEEL-TROWELED TO SPRING LINE. STRUCTURE SHALL BE POURED IN ONE CONTINUOUS OPERATION, EXCEPT THAT THE CONTRACTOR SHALL HAVE THE OPTION OF PLACING AT THE SPRING LINE A CONSTRUCTION JOINT WITH A LONGITUDINAL KEYWAY.
4. REINFORCING STEEL CLEAR COVER SHALL BE 1/2" ON INSIDE. TIE BARS SHALL BE NO. 4 AND SPACED 12" C/C.
5. WHEN DIMENSION "C" IS NOT SPECIFIED THE SPUR SHALL NOT BE CONSTRUCTED AND A & B BARS SHALL BE OMITTED.
6. THE MAXIMUM COVER ABOVE THIS STRUCTURE SHALL BE 24" IF THE COVER EXCEEDS 24" A SPECIAL STRUCTURE SHALL BE DESIGNED FOR THE COVER AND DETAILED ON THE PROJECT DRAWINGS.




LONGITUDINAL SECTION



SECTION P



PLAN



SECTION G

REVERSE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT


RECOMMENDED FOR APPROVAL BY: *[Signature]*
CHIEF DESIGN & CONSTRUCTION

APPROVED BY: *[Signature]*
CHIEF ENGINEER


R.C.F. No. 44684
DATE: JANUARY 2011
R.C.F. No. 32336
DATE: JANUARY 2011

**TRANSITION STRUCTURE
NO. 3**


STANDARD DRAWING NUMBER TS503



STEEL PATTERN SHOWN PICTORIALLY ONLY SEE PROJECT DRAWINGS FOR ACTUAL STEEL LAYOUT.





SECTION B




SECTION A

NOTES

1. THE HORIZONTAL ANGLE OF DIVERGENCE OR CONVERGENCE, ϕ , SHALL NOT EXCEED 5° 45'.
2. THE REINFORCING STEEL BAR SIZES, SPACING AND OUTSIDE COVER SHALL BE THAT OF DOUBLE BOX SECTION. FOR CURVED TRANSITIONS, SPACE BAR ON CENTER LINE & PLACE TRANSVERSE STEEL RADIALLY. THE BAR LENGTHS & DIMENSIONS SHALL VARY UNIFORMLY THROUGH OUT TRANSITION. LONGITUDINAL BARS SHALL BE CONTINUED THROUGH THE JOINTS WITH THE TRANSITION STRUCTURE.
3. THE CONCRETE THICKNESS SHALL BE THAT OF THE DOUBLE BOX SECTION.
4. STRUCTURAL CONCRETE SHALL BE CLASS "A".

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	
RECOMMENDED FOR APPROVAL BY:  CHIEF, DESIGN & CONSTRUCTION DATE: JANUARY 2011	APPROVED BY:  CHIEF ENGINEER DATE: JANUARY 2011
R.E. No. 44684	R.C.E. No. 32336

**TRANSITION STRUCTURE
NO. 4**
 STANDARD DRAWING NUMBER TS304




NOTES


1. VALUES FOR D, B, AND d, SHALL BE SPECIFIED ON PROJECT DRAWINGS.
2. ACCESS ROAD SHALL BE 2" HIGHER THAN CONCRETE LINING.
3. TRANSVERSE JOINTS SHALL BE CONSTRUCTED 10' ON CENTER.
4. WEEPHOLES SHALL BE FORMED AS SHOWN IN BOTH WALLS AT A SPACING OF 10' ON CENTER WITH 1 CUBIC FOOT OF FILTER MATERIAL WRAPPED IN FILTER FABRIC PLACED AT EACH HOLE.



APPROVED BY: *[Signature]*
 GENERAL MANAGER
 RIVERSE COUNTY FLOOD CONTROL
 WATER CONSERVATION DISTRICT
 SHEET NUMBER: *[Signature]*
 DATE: 3-27-2004
 P.L.C.E. NO. 59795
 P.L.C.E. NO. 72196




TYPICAL CHANNEL SECTION
NTS




LOW FLOW DETAIL
FOR B ≥ 50
NTS

- NOTES**
1. VALUES FOR D AND B SHALL BE SPECIFIED ON PROJECT DRAWINGS.
 2. HYDROSEED CHANNEL SIDE SLOPES AND DISTURBED AREAS PER SPECIFICATIONS.



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
APPROVED BY: *[Signature]*
GENERAL MANAGER/CHIEF ENGINEER
DATE: 3-27-2004
P.C.E. NO. 59795
R.C.E. NO. 72996




NOTES

1. VALUES FOR D, B, d, AND T SHALL BE SPECIFIED ON PROJECT DRAWINGS.
2. ROCK SLOPE PROTECTION PER CALTRANS STANDARD SPEC. SECTION 72, UNLESS OTHERWISE NOTED.

DETAIL 3
NTS

LOW FLOW DETAIL 1
FOR B 2' 50'
NTS

TOE DOWN DETAIL 2
NTS




APPROVED BY: *[Signature]*
GENERAL MANAGER OF DISTRICT

RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

DATE: 3-27-2004

R.C.E. NO. 59795


ROCK LINED CHANNEL
STANDARD DRAWING NUMBER CH325
SHEET 1 OF 1




NOTES

1. VALUES FOR D, B AND SIDE SLOPES SHALL BE SPECIFIED ON PROJECT DRAWINGS.
2. ACCESS ROAD SHALL BE 2" HIGHER THAN CONCRETE LINING.
3. TRANSVERSE JOINTS SHALL BE CONSTRUCTED 10' ON CENTER.
4. WEEPHOLES SHALL BE FORMED AS SHOWN IN BOTH WALLS AT A SPACING OF 10' ON CENTER AT TRANSVERSE JOINTS WITH ONE CUBIC FOOT OF FILTER MATERIAL WRAPPED IN FILTER FABRIC PLACED AT EACH HOLE.
5. SUBDRAIN IS REQUIRED WHEN B=6' OR GREATER OR AS REQUIRED BY GROUND WATER CONDITION. FOR REQUIRED NUMBER OF SUBDRAINS, SEE PLAN & PROFILE.

TYPICAL CHANNEL SECTION



TYPICAL LONGITUDINAL CONSTRUCTION JOINT



2' CUTOFF WALL



REVERSE COUNTY FLOOD CONTROL
 WATER CONSERVATION DISTRICT
 APPROVED BY: *[Signature]*
 GENERAL MANAGER
 DATE: 3-27-2004
 P.C.E. NO. 59795
 R.C.E. NO. 72196



TRAPEZOIDAL CONCRETE
 LINED CHANNEL DETAILS
 STANDARD DRAWING NUMBER CH326
 SHEET 1 OF 1

LOCATION SCHEDULE	STATIONS		CHANGES
	FROM	TO	


SPLICES	REMARKS	
	BAR LENGTH	SEC

DATA	DETAIL				SCHEDULE
	A	B	C	D	
WIDTH					
HEIGHT					
WALL					
T ₁					
BOTTOM SLAB T ₁					
HEEL Z					
A BARS					
HORIZ. LENGTH					
VERT. LENGTH					
B BARS					
HORIZ. LENGTH					
VERT. LENGTH					
C BARS					
HORIZ. LENGTH					
VERT. LENGTH					
D BARS					
HORIZ. LENGTH					
VERT. LENGTH					
E BARS					
HORIZ. LENGTH					
VERT. LENGTH					
F BARS					
HORIZ. LENGTH					
CONCRETE C _{v1} , F _{v1}					
REINFORCING I ₁ , J ₁ , E					


LOCATION SCHEDULE	STATIONS	CHANGES

- NOTES**
- Structural concrete shall be Class "A".
 - All longitudinal bars shall be #4 @ 18 inches unless otherwise noted. Place bars in bottom slab symmetrically about centerline. Place bars in walls starting at top with 2 inches of clear cover.
 - Clear cover for steel shall be 2 inches for walls and 3 inches each face for bottom slab.
 - Steel is dimensioned to back of bar bend.
 - For construction on curves, straight transverse bars shall be aligned radially with spacing measured at face of wall. For L-bars in walls, spacing shall be measured between the vertical legs of bars.
 - All transverse construction joints shall be in a vertical plane normal to the centerline and the spacing thereof shall not exceed 50 feet or be less than 10 feet. Continuous keyways shall be constructed as shown in detail A. A complete curtain of transverse steel shall be placed 3 inches from each face of the joints and longitudinal steel will not be continuous through the joints. In addition, expansion joints shall be constructed between reinforced concrete channel and reinforced concrete box sections as shown in detail B. Dowels shall be placed at 12 inches spacing centered in the middle third of the bottom slab and the top third of side walls. A minimum of 3 dowels per slab and walls shall be placed.
 - Weepholes shall be formed as shown in both walls at a spacing of 10 feet with one cubic foot of filter material wrapped in filter fabric placed at each hole.
 - All quantities shown are approximate.
 - All splices are subject to approval by the Engineer.


DESIGN DATA:
 LIVE LOAD =
 SOIL DENSITY =
 ALLOWABLE STRESSES:
 f_c =
 f_s =
 f_y =




TYPICAL SECTION



**TRANSVERSE CONSTRUCTION JOINT
DETAIL A**



**TRANSVERSE EXPANSION JOINT
DETAIL B**



X STANDARD FORMAT TO BE USED AS FULL SIZE DRAWING

RIVERSIDE COUNTY FLOOD CONTROL
 AND
 WATER CONSERVATION DISTRICT
 APPROVED BY: _____
 SHEET ENGINEER
 DATE: April 15, 2004
 R.C.F. NO. 32326
 STANDARD DRAWING NUMBER CH327



RECTANGULAR CHANNEL
 STRUCTURAL DETAILS

DETAIL SCHEDULE

Table with columns for DATA (WIDTH W, HEIGHT H, WALL T, BOTTOM SLAB T, HEEL A, A BARS, B BARS, C BARS, D BARS, E BARS, F BARS, L1, L2, L3, L4, L5), CONC. CY./ft., STEEL lbs./ft., and REMARKS. The table is currently blank.

LOCATION SCHEDULE

Table with columns for STATION FROM, STATION TO, and CHANNEL. The table is currently blank.



CORNER JOINT



- NOTES
1. Structural concrete shall be Class "A".
2. All longitudinal bars shall be #4 @ 18 inches. Place bars in bottom slab symmetrically about centerline. Place bars in walls starting at top with 2 inches of clear cover.
3. Clear cover for steel shall be 2 inches each face for walls and 3 inches each face for bottom slab.
4. Steel is dimensioned to back of bar bend.
5. For construction on curves, straight transverse bars in slab shall be aligned radially with spacing measured at centerline. For L-bars in walls, spacing shall be measured between vertical legs of bars.
6. All transverse construction joints shall be in a vertical plane normal to the centerline and the spacing thereof shall not exceed 50 feet or be less than 10 feet. Continuous keyways (in both slabs and walls) conforming to conditions shown for bottom slabs shall be provided at all construction joints. Each section shall be placed at 12 inch spacing at the center of sections with 18 inches wrapped to prevent bond. A complete curtain of transverse steel shall be placed 3 inches from each face of the joint and longitudinal steel will not be continuous through the joint.
7. Weep holes shall be formed as shown at a spacing of 10 feet with one cubic foot of filter material wrapped in filter fabric placed at each hole.
8. All splices are subject to approval by the Engineer.
9. All quantities shown are approximate.

X STANDARD FORMAT TO BE USED AS FULL SIZE DRAWINGS

Professional Engineer seal for W. W. YATES, No. 32336, Exp. 12-31-00. Includes project name: INVERSE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT, DATE: April 15, 2004, and DRAWING NUMBER: CH328.


DATA	DETAIL	SCHEDULE
STATION TO STATION		
X		
Y		
HEIGHT		
WALLS T ₁		
BOTTOM SLAB T ₂		
A BARS		
HORIZ. LENGTH		
SLOPE LENGTH		
B BARS		
HORIZ. LENGTH		
SLOPE LENGTH		
C BARS		
SLOPE LENGTH		
D BARS		
HORIZ. LENGTH		
CONCRETE C.Y./L.F.		
STEEL LBS./L.F.		

SPLICES		REMARKS
BAR	LENGTH	
	SEC.	


DESIGN DATA
 LIVE LOAD =
 SOIL DENSITY =
 ALLOWABLE STRESSES:
 $f_c =$
 $f_e =$
 $f_y =$
 $f_s =$

NOTES


- STRUCTURAL CONCRETE SHALL BE CLASS "A".
- ALL LONGITUDINAL BARS SHALL BE #4 @ 18 INCHES. PLACE BARS IN BOTTOM SLAB SYMMETRICALLY ABOUT CENTERLINE. PLACE BARS IN WALLS STARTING AT TOP WITH 2 INCHES CLEAR COVER.
- CLEAR COVER FOR STEEL SHALL BE 2 INCHES EACH FACE FOR WALLS AND 3 INCHES EACH FACE FOR BOTTOM SLAB.
- STEEL IS DIMENSIONED TO BACK OF BAR BEND.
- FOR CONSTRUCTION ON CURVES, STRAIGHT TRANSVERSE BARS IN THE SLAB SHALL BE ALIGNED RADIALLY WITH SPACING MEASURED AT WALLS. FOR L-BARS IN WALLS, SPACING SHALL BE MEASURED BETWEEN VERTICAL LEGS OF BARS.
- ALL TRANSVERSE CONSTRUCTION JOINTS SHALL BE IN A VERTICAL PLANE NORMAL TO THE CENTERLINE. CONTINUOUS KEYWAYS SHALL BE CONSTRUCTED AS SHOWN IN DETAIL A. A COMPLETE CURTAIN OF TRANSVERSE STEEL SHALL BE PLACED 3 INCHES FROM EACH FACE OF THE JOINTS AND LONGITUDINAL STEEL WILL NOT BE CONTINUOUS THROUGH THE JOINTS. AN EXPANSION JOINT SHALL BE CONSTRUCTED BETWEEN THE REINFORCED CONCRETE TRANSITION AND REINFORCED CONCRETE BOX SECTIONS AS SHOWN DETAIL B. DOWELS SHALL BE PLACED AT 18 INCH SPACING CENTERED IN THE MIDDLE OF THE BOTTOM SLAB AND THE TOP THIRD OF SIDE WALLS. A MINIMUM OF 3 DOWELS PER SLAB AND WALLS SHALL BE PLACED.
- WEEPHOLES SHALL BE FORMED IN BOTH WALLS PER STD. CH326 AT A SPACING OF 10 FEET.
- ALL QUANTITIES SHOWN ARE APPROXIMATE.
- ALL SPLICES ARE SUBJECT TO APPROVAL BY THE ENGINEER.
- SECTION L1 PAY LIMIT PER STANDARD CH326.
- THE LENGTH OF SECTIONS L1, L2 AND L3 ARE NOT NECESSARILY EQUAL. THE TOP OF TRANSITION SHALL BE STRAIGHT ALONG ITS ENTIRE LENGTH.





TRANSVERSE EXPANSION JOINT
 DETAIL A



TRANSVERSE EXPANSION JOINT
 DETAIL B



TYPICAL SECTION
 NTS




- STANDARD FORMAT TO BE USED AS FULL SIZE DRAWING
- REINFORCING BAR SPACING FOR STRUCTURAL WALL SECTIONS SHALL NOT BE GREATER THAN 6" E-W. FOR AIR PLACED CONCRETE CONSTRUCTION.



RIVERSIDE COUNTY FLOOD CONTROL
 WATER CONSERVATION DISTRICT
 APPROVED BY: [Signature]
 CREEP ENGINEER
 DATE: JAN. 10, 2005
 R.C.C. NO. 33336


TRANSITION
 STRUCTURAL DETAILS

STANDARD DRAWING NUMBER CH329




PLAN
NTS

NOTE: SEE TYPICAL SECTION OF
TRAPEZOIDAL CHANNEL STD
DWG NO. CH326



SECTION A-A
NTS




APPROVED BY: *[Signature]*
GENERAL MANAGER CHIEF ENGINEER
DATE: 3-27-2024
R.C.E. NO. 59795

APPROVED BY: *[Signature]*
CHIEF DESIGNER
DATE: 3-27-2024
R.C.E. NO. 72196


RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

**MAINTENANCE RAMP
FOR
TRAPEZOIDAL CHANNEL**



STANDARD DRAWING NUMBER CH330
SHEET 1 OF 1






PLAN OF VERTICAL WALL CHANNEL
NTS




SECTION A-A
NTS




APPROVED BY:  GENERAL MANAGER / CHIEF ENGINEER DATE: 3-27-2024		APPROVED BY:  CHIEF DESIGNER DATE: 3-27-2024		RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT APPROVED BY: _____ CHIEF, DESIGN DATE: _____		R.C.E. NO. 59795 R.C.E. NO. 72196	
MAINTENANCE RAMP FOR VERTICAL WALL CHANNEL				STANDARD DRAWING NUMBER CH331 SHEET 1 OF 1			




PLUG DETAIL




TYPICAL OUTLET IN VERTICAL CHANNEL WALL



PLAN VERTICAL & SLOPED WALL



TYPICAL OUTLET IN SLOPED CHANNEL WALL



TYPICAL SUBDRAIN

NOTES


1. DRAIN PIPE OUTLETS SHALL BE COVERED WITH 1/2" MESH GALVANIZED SCREEN, ANCHORED IN CONCRETE A MINIMUM OF 4", OF 16 GAGE WIRE OR HEAVIER.
2. SUBDRAIN OUTLET SHALL BE CONSTRUCTED AT 300' INTERVALS, ALONG THE CHANNEL CENTERLINE, AS LOCATED ON THE PLANS OR IN THE SPECIFICATIONS; AND/OR AS DIRECTED BY ENGINEER.
3. SUBDRAIN SHALL BEGIN AND END WITHIN 5' OF BOX CULVERTS UNLESS THE PLANS SPECIFICALLY REQUIRE THE SUBDRAIN TO BE CONTINUOUS UNDER THE BOX.
4. OPTIONAL TO USE 90° ELBOW OR OTHER SPECIALS, AS APPROVED BY THE ENGINEER




RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	
APPROVED BY: <i>Warren D. Williams</i>	
CHIEF ENGINEER	
DATE: April 15, 2004	R.C.E. NO. 32336

**SUBDRAINS
LAYOUT, SECTIONS
& DETAILS**


STANDARD DRAWING NUMBER CH332



PLAN



SECTION A




SECTION B

* NOTES:
DRAINAGE APRON MAY ALSO BE
USED FOR RECTANGULAR CHANNEL
ACCESS ROADS.




RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
APPROVED BY:
Warren D. Williams
CHIEF ENGINEER
DATE: April 15, 2004

DRAINAGE APRON
FOR
ACCESS ROAD
STANDARD DRAWING NUMBER CH333




PLAN
NTS




TYPICAL SECTION
*ELEV PER PLAN AND PROFILE
NTS


NOTES

- ① ALL CONCRETE STRUCTURAL SECTIONS PER STD DWG CH326. EXTEND CUT-OFF WALL TO 36 INCHES AT TOE OF SLOPE.
- ② SIDE SLOPE SHALL VARY FROM 4:1 TO (4d-12)/d¹.
- ③ SIDE SLOPE RATIO SHALL BE (4d-12)/d¹.
- ④ SEE PLAN AND PROFILE DRAWINGS FOR DIMENSIONS.
- 5 MAINTENANCE RAMPS TO BE PROVIDED AT EVERY REACH OF CHANNEL MAIN CHANNEL TO PROVIDE ACCESS TO CHANNEL FOR MAINTENANCE CROSSING OR PROVIDE A CULVERT-8' MIN WIDTH X 7' MIN HEIGHT.
- 6 MATERIALS OTHER THAN CONCRETE MAY BE USED AS APPROVED BY THE GENERAL MANAGER-CHIEF ENGINEER.

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT PROJECT NO. 1500 CHIEF DESIGN & CONSTRUCTION DATE: OCTOBER 2009 P.E. No. 44684	 CHIEF ENGINEER DATE: OCTOBER 2009 P.E. No. 32336	MAINTENANCE RAMP FOR UNLINED CHANNEL STANDARD DRAWING NUMBER CH334
---	---	--



PLAN
NTS



TYPICAL SECTION
* ELEV PER PLAN AND PROFILE
NTS

NOTES




- ① GROUT TO A MIN DEPTH OF 12" FLUSH WITH THE TOP OF RIP RAP TO PROVIDE A DRIVEABLE SURFACE. HEAVY BROOM FINISH PERPENDICULAR TO DRIVING DIRECTION. GROUT PER SPECIFICATIONS.
- ② SEE PLAN AND PROFILE DRAWINGS FOR DIMENSIONS.
- ③ MAINTENANCE RAMPS TO BE PROVIDED AT EVERY REACH OF CHANNEL WITH A MAXIMUM SPACING OF 260'. PROVIDE RAMP AT EACH CROSSING OR PROVIDE A DRIVEABLE CULVERT - 8' MIN WIDTH X 7' MIN HEIGHT.

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT APPROVED BY: <i>[Signature]</i> CHIEF DESIGN & CONSTRUCTION DATE: OCTOBER 2009 P.E. No. 44694		R.C.E. NO. 32356 DATE: OCTOBER 2009 CHIEF ENGINEER
RECOMMENDED FOR APPROVAL BY: <i>[Signature]</i> CHIEF DESIGN & CONSTRUCTION DATE: OCTOBER 2009		MAINTENANCE RAMP FOR ROCK LINED CHANNEL STANDARD DRAWING NUMBER CH335


DATA	DETAIL SCHEDULE			
	A	B	C	D
DESIGN COVER				
WIDTH				
HEIGHT				
TOP SLAB T ₁				
SIDE WALLS T ₂				
BOTTOM SLAB T ₃				
A ₁ BAR				
A ₂ BAR				
B BARS				
HORIZ. LENGTH				
VERT. LENGTH				
C BAR				
HORIZ. LENGTH				
VERT. LENGTH				
D ₁ BAR				
HORIZ. LENGTH				
VERT. LENGTH				
D ₂ BAR				
HORIZ. LENGTH				
VERT. LENGTH				
G BAR				
TOP HORIZ. LENGTH				
BOT HORIZ. LENGTH				
J BAR				
LONGITUDINAL BARS				
NO. C.Y./L.F.				
CONCRETE LBS./L.F.				
STEEL				

LOCATION	SCHEDULE	
	STATIONS	TO BOX

BAR	SPLICES		REMARKS
	LENGTH	BOX	



DESIGN DATA
LIVE LOAD =
SOIL DENSITY =
ALLOWABLE STRESSES:
f_c =
f_t =
f_s =
f_a =



- NOTE:**
- STRUCTURAL CONCRETE SHALL BE CLASS "A".
 - ALL LONGITUDINAL BARS SHALL BE 4 @ #18 UNLESS OTHERWISE NOTED. PLACE BARS IN TOP AND BOTTOM SLABS SYMMETRICALLY ABOUT CENTERLINE. PLACE BARS IN WALLS SYMMETRICALLY ABOUT MID-HEIGHT OF WALLS. J BARS ARE IN REPLACEMENT OF THE LONGITUDINAL BARS.
 - CLEAR COVER FOR STEEL SHALL BE 2 INCHES FOR TOP SLAB AND SIDE WALLS AND 3 INCHES FOR THE INNER FACE AND 3 INCHES FOR THE OUTER FACE OF THE BOTTOM SLAB.
 - STEEL IS DIMENSIONED TO BACK OF BAR BEND.
 - FOR CONSTRUCTION ON CURVES, STRAIGHT TRANSVERSE BARS IN TOP AND BOTTOM SLABS SHALL BE ALIGNED RADIIALLY WITH SPACING MEASURED AT CENTERLINE. FOR STRAIGHT BARS AND L-BARS IN WALLS SPACING SHALL BE MEASURED BETWEEN THE VERTICAL LEGS OF BARS.
 - ALL TRANSVERSE CONSTRUCTION JOINTS SHALL BE IN A VERTICAL PLANE NORMAL TO THE CENTERLINE AND THE SPACING THEREOF SHALL NOT EXCEED 50 FEET OR BE LESS THAN 10 FEET. CONTINUOUS KEYWAYS SHALL BE CONSTRUCTED AS SHOWN IN DETAIL B. A COMPLETE CURTAIN OF TRANSVERSE STEEL SHALL BE PLACED 3 INCHES FROM EACH FACE OF THE JOINTS AND LONGITUDINAL STEEL WILL NOT BE CONTINUOUS THROUGH THE JOINTS. IN ADDITION, EXPANSION JOINTS SHALL BE CONSTRUCTED BETWEEN REINFORCED CONCRETE CHANNEL AND REINFORCED CONCRETE BOX SECTIONS AS SHOWN IN DETAIL C. DOWELS SHALL BE PLACED AT 12" SPACING CENTERED IN THE MIDDLE THIRD OF BOTTOM SLAB AND THE TOP THIRD OF SIDE WALLS. A MINIMUM OF 3 DOWELS PER SLAB AND WALLS SHALL BE PLACED.
 - ALL QUANTITIES SHOWN ARE APPROXIMATE.
 - ALL SPLICES ARE SUBJECT TO APPROVAL BY THE ENGINEER.
 - ENGINEER SHALL DETERMINE WHETHER WEEPHOLES OR SUBDRAINS ARE REQUIRED.


X STANDARD FORMAT TO BE USED AS FULL SIZE DRAWINGS




RIVERVIEW COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
APPROVED BY: *[Signature]*
DATE PREPARED: _____
DATE: JANU.S. 2004
R.C.F.C. NO. 32336

SINGLE CELL RCB STRUCTURAL DETAILS


STANDARD DRAWING NUMBER BX401




14' DOUBLE DRIVE GATE




END OR CORNER POST ASSEMBLY




TRUSS POST ASSEMBLY




HINGE DETAIL




GATE LOCKING DETAIL




GATE KEEPER



CHANNEL WALL FENCE



HEADWALL FENCE ASSEMBLY



FENCE LOCATION

NOTE

- ① CHAIN LINK FENCE 72" FABRIC (9 GAGE)
- ② 7 GAGE SPRING STEEL TENSION WIRE
- ③ 1.660" O.D. GALV. PIPE FOR GATE FRAME. TIE FABRIC TO TOP RAIL OF FRAME.
- ④ 1.660" O.D. GALV. STIFFENER.
- ⑤ GATE END & CORNER POSTS 2.875" O.D.
- ⑥ STRETCHER BAR 3/8" x 3/4" MIN.
- ⑦ LINE POST 2.375" O.D.
- ⑧ BRACE REQUIRED ACROSS ALL HEADWALLS OR PARAPETS. 1.660" O.D.
- ⑨ 3/8" TENSION ROD WITH TENSION ADJUSTMENT.
- ⑩ HINGE BOLTS 3/8"
- ⑪ GAGE 11 WIRE TIES
- ⑫ 2000 p.s.i. (4 SACK CONC.)
- ⑬ PLUNGER ROD
- ⑭ CAPS ON ALL POSTS
- ⑮ GATE KEEPER


NOTE

FENCING MATERIAL SHALL CONFORM TO SECTION 206-6 OF STD. SPEC. FOR PUBLIC WORKS CONSTRUCTION. LATEST EDITION EXCEPT THE FENCE FABRIC SHALL HAVE A KNUCKLED FINISH ON ONE EDGE AND A TWISTED AND BARBED FINISH ON THE OTHER EDGE.



RIVERSIDE COUNTY FLOOD CONTROL
 WATER CONSERVATION DISTRICT
 APPROVED BY: *[Signature]*
 CHIEF ENGINEER
 DATE: JAN. 10, 2005
 R.C.F. NO. 3236


**CHAIN LINK FENCE
 DETAILS**



D	L	T
12"	1.0'	4"
18"	1.0'	5"
24"	1.0'	6"
36"	1.5'	8"
48"	1.5'	10"
57"	1.5'	10"
60"	1.75'	11"
66"	1.75'	11"

NOTES

1. A CONCRETE COLLAR IS REQUIRED WHERE THE CHANGE IN GRADE EXCEEDS 0.10 FT. PER FOOT, OR IF CHANGE IN ALIGNMENT EXCEEDS 0.10 FT. PER FOOT.
2. IF THE EXTREME ENDS OF THE PIPE LEAVE A CLEAR SPACE THAT IS GREATER THAN 1", BUT LESS THAN 6", A CONCRETE COLLAR IS REQUIRED (SEE DETAIL A THIS SHEET). IF THE CLEAR SPACE IS 6" OR GREATER, A TRANSITION STRUCTURE IS REQUIRED.
3. CONCRETE COLLAR SHALL NOT BE USED FOR A SIZE CHANGE ON THE MAIN LINE.
4. WHERE PIPES OF DIFFERENT DIAMETERS ARE JOINED WITH A CONCRETE COLLAR, L AND T SHALL BE THOSE OF THE LARGER PIPE. $D = D_1$ OR D_2 , WHICHEVER IS GREATER.
5. FOR PIPE LARGER THAN 66" A SPECIAL COLLAR DETAIL IS REQUIRED.
6. FOR PIPE SIZE NOT LISTED USE THE NEXT SIZE LARGER.
7. OMIT REINFORCING ON PIPES 24" AND LESS IN DIAMETER AND ON ALL PIPES WHERE ANGLE A IS LESS THAN 10°.
8. WHERE REINFORCING IS REQUIRED THE DIAMETER OF THE CIRCULAR TIES SHALL BE $D + (2 \times \text{WALL THICKNESS}) + 8"$.
9. WHEN D_1 IS EQUAL TO OR LESS THAN D_2 JOIN INVERTS AND WHEN D_1 IS GREATER THAN D_2 JOIN SOFFITS.
10. PIPE MAY BE CORRUGATED METAL PIPE, CONCRETE PIPE, OR REINFORCED CONCRETE PIPE.



DETAIL "A"
TYPICAL JOINT FOR REINFORCED CONCRETE PIPE

APWA STD. PLAN 380-1
L.A.C.F.C. 2-D393




RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
 APPROVED BY: *Warren D. Williams*
 CHIEF ENGINEER
 DATE: April 15, 2004 R.C.E. NO. 32336


CONCRETE COLLAR FOR PIPE 12 INCHES THROUGH 66 INCHES
 STANDARD DRAWING NUMBER M803

NOTES

1. Concrete for encasement and blanket shall be CLASS "B" concrete.
2. The concrete encasement or blanket shall extend across the full width of the storm drain trench plus an additional 12" inches into undisturbed earth on each side of the storm drain trench.
3. When the clearance between the bottom of the storm drain and the top of the sewer is between 6 inches and 18" inches the sewer shall be encased for Case I or blanketed for Case II as shown below.




TYPICAL SECTION




**CONCRETE ENCASEMENT
SECTION A-A**

PROTECTION FOR NEW SEWERS - CASE I



TYPICAL SECTION



**CONCRETE BLANKET
SECTION B-B**

PROTECTION FOR EXISTING SEWERS - CASE II

NOTES

1. CAST IN-PLACE STORM DRAINS

(a.) When the clearance between the bottom of the storm drain and the top of the sewer is less than 6 inches, the sewer shall be encased monolithically with the base of the storm drain; in addition it shall be constructed or replaced, as the case may be, with standard cast iron soil pipe, in the case of house connections, or with class "B" or class "150" cast iron pipe, in the case of main line sewers.


(b.) When the bottom slab of the cast-in-place storm drain intersects sewers under 15 inches in diameter, construct per typical encasement as shown below.

2. PRECAST PIPE STORM DRAINS

When the clearance between the bottom of the storm drain and the top of the sewer is less than 6 inches, the sewer shall be encased, in addition it shall be constructed or replaced with standard cast iron soil pipe, in the case of house connections, or with class "B" or class "150" cast iron pipe, in the case of main line sewers.

3. WRAP 1/2" MASTIC AROUND SEWER PIPE.

- ① Cut off 2" clear of C.I.P
- ② Construct C.I.P or replace existing sewer pipe with C.I.P
- ③ Clearance between the top of the sewer pipe and the steel reinforcement shall be a minimum of 1 1/2"



TYPICAL ENCASEMENT WHERE SEWER IS IN BASE AND APPROXIMATELY AT RIGHT ANGLES TO STORM DRAIN

L.A.C.F.C.D. STD. NO. 2-D251




RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
APPROVED BY:
CHIEF ENGINEER
DATE: April 5, 2004

**SANITARY SEWER
POTECTION**


STANDARD DRAWING NUMBER M807

R.C.E. NO. 32338




CASE - A

Above Storm Drain to House Connection - Specials required: 2-4 1/8 Bends




CASE - B

Above Storm Drain to Chimney - Specials required: 2-4 1/8 Bends.




CASE - C

Below Storm Drain to House Connection - Specials required: 2-4 1/8 Bends




CASE - D

Below Storm Drain to Y - Specials required: 3-4 1/8 Bends.



CASE - E


Below Storm Drain to Flat Saddle - Specials required: 3-4 1/8 Bends, 1-Saddle



CASE - F

Below Storm Drain to Saddle - Specials required 3-4 1/8 Bends, 1 Saddle

FOR NOTES SEE STANDARD
DRAWING No. 808 SHEET 2




Cross Section of Concrete Reinforcement
For 4" Pipe

CITY OF RIV. STD. NO. 454




RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
APPROVED BY:
Warren D. Williams
CHIEF ENGINEER
DATE: April 5, 2004 R.C.E. NO. 32336

REMODELING DETAILS
HOUSE CONNECTION
SEWERS
STANDARD DRAWING NUMBER M808
SHEET 1 OF 2




CASE - G

Below Storm Drain to Chimney - Specials required: 2-4" $\frac{1}{8}$ " Bends.




CASE - H

Below Storm Drain to Y - Specials required: 3-4" $\frac{1}{8}$ " Bends, 1-4"x4" Y.



CASE - K

Below Storm Drain to House Connection. Slope slightly modified.



CASE - R

Connection with New Sewer - Specials required: 2-4" $\frac{1}{8}$ " Bends.

NOTES

- Existing pipes are indicated by broken lines.
- Pipes to be constructed are indicated by full lines.
- All pipes shall be 4" internal diameter, or shall match existing lateral.
- All bends shall be 4" - $\frac{1}{8}$ " bends unless specified otherwise.
- Concrete reinforcement, cross section shown sheet 1 shall be used on all pipes to be constructed under storm drain, top portion within 1' of storm drain to be omitted.
- Dimensions:
 - L is specified on plan as the average total length.
 - M = (d + 24") less enough to avoid a fraction of a foot.
 - N = $\frac{1}{2}$ M, except where specified otherwise on plan.
 - P, used for CASE-K, is specified where L does not extend to the bend.
 - V, used for CASE-H, is specified to the nearest foot and in summary, is itemized as Concrete Reinforcement for 6" pipe.
- A 4" Saddle, where used, shall be connected to the pipe constituting the existing Y or T, or to the next lower pipe length.

CITY OF RIV. STD. NO. 454
CITY OF L.A. STD. NO. 29810



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

APPROVED BY:

CHIEF ENGINEER

DATE: April 5, 2004

R.C.E. NO. 32336


REMODELING DETAILS
HOUSE CONNECTION
SEWERS

STANDARD DRAWING NUMBER M808
SHEET 2 OF 2


ABBREVIATIONS

AH ASHTO
 BK AND TRANSPORTATION OFFICIALS
 AB AGGREGATE BASE
 AD ASPHALT CONCRETE
 AC ASPHALT CEMENT PIPE
 ACP ANGLE POINT
 APPROX APPROXIMATE
 ASTM AMERICAN SOCIETY FOR TESTING MATERIALS
 AWPA AMERICAN WOOD PRESERVATION ASSOCIATION
 b CHANNEL BASE WIDTH
 BC BEGINNING OF CURVE
 BCR BEGINNING OF CURVE RETURN
 BM BENCH MARK
 BNSF BURLINGTON NORTHERN SANTA FE
 C CALCULATED
 CB CATCH BASIN
 CC CENTER TO CENTER
 CF CURB FACE OR CUBIC FEET
 CFS CUBIC FEET PER SECOND
 CAG CURB AND GUTTER
 CIP CAST IRON PIPE
 CJ CONSTRUCTION JOINT
 CL CLASS
 CLR CLEAR
 CLR CENTERLINE
 CMC CORRUGATED METAL PIPE
 CMP CORRUGATED METAL PIPE ARCH
 CO CLEAN OUT
 CONC CONCRETE
 CONSTR CONSTRUCTION
 COR CORNER
 CDR CORRUGATED STEEL PIPE
 CSP CORRUGATED STEEL PIPE
 CY CUBIC YARDS
 D DEPTH
 D CURVE TOTAL DEFLECTION ANGLE
 DG DECOMPOSED GRANITE
 DIA DIAMETER
 DN DOWN
 D/W DRIVEWAY
 D/W/D EAST OR ELECTRICAL
 EA EACH
 EC END OF CURVE
 ECR END OF CURVE RETURN
 EF EACH FACE
 ELY ELEVATION
 ELY EASTERLY
 EP EDGE OF PAVEMENT
 EQ EQUATION OR EQUAL
 EW EACH WAY
 EX EXISTING
 EXCAV EXCAVATION
 EX OND EXISTING GROUND
 F FIRE
 FB FIELD BOOK
 FG FINISHED GRADE
 FH FLOW LINE
 FL FEET PER SECOND
 FT FEET OR FOOT
 FTW FOOTWAY
 G GAS
 GALV GALVANIZED
 H HEIGHT
 HC HOUSE CONNECTION
 HDPE HIGH DENSITY POLYETHYLENE
 HCL HYDRAULIC GRADE LINE
 HORIZ HORIZONTAL
 ID INSIDE DIMENSION
 IN INCH OR INCHES
 IP IRON PIPE
 IRR IRRIGATION
 JUNCTION STRUCTURE
 L LENGTH
 LBS POUNDS
 LD LOCAL DEPRESSION
 LF LINEAL FEET
 LONG LONGITUDINAL
 LS LUMP SUM OR LAND SURVEYOR
 LAT LEAD & TACK
 MAX MAXIMUM
 MCD MULTIPLE CEMENT DUCT
 MEAS MEASURED
 MH MANHOLE
 MIN MINIMUM
 MTD MIDDLE OF TIE DUCT (TEL)
 MWC MIDDLE OF VERTICAL CURVE
 N NORTH
 NAD NORTH AMERICAN DATUM
 NAVD NATIONAL GEODESIC VERTICAL DATUM
 NS NATIONAL SURVEYING SYSTEM
 NORTHERLY NORTHWARD
 # NUMBER
 NAL & TIN GALV. CHAIN LINK, EXISTING
 NOT TO SCALE
 ON CENTER
 OC OUTSIDE DIMENSION
 O/C OF POINT OF CURVATURE
 OR PORTLAND CEMENT CURVATURE OR
 POINT OF INTERSECTION
 PL OR R PROPERTY LINE
 PP POWER POLE
 PSI POUNDS PER SQUARE INCH
 PSI POUNDS PER SQUARE INCH
 PVC POLYVINYL CHLORIDE PIPE
 PYMT PAVEMENT
 Q RATE OF FLOW (CFS)
 R RADIUS OR RANGE
 R BOX REINFORCED CONCRETE BOX
 RES REGISTERED CIVIL ENGINEER
 RCE AND WATER CONSERVATION DISTRICT
 RCF/RWCD RAILROAD
 RR RECORD OF WAY
 R/S RECORD OF WAY
 R/W RECORD OF WAY
 S SOUTH OR SLOPE
 SD SIDE SLOPE OR SANITARY SEWER SECTION
 SECT SECTION
 SLY STREET LIGHT
 SL SOUTHERLY
 SLP SOUTHERLY PACIFIC RAILROAD
 SF SQUARE FEET
 STD STANDARD
 STD STANDARD
 S/T SPIKE & TIN
 S/W SIDEWALK
 T TANGENT, THICKNESS, TOWNSHIP OR TELEPHONE
 TBM TEMPORARY BENCH MARK
 TC TOP OF CURB
 TR TEMPORARY CONSTRUCTION EASEMENT TRAFFIC TRACT
 TRANS TRANSITION
 TRANS TRANSITION STRUCTURE
 TS TOP OF WALL
 TW TOP OF WALL
 UERR UNION PACIFIC RAILROAD
 USCS&G UNITED STATES COAST AND GEODETIC SURVEY
 USGS UNITED STATES GEOLOGICAL SURVEY
 V VELOCITY OF FLOW OR DEPTH OF CATCH BASIN
 VAR VARIABLE OR VARIES
 VIC VISUAL INTERSECTION
 VCP VITRIFIED CLAY PIPE
 VERT VERTICAL
 VPI VERTICAL POINT OF INTERSECTION
 W WEST, WIDTH OR WATER
 WLY WESTERLY
 WS WATER SURFACE


LINE TYPES



SYMBOLS




RIVERSIDE COUNTY FLOOD CONTROL
 AND
 WATER CONSERVATION DISTRICT
 APPROVED BY:
 DATE: 11/15/04
 REC. NO. 32308




RCP PAY LINES
NORMAL CONDITION

SEE EARTHWORK & PAY LINES, NORMAL CONDITION NOTES




RCP PAY LINES
GROUNDWATER CONDITION




PRECAST RCB PAY LINES
NORMAL CONDITION

SEE EARTHWORK & PAY LINES, NORMAL CONDITION NOTES




PRECAST RCB PAY LINES
GROUNDWATER CONDITION




CAST IN PLACE RCB PAY LINES
NORMAL CONDITION


SEE EARTHWORK & PAY LINES, NORMAL CONDITION NOTES



CAST IN PLACE RCB PAY LINES
GROUNDWATER CONDITION



RC CHANNEL PAY LINES
NORMAL CONDITION





RC CHANNEL PAY LINES
GROUNDWATER CONDITION

NOTES

- ① FOR RCB WITH COVER LESS THAN OR EQUAL TO 2 FEET, THE CLSM AND BACKFILL SHALL BE REPLACED WITH CONCRETE SLURRY (C=2,000 P/SI MINIMUM) TO A MINIMUM OF 4 INCHES AND A MAXIMUM OF 12 INCHES ABOVE THE TOP OF THE PIPE.
- ② IF PAVEMENT IS NOT INCLUDED IN EXCAVATION, THE EXCAVATION PAY LINES WILL BE TO THE EXISTING GROUND. SURFACE ELEVATIONS WILL BE ESTABLISHED BY FIELD SURVEYS.
- ③ PAVING/HMA RESTORATION LIMITS TO BE SHOWN ON PAVING PLANS OR PER CITY OR COUNTY PAVEMENT RESTORATION PLAN


LEGEND




APPROVED BY: *[Signature]*
GENERAL SUPERVISOR OF ROADS
DATE: 08/20/2011
R.C.E. NO. 59795
RIVERBEND COUNTY, MISSOURI
APPROVED BY: *[Signature]*
DISTRICT ENGINEER
DATE: 08/20/2011
R.C.E. NO. 70355
RIVERBEND COUNTY, MISSOURI

EXCAVATION AND BACKFILL PAY LINES
STANDARD DRAWING NUMBER MB15
SHEET 1 OF 1

SEE LEFT
DETAIL BELOW




FRONT VIEW




SECTION A

ID (IN)	MAX COVER (FT)	t (IN)	A BARS	L, F
48	5	4	4 @ 9	1'-6"
	10	4	4 @ 6	
	15	5	4 @ 6	
60	5	4	4 @ 6	1'-8"
	10	5	4 @ 6	
	15	5	5 @ 6	
66	5	5	4 @ 6	1'-10"
	10	5	5 @ 6	
	15	5	5 @ 6	
72	5	5	4 @ 6	2'-0"
	10	5	5 @ 6	
	15	5	6 @ 6	
78	5	5	5 @ 6	2'-2"
	10	5	6 @ 6	
	15	6	6 @ 6	
84	5	5	5 @ 6	2'-4"
	10	5	6 @ 6	
	15	6	6 @ 5	
90	5	5	6 @ 6	2'-5"
	10	6	6 @ 6	
	15	6	6 @ 5	
96	5	5	6 @ 6	2'-7"
	10	6	6 @ 5	
	15	6	7 @ 6	



LIFT DETAIL



DETAIL

NOTES

1. CONCRETE SHALL BE CLASS 'A'.
2. ALL REINFORCING STEEL SHALL BE CENTERED IN BULKHEAD EXCEPT FOR PIPE DIAMETER GREATER THAN 96", VERTICAL "A" BARS SHALL BE PLACED AT 2" CLEAR FROM THE INSIDE FACE OF THE BULKHEAD. HORIZONTAL "A" BARS SHALL BE PLACED TOWARDS OUTSIDE FACE OF BULKHEAD PER DETAIL.
3. LIFTS SHALL BE WOVEN STEEL CABLE WITH SAME MINIMUM DIAMETER (d) AS "A" BARS. WEAWE CABLE THROUGH HORIZONTAL "A" BARS. COAT EXPOSED PORTION OF CABLE LIFTS WITH AN APPROVED BITUMINOUS PAINT PRIOR TO BACKFILLING TRENCH.



RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

APPROVED BY: *Warren D. Williams*


CHIEF ENGINEER

DATE: April 15, 2004

R.C.E. NO. 32336

CONCRETE BULKHEAD

STANDARD DRAWING NUMBER M816



DOUBLE NO. 12 GALVANIZED WIRE TIES AT 18" O.C. THRU FENCING ON UPPER, LOWER AND MIDDLE CABLES

USE TWO 1/2" CABLE CLAMPS AT CABLE SPLICES

TOP AND BOTTOM CABLES TO CONDUCE WITH TOP HORIZONTAL WIRES OF FENCING

CHANNEL FLOW LINE 2'-0" MIN.

TENSION RAIL

LINE RAILS

1/2" DIA. CABLES

36 SPANS

8'-0" MAX. BETWEEN RAILS (TYPICAL)

8" (TYPICAL)

12"

12"

12"

12"


12"

12"


12"

12"


DETAIL OF FENCING FASTENING & BRACING



DETAIL OF CABLE FASTENING



SECTION A-A
(TYPICAL AT ALL RAILS)




TYPICAL SECTIONS

GENERAL NOTES:


1. THE TERM "ENGINEER", WHERE IT APPEARS HEREON, SHALL BE TAKEN TO MEAN THE AUTHORIZED REPRESENTATIVE OF THE DISTRICT.
2. USED CABLE AND RAIL MAY BE USED AS APPROVED BY THE ENGINEER. USED CABLE SHALL BE 3/4" MIN. DIA.
3. DIAGONAL BRACES ARE 11LBS. MINIMUM WEIGHT PER YARD, WELD BRACES TO RAILS WITH A MIN. OF 8" OF 3/4" FILLET WELD, SYMMETRICALLY PLACED. CUT ENDS OF BRACES TO FIT SNUGLY AGAINST RAILS PRIOR TO WELDING.
4. RAILS SHALL BE 15 FOOT MINIMUM LENGTH, AND 57 LBS. MINIMUM WEIGHT PER YARD.
5. THE TERM "FENCING", WHERE IT APPEARS HEREON, SHALL BE TAKEN TO MEAN NEW COLORADO FUEL & IRON, TYPE J-3, V-MESH FENCE FABRIC, OF SPECIFIED HEIGHT, OR AN APPROVED EQUIVALENT.
6. ALL GALVANIZED WIRE SHALL BE ANNEALED AND OF SUFFICIENT STRENGTH TO PROVIDE A SATISFACTORY CONNECTION.

SHEET METAL LAP DETAIL



RIVERGEE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT
 APPROVED BY: *Mark D. Williams*
 DISTRICT ENGINEER
 DATE: JUNE 15, 2004
 R.C.F. NO. 33336

RAIL & WIRE REVISION
 (WITH SHEET METAL BACKING)
 STANDARD DRAWING NUMBER MB17




BARBED WIRE FENCE DIMENSIONS


NUMBER OF WIRE STRANDS	3	4	5
H	8'-6"	7'-0"	7'-0"
S	12"	12"	10"
D	15"	15"	12"

- ① ROUND METAL POST, 2.875" O.D.
- ② ROUND METAL POST, 2.375" O.D.
- ③ ROUND METAL BRACE, 1.860" O.D.
- ④ 3/4" TENSION ROD WITH TENSION ADJUSTMENT.

LINE POSTS
NO SCALE



END OR CORNER POST ASSEMBLY



PULL POST ASSEMBLY
NO SCALE

FENCE LOCATION
NO SCALE

SUPERCEDS DRAWING OF SAME NO. DATED MAR. 31, 1982

NOTES:

1. SEE PROJECT DRAWINGS FOR NUMBER OF STRANDS OF BARBED WIRE OR WIDTH OF WIRE MESH.
2. BARBED WIRE SHALL BE 4-POINT ROUND BARBS, SPACED APPROXIMATELY 5-INCHES APART, AND WOUND ON TWO STRANDS OF WIRE. WIRE SIZE SHALL BE NO. 12 1/2-GAGE WIRE STRANDS AND NO. 14-GAGE BARBS. BARBED WIRE SHALL CONFORM TO ASTM A121, CLASS 1.
3. WIRE MESH SHALL BE FABRIC CONFORMING TO ASTM A121, CLASS 1. IT SHALL HAVE VERTICAL STAYS SPACED APART AS NOTED ON THE DRAWINGS. THE TOP AND BOTTOM WIRES SHALL BE 12 1/2-GAGE. INTERMEDIATE WIRES AND VERTICAL STAYS SHALL BE 12 1/2-GAGE.
4. LINE POSTS SHALL BE 3/4"x3/4"x1/2" TEE SHAPED STEEL POSTS, AND SHALL BE PROVIDED WITH A TAPERED ANCHOR PLATE SECURELY ATTACHED THERE TO AT APPROXIMATELY 22 TO 28 INCHES FROM THE BOTTOM OF THE POST, UNLESS OTHERWISE SPECIFIED. THE ANCHOR PLATE SHALL HAVE A MINIMUM AREA OF 20 SQUARE INCHES AND SHALL BE CUT FROM NOT LESS THAN 8-GAGE METAL. THE LINE POST AND ANCHOR PLATE SHALL BE PAINTED GREEN.
5. FENCING MATERIAL FOR THE END, CORNER, AND PULL POST ASSEMBLIES SHALL CONFORM TO SECTION 208-6 OF THE LATEST EDITION OF THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION.
6. LINE POSTS SHALL BE DRIVEN INTO THE GROUND, END, CORNER, AND PULL POST ASSEMBLIES SHALL BE SET IN CONCRETE AND CURED FOR 7 DAYS BEFORE ERECTING BARBED WIRE STRANDS.
7. BARBED WIRE SHALL BE ERECTED IN THE FOLLOWING ORDER: TOP STRAND FIRST, BOTTOM STRAND SECOND; REMAINING STRANDS THIRD.
8. WIRE USED TO FASTEN BARBED WIRE AND WIRE MESH TO POSTS SHALL BE GALVANIZED AND 11-GAGE OR HEAVIER, CLIPS AND HOG RINGS SHALL BE 9-GAGE OR HEAVIER.
9. END OF CORNER POST ASSEMBLY SHALL BE INSTALLED WHERE A CHANGE IN FENCE DIRECTION IS GREATER THAN 15'.
10. LINE POSTS ON CURVES SHALL BE VERTICAL AFTER BARBED WIRE STRANDS ARE ERECTED & DRAWN TIGHT. SPACING OF LINE POST SHALL BE ADJUSTED IN THE FIELD TO SUIT SOIL CONDITIONS AND CURVATURE OF THE FENCE. SPACING SHALL BE UNIFORM ON CURVES. MINIMUM SPACING SHALL BE 8 FEET AND MAXIMUM SPACING SHALL BE 12 FEET.
11. SPLICES FOR BARBED WIRE SHALL BE DOUBLE WESTERN UNION.
12. CONCRETE SHALL BE 4 SACK, 2000 PSI AT 28 DAYS.
13. ALL MATERIALS SHALL BE APPROVED BY THE ENGINEER PRIOR TO ERECTION.
14. ERECTION METHODS AND ALL SPLICES ARE SUBJECT TO APPROVAL BY THE ENGINEER.



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
APPROVED BY:
DATE: 04/15/2004
PROJECT NO. 33336

WIRE FENCE DETAILS

STANDARD DRAWING NUMBER MB1B

REINFORCED CONCRETE RECTANGULAR CHANNEL

WALL RADIUS FEET	MAX. LENGTH WALL CHORD FEET
LESS THAN 50	SMOOTH CURVE
50 TO 90	2
91 TO 400	4
401 TO 600	8
601 TO 1000	16
1001 TO 3000	24
GREATER THAN 3000	50

REINFORCED CONCRETE BOX

WALL RADIUS FEET	MAX. LENGTH WALL CHORD FEET
LESS THAN 45	SMOOTH CURVE
45 TO 90	8
91 TO 200	16
201 TO 600	24
GREATER THAN 600	50

NOTE:

1. THE CONTRACTOR MAY FORM CURVED STRUCTURES IN ACCORDANCE WITH THE ABOVE CRITERIA UNLESS OTHERWISE SPECIFIED ON THE PROJECT DRAWINGS. MAXIMUM LENGTH OF WALL CHORD SHALL BE BASED ON THE INSIDE WALL RADIUS. CHORD LENGTH SHALL BE UNIFORM THROUGHOUT EACH CURVE.
2. PROPOSED FORMING ON CURVES SHALL BE APPROVED BY THE DISTRICT PRIOR TO CONSTRUCTION.




RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT	
APPROVED BY: <i>Warren D. Williams</i>	
CHIEF ENGINEER	
DATE: April 5, 2004	R.C.E. NO. 32336



**MAXIMUM
CHORD LENGTHS FOR
CURVED SECTIONS**

STANDARD DRAWING NUMBER M819


17' MIN. (TRIM AS NEEDED BY FIELD CREW)



PIPE SWING GATE
FRONT VIEW
NTS



- NOTES**
- 1 GALVANIZED IRON PIPE 3/2" O.D. WALL THICKNESS 0.318"
 - 2 GALVANIZED IRON PIPE 2.875" O.D. WALL THICKNESS 0.278"
 - 3 GATE REST ONE-HALF OF GALVANIZED IRON PIPE 3/2" O.D. GRIND TO FIT VERTICAL POST FIELD WELD.
 - 4 CLASS "B" CONCRETE.
 - 5 POST ANCHORED IN CONCRETE SHALL HAVE CAPS.
 - 6 2" FREE STANDING PIVOT SLEEVE 3/2" WALL THICKNESS 0.318"
 - 7 3/4" GALVANIZED CHAIN FIELD WELD ONE LINK TO VERTICAL POST. PROVIDE OPENING IN LINKS FOR PADLOCK AS SHOWN. CHAIN SHALL BE OF SUFFICIENT LENGTH TO ENIRCLE HORIZONTAL PIPE.
 - 8 MATERIALS AND CONSTRUCTION METHODS SHALL CONFORM TO THE APPLICABLE PORTION OF SECTION 208-4.6, 208-4.7 AND 304-3.1 OF STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, LATEST EDITION.



SECTION B
NTS

DETAIL A
NTS




RIVERSIDE COUNTY FLOOD CONTROL
WATER CONSERVATION DISTRICT
APPROVED BY: *Matthew B. Williams*
DATE FORWARDED: 2/23/04
DATE: JANUARY 2004
PROJECT NO. 33336

REVISIED GATE & HINGE
DETAIL D
NTS

PIPE SWING GATE

STANDARD DRAWING NUMBER MB20



PIPE AND INVERT PAVING DETAIL

NOTES

NO SCALE

1. CONCRETE shall be 3000 psi at 28 days.
2. A MECHANICAL FINISHING process shall be used to produce profile and finish in one pass.
3. PROTECTIVE COATINGS
 - (A) EXTERIOR COATINGS. 25 mils of cold-applied mastic material that complies to AASHTO designation M-243.
 - (B) Installation of lifting lugs and steel reinforcement shall be accomplished prior to application of coating material.
4. CONCRETE INVERT shall be installed after completion of backfill operation in conformance with subsection 207-11.5.3. of the standard specifications.



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

APPROVED BY:


CHIEF ENGINEER

DATE: April 5, 2004

R.C.E. NO. 32336

SPIRAL RIB PIPE
INVERT PAVING

STANDARD DRAWING NUMBER M823



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT




APPROVED BY:
Warren D. Williams
CHIEF ENGINEER

DATE: April 5, 2004

SPIRAL RIB PIPE
SADDLE BRANCH
JUNCTION

STANDARD DRAWING NUMBER M824

R.C.E. NO. 32336



BANDING DETAIL : 48" DIA. AND LARGER PIPES




RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

APPROVED BY:
Warren D. Williams
CHIEF ENGINEER


DATE: April 5, 2004

**SPIRAL RIB PIPE
BANDING DETAIL**


STANDARD DRAWING NUMBER M825




DETAIL OF FENCING FASTENING & BRACING
N.T.S.



TYPICAL SECTION
N.T.S.



CABLE FASTENER DETAIL
N.T.S.



SECTION A-A
(PICTAIL)
(TYPICAL EVERY FOURTH POST)
N.T.S.

GENERAL NOTES


1. 1/2" DIAMETER CABLE.
2. 3/4" DIAMETER HOLES FOR CABLE THRU CENTER OF POSTS. PROVIDE ADEQUATE TENSION IN THE CABLE TO MINIMIZE SAG BETWEEN SPANS.
3. LINE POSTS 2 3/8" O.D.
4. GATE, END AND CORNER POSTS 2 3/8" O.D.
5. DIAGONAL BRACE AT EVERY ANGLE POINT AND IN END SPANS 2 3/8" O.D. WELDED IN PLACE.
6. 2000 PSI (4 SACK CONC.) AT EVERY 4TH POST, EVERY ANGLE POINT, BRACE POINT AND AT ENDS.
7. CAPS ON ALL POSTS.
8. THERE SHOULD BE ENOUGH TENSION IN THE CABLE TO MINIMIZE SAG BETWEEN SPANS.
9. THE TERM "ENGINEER", WHERE IT APPEARS HEREON, SHALL BE TAKEN TO MEAN THE AUTHORIZED REPRESENTATIVE OF THE DISTRICT.
10. RAIL MAY BE USED IN PLACE OF POSTS AS APPROVED BY THE ENGINEER.
11. USED CABLE, RAIL OR POSTS MAY BE USED AS APPROVED BY THE ENGINEER. USED CABLE SHALL BE 1/2" MIN. DIA.



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
APPROVED BY:
WILLIAM D. WILLIAMS
CIVIL ENGINEER
DATE: JUNE 15, 2004
R.C.F.C. NO. 33336

CABLE FENCE DETAIL

STANDARD DRAWING NUMBER MB26



RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT

APPROVED BY:
Warren D. Williams

CHIEF ENGINEER

DATE: April 15, 2004

R.C.E. NO. 32336

VEHICULAR
TURN AROUND AREA

STANDARD DRAWING NUMBER MB27