

Proof of NPDES Compliance for Discharges to District Facilities

Applicant Name and Firm (if applicable): _____

Mailing Address: _____

Phone Number: _____

Email Address: _____

Tract No.: _____ **Assessor Parcel Number (APN):** _____

Site Address or Cross-Street Location of Discharge:

Project Disturbance Area (in acres): _____

Developer (if applicable): _____

Engineer (if applicable): _____

Discharges to surface waters must be authorized by NPDES Permit(s) and/or Waste Discharge Requirement(s) or waiver(s) administered by the State Water Resources Control Board or a Regional Water Quality Control Board (RWQCB). Riverside County's principal watersheds are the Santa Margarita River Watershed, Santa Ana River Watershed and Whitewater River Watershed, which are under the jurisdiction of the San Diego RWQCB, Santa Ana RWQCB and Colorado River RWQCB, respectively. The regulatory schemes for water quality protection vary between watersheds and exemptions from authorization may apply as noted below.

Please indicate the applicable authorization and provide additional information as requested. Check the one that applies.

Discharge Authorization

Stormwater

- Discharge is associated with construction activities disturbing one (1) acre or more of soil subject to Order 2022-0057-DWQ
 - o **Provide WDID No.**

- Discharge is associated with industrial activities subject to Order 2014-0057-DWQ
 - o **Provide WDID No.**

—

Non-Stormwater

- Discharge is associated with utility vaults and underground structures subject to Order 2014-0174-DWQ.
 - o **Provide WDID No.**

- Discharge is associated with drinking water systems subject to Order 2014-0194-DWQ.
 - o **Provide WDID No.**

- Discharge is associated with a Priority Development Project subject to a Water Quality Management Plan (WQMP).
 - Provide an electronic copy (searchable pdf) of the Approved Project Specific WQMP.**

Other Region-Specific Discharge Authorization

Non-Stormwater (Colorado River Region ONLY)

- Discharge is treated groundwater and subject to Order R7-2015-0007. **Provide WDID No.** _____
- Discharge is a low threat discharge to surface waters and is subject to Order R7-2024-0025. **Provide WDID No.** _____
- Discharge is exempted from authorization (i.e. per Provision C.2.b-q of Board Order No. R7-2013-0011)
- None of the above. Please describe: _____
- _____

Non-Stormwater (Santa Ana Region ONLY)

- Discharge is a de minimus discharge subject to Order R8-2020-0006.
 - Provide WDID No.** _____
- Discharge is associated with agricultural operations in the San Jacinto Valley subject to Order R8-2023-0006.
 - Provide WDID No.** _____
- Discharge is exempted from authorization (i.e. per Provision VI.A.1-17 of Board Order No. R8-2010-0011)
- None of the above. Please describe: _____
- _____
- _____

Non-Stormwater (San Diego Region ONLY)

- Discharge is a low threat discharge subject to Order R9-2024-0001
 - Provide WDID No. _____
- Discharge is associated with groundwater extraction subject to Order R9-2015-0013.
 - Provide WDID No. _____
- Discharge is associated with commercial agricultural operations subject to Order R9-2016-0004/0005.
 - Provide WDID No. _____
- None of the above. Please describe: _____

Additional Information

Please also complete the following information (Numbers 1-6 apply to well discharges):

1. Well ID. Number and location that will discharge:

2. Discharge Rate (cfs or gpm, use range if appropriate):

3. Proposed Start Date(s)/ End Date(s):

4. Duration of Discharge from each well (e.g. days, hours or minutes, as appropriate):

5. Frequency of Discharge (e.g. daily, summer, continuous, intermittent, etc.):

6. Total Estimated Volume of Discharge from each well:

7. Possible Contaminants in Discharge:

8. Location of Proposed Discharge (receiving water, cross streets, etc.):

9. Purpose of Discharge (*please indicate whether the discharges will be temporary or operational*):

10. Proposed Structural and Non-Structural temporary or permanent BMP’s Utilized to reduce contaminants in the discharge:

11. Proposed District Facility to connect/discharge into: ***Please provide a location map or GIS file showing the connection/discharge location and existing District Facilities within the project area.*** If a connection is being made, please provide the size and type of the proposed connection.

Once the discharge is granted by the District, the Applicant shall notify the District via email at djortega@rivco.org when these discharges shall take place.

****Note to Applicant:*** *The District will contact you if you are required to conduct additional sampling. Sampling requirements vary depending on the location of the discharge as each Regional Board has different sampling requirements.*

For questions regarding this form, please contact:

David Ortega, Senior Engineering Technician
Riverside County Flood Control
and Water Conservation District
951.955.4390
djortega@rivco.org

Additional Resources:

- Riverside County Flood Control and Water Conservation District NPDES:
<https://rcwatershed.org/>
Encroachment Permits/No-Fee Access Permits:
<https://rcflood.org/obtain-encroachment-or-access-permit>
- Colorado River Regional Water Quality Control Board:
<https://www.waterboards.ca.gov/coloradoriver/>
- San Diego Regional Water Quality Control Board:
<https://www.waterboards.ca.gov/sandiego/>
- Santa Ana Regional Water Quality Control Board:
<https://www.waterboards.ca.gov/santaana/>